iMilani

innovative
italian
ideas

September 2021 edition

TECHNOLOGY. DYNAMISM. PEOPLE.

iMiCUBE

We are people who believe in quality, innovation and sustainability as essential values in business, as guides to behaviour and as the real substance of any modern vision. These are the values we rely on to inform the everyday conduct of our work, with the deep conviction that espousing them does not invite the risk being unprepared for an already imminent future, with its need for interaction, speed and mutual satisfaction between customer and supplier, who, now more than ever, are partners in the challenge for competitiveness.
These are the values of our present and our past, rooted in **the story of an enterprise begun by Mario Milani in 1929** and carried forward by **Gianni Milani**. It was the latter who, in 1972, had the illuminated idea of the innovative importance of plastic containers as a tool to help businesses manage space more rationally.

Now the third generation will write the next chapter of this story with iMilani CEO **Roberto Milani**, who envisioned this new business venture as a natural consequence of the need to enter the market with a streamlined, “open space and open mind” production process.

Gianluca Marzano, also CEO of iMilani, follows the technical, marketing and commercial offices with his twenty-years experience as CEO in companies in this field.

iMilani is therefore eager to face the challenge of the present as a modern and reliable player, ready to accommodate the demands of the industrial world and of the wider community. Regarding the latter, it pursues 100% environmentally friendly policies and positions itself as an eco-sustainable company that prioritises the use of recycled and recyclable materials, within a controlled and fully internal production chain.

iMilani wants to serve customers with product lines tailored to their needs. It has thus come up with the "iMiCUBE” line, a series of boxes and containers with a wide usage spectrum and the "iMiLOG" line, a range of specialised containers designed exclusively for use with automatic systems, whether they are stacker cranes or mini-shuttles.

iMilani is ready.

Roberto Milani
CEO

Gianluca Marzano
CEO

iMiLOG

In addition to offering a wide range of boxes and containers, as well as accessories such as pallets and covers, iMilani also provides expertise in logistics automation.
In this regard, the **iMiLOG** specialist division can provide its technical staff for advice and the implementation of specific systems, using either the dedicated **SPACE** series or boxes and trays made to specific customer requirements.
iMiLOG works with leading manufacturers of logistics automation nationally and in Europe.
To request assistance from our technicians, send an email to ***automation@imilog.it***

Our boxes are integrated with the systems of:

AUTOMHA

cassioli
AUTOMATIC MATERIAL HANDLING

CUBAR

DEMATIC

Ferretto Group
on, just one provider

FRETOR
BROVEDANI GROUP

JUNGHEINRICH

Logico

MECALUX

TGW
LIVING LOGISTICS

trascar
AUTOMATION and LOGISTICS

zancaner
Handling Automation & More

MATERIAL: POLYPROPYLENE AT ITS BEST

TOP QUALITY POLYPROPYLENE AND POLYPROPYLENE FOR FOOD PRODUCTS

PP

Top quality polypropylene is a non-toxic, odourless plastic that is resistant to solvents and acids. It can be washed and sterilised and is water-resistant and non-hygroscopic. Its chemical and mechanical properties make it perfect for the manufacture of boxes and containers, ideal for handling in automatic warehouses.

Food safety

Polypropylene for food use is a material that conforms to current EU legislation governing the characteristics of packaging and containers for contact with food. This plastic material is very widespread in the food industry, from product preparation and packaging to storage and shipment.

PP branching under presses.

ECOGREEN

Ecogreen is an environmentally friendly solution that gives new life to recycled plastic, derived from the re-use of post-consumption plastic waste.

CONDUCTIVE POLYPROPYLENE – ESD

Conductive polypropylene is a high-quality plastic, perfect for protection against electrostatic discharges. Boxes made from conductive polypropylene are perfect for storing and transporting sensitive electrical components.

FIREPROOF POLYPROPYLENE CLASS V0

PP V0

Fireproof polypropylene, replicable in different colours, prevents fire risks in automated warehouses and is a viable alternative where the use of traditional fire sprinkler systems is not possible.

ECOLOGY AND SUSTAINABILITY.

BECAUSE THE EARTH IS THE MOST IMPORTANT VESSEL OF ALL

ALESSIA ZECCHINI

APNEA WORLD CHAMPION
WORLD RECORD HOLDER

The planet is the biggest home we have. The home that someone tomorrow will live in without even having anticipated it. It is a home open to anyone. It is perfect. That's how we find it, and how we should leave when we finally go. Or even better than we found it.
We want to make the same commitment also when our plastic product reaches the end of its life, meaning after 450 years.
Environmental protection is a priority, not an option.

And we don't just mean our surrounding environment, but also, and above all, that expanse of water so vast that it covers over 70% of the Earth's surface: the sea.



The iMilani commitment to recycling of post-consumption household plastic, involves the processing of more than 1200 tons per year: a little contribution towards a "Plastic-free Sea".

But we should not view plastic as a demon, but rather as we would the clay of the ancients, lending itself to man's imagination and taking on forms and applications useful to us in everyday life, giving rein to the imaginative project, "Plastic-free Sea".

Impact test
with pendulum.

MATERIAL CHARACTERISATION DEPARTMENT

THE RAW MATERIAL AT THE CENTRE OF OUR ATTENTION

When materials arrive at our company, the first thing they see are our laboratories. Each new arrival is carefully checked and certified according to our strict quality standards, with composition tests and mechanical, thermal and functional tests. Only materials that pass these tests are placed in our silos.

When the products have been moulded and the plastic has stabilised, this is the time for further tests: bottom bending and box structure resilience. Only after this process takes place products are released from the plant and sent to customers.

MELT FLOW TESTER

This is a testing machine that determines the Melt Flow Rate of plastic, in other words the fluidity properties of the raw material in accordance with ASTM and ISO international standards.
This value is extremely important during the raw material transformation phase, because thermoplastic materials are processed under pressure and at a certain temperature. The ability of these melted materials to flow under pressure at a certain temperature is essential to the science and technology behind polymers.

Melt Flow Tester.

TRACTION TEST

During the product design phase, we need to optimise the usage of materials in order to create items that are strong, but also light and rigid at the same time. Two of the reference properties are elasticity and resistance to traction. The traction test is carried out using two vices that secure the extremities of specifically-shaped test pieces and subject them to traction. The test result is a value indicating the breakage or yield load of the raw material. When suitably measured with an extensometer, the test piece also provides the traction elasticity module. The machine is designed to carry out tests on a wide range of test pieces in accordance with ASTM and ISO international standards.

IMPACT TEST WITH PENDULUM

For users of the materials, impact resistance is one of the most important properties. It provides an efficient assessment of the cost/performance ratio during product development and quality control.
Because components might yield when subjected to a force that is lesser than the critical breakage force, it is necessary to accurately determine the propagation of fractures following an impact. The pendulum machine is designed to carry out Charpy and Izod type tests on a wide range of test pieces in accordance with ASTM and ISO international standards.

MOULD DEPARTMENT

THE MOST INNOVATIVE INJECTION MOULDING IS MADE IN IMILANI

18 injection moulds operating on **3 shifts**.
From the moulding of small parts to boxes sized 800 x 600 mm. The moulds are designed for the application of labels with an IML In-Mould Labelling system. This is used both for customisation and the application of barcodes, on-machine weighing and tolerance testing.

THE PROCESS

The mixture of various “grains” and colours is heated until a homogeneous and mouldable paste is achieved. This is then inserted into the mould to create a product in the desired shape: a box, a finishing element or a mechanical part. The presses and moulds are connected via silos, rollers, testing positions, and technical and commercial information systems making up the company’s control and value chain. At the end of the process each product is tested and checked to ensure that there are no imperfections. The product is delivered to the customer only if it is just perfect.

OUR COLOURS

PP 2X signal yellow **RAL 1003**	PP 05 yellow **RAL 1021**	PP 1C melon yellow **RAL 1028**	PP HE signal orange **RAL 2010**	PP 24 deep orange **RAL 2011**
PP 2N carmine **RAL 3002**	PP 1G ruby red **RAL 3003**	PP 03 red **RAL 3020**	PP JV signal purple **RAL 4008**	PP 3Z telemagenta **RAL 4010**
PP 04 blue **PANTONE 660C**	PP XB turquoise **PANTONE 2925C**	PP 3P aqua blue **RAL 5021**	PP 27 signal blue **RAL 5005**	PP IG sapphire blue **RAL 5003**
PP QD leaf green **RAL 6002**	PP JW plastic green **RAL 6011**	PP 43 yellowish green **RAL 6018**	PP 2F light green **RAL 6027**	PP 02 green **RAL 6032**
PP 1B signal grey **RAL 7004**	PP XL anthracite grey **RAL 7016**	PP 08 light grey **RAL 7035**	PP 01 grey **RAL 7046**	PP 07 black **RAL 9011**

Colours on request **+7%**

PERSONALISED MARKING

Steel insert integrated into the mould
Embossed marking

Hot foil printing with printing plate

Available in all colours

INDEX

14 AUTOMOTIVE

- R - KLT 16
- RL - KLT 24
- 1421 - KLT 32
- ODETTE 34
- MATS 40
- SAFELID 42
- MOTION 46

128 SPACE SAVER



- KRONOS 130
- DELTA 136
- MINERVA 142

220 STEEL

- FOX 222
- QUICK 236
- FRAME 256
- PICK 266
- SQUARE 276

50 LOGISTICS

- ATHENA 52
- ATHENA LIGHT 110
- CONTAINER 114
- PALLET & LID 120

148 C - PARTS

- COMPAT 150
- PRACTIBOX 160
- RK 180
- ZEUS 202
- HOLDER 208

iMilani
innovative italian ideas

AUTOMOTIVE



R-KLT

16



RL-KLT

24



ODETTE

34



MATS 40



SAFELID 42

MOTION 46



R-KLT

5
PP

The R-KLT series, created within the VDA - German Association of the Automotive Industry project, is ideally applied in the automotive industry, facilitating the movement of goods between the components industries and car manufacturers.

Good resistance to oils, various automated handling options, tough ergonomic handles, a high level of safety and strength and a reinforced bottom to withstand heavy loads.

BOTTOMS

300 x 200

400 x 300

600 x 400



label holders
on both sides

slot

600 mm

300 mm + 300 mm

hand grip



Dimensions

300 x 200 mm H 147 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	KL 3215 511G	■			■			■		570	16	256	3,63
B	KL LI35 511G									91	8	1280	2,63
	ARTICLE ON REQUEST												
A	KL 3215 5207	■			■			■		638	16	256	6,78
B	KL LI35 5207									102	8	1280	4,96
	ACCESSORIES												
C	KL PROT 5100									25	8		1,02

A

Closed bottom
Load capacity
20 kg

B

C

DATASHEET

A

Stacked edge height	132 mm
Usable stacked height / with lid	127 mm/ 116 mm
Usable internal dimensions	243 x 161 x 142H mm
Volume	5.3 litres
Pieces per pack / pallet	16 256
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B

Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 150H mm
Pieces per pallet / dimension	1280 / 1200 x 800 x 1000H mm

C

Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 147 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	KL 4315 51IG	■					■	■		1290	8	128	7,41
PP	B	KL LI45 51IG									279	4	640	3,51
		ARTICLE ON REQUEST												
	A	KL 4315 5207	■					■	■		1445	8	128	13,85
	B	KL LI45 5207									312	4	640	5,46
		ACCESSORIES												
PP	C	KL PROT 5100									25	8		1,02

A

Reinforced bottom
Load capacity 20 kg

B



C

DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / with lid	110 mm / 98 mm
Usable internal dimensions	345 x 264 x 124H mm
Volume	10 litres
Pieces per pack / pallet	8 128
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B	
Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 280 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	KL 4329 511G	■					■	■		1850	4	64	10,46
B	KL LI45 511G									279	4	640	3,51
	ARTICLE ON REQUEST												
A	KL 4329 5207	■					■	■		2072	4	64	19,54
B	KL LI45 5207									312	4	640	5,46
	ACCESSORIES												
C	KL PROT 5100									25	8		1,02

A

Reinforced bottom
Load capacity 20 kg



B

C

DATASHEET

A

Stacked edge height	265 mm
Usable stacked height / with lid	243 mm/ 231 mm
Usable internal dimensions	345 x 264 x 257H mm
Volume	22 litres
Pieces per pack / pallet	4 / 64
Package dimensions	620 x 420 x 565H mm
Pallet dimensions	1200 x 800 x 2285H mm

B

Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000H mm

C

Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 147 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	KL 6415 51IG	■					■	■		2100	4	64	12,54
PP	B	KL LI65 51IG									680	4	240	4,88
		ARTICLE ON REQUEST												
	A	KL 6415 5207	■					■	■		2352	4	64	23,46
	B	KL LI65 5207									762	4	240	9,74
		ACCESSORIES												
PP	C	KL PROT 5100									25	8		1,02

A

Reinforced bottom
Load capacity 20 kg

B



C

DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / with lid	110 mm/ 98 mm
Usable internal dimensions	543 x 363 x 124H mm
Volume	22 litres
Pieces per pack / pallet	4 / 64
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B	
Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	210 x 74H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 280 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	KL 6429 511G	■					■	■		2970	2	32	17,81
B	KL LI65 511G									680	4	240	4,88
	ARTICLE ON REQUEST												
A	KL 6429 5207	■					■	■		3326	2	32	33,30
B	KL LI65 5207									762	4	240	9,74
	ACCESSORIES												
C	KL PROT 5100									25	8		1,02

A

Reinforced bottom
Load capacity 20 kg



B



C

DATASHEET

A	
Stacked edge height	265 mm
Usable stacked height / with lid	243 mm/ 231 mm
Usable internal dimensions	543 x 363 x 257H mm
Volume	48 litres
Pieces per pack / pallet	2 / 32
Package dimensions	620 x 420 x 565H mm
Pallet dimensions	1200 x 800 x 2285H mm

B	
Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

RL-KLT

5
PP

The RL-KLT series, created within the VDA - German Association of the Automotive Industry project, is ideally applied in the automotive industry, facilitating the movement of goods between the components industries and car manufacturers.

Good resistance to oils, various automated handling options, tough ergonomic handles, high level of safety and strength, smooth surface for silent transport on belts, perforations in bottom for water drainage.

BOTTOMS

300 x 200

400 x 300

600 x 400

label holders on both sides

hand grip





Dimensions

300 x 200 mm H 147 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	KL 3147 5127	■			■			■		570	16	256	3,63
B	KL LI35 5127									91	8	1280	2,63
	ARTICLE ON REQUEST												
A	KL 3147 5207	■			■			■		638	16	256	6,78
B	KL LI35 5207									102	8	1280	4,96
	ACCESSORIES												
C	KL PROT 5100									25	8		1,02

A

Closed bottom
Load capacity
20 kg

B

C

DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / with lid	127 mm/ 116 mm
Usable internal dimensions	243 x 161 x 142H mm
Volume	5.3 litres
Pieces per pack / pallet	16 / 256
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B	
Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 150H mm
Pieces per pallet / dimension	1280 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 147 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	KL 4147 5127	■				■		■		1080	8	128	6,00
PP	B	KL LI45 5127									279	4	640	3,51
		ARTICLE ON REQUEST												
	A	KL 4147 5207	■				■		■		1210	8	128	11,20
	B	KL LI45 5207									312	4	640	5,46
		ACCESSORIES												
PP	C	KL PROT 5100									25	8		1,02

A

Perforated bottom
Load capacity
20 kg

B

C

DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / with lid	127 mm/ 116 mm
Usable internal dimensions	346 x 262 x 142H mm
Volume	11,8 litres
Pieces per pack / pallet	8 128
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B	
Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 280 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	KL 4280 5127	■				■		■		1700	4	64	8,59
B	KL LI45 5127									279	4	640	3,51
	ARTICLE ON REQUEST												
A	KL 4280 5207	■				■		■		1904	4	64	16,05
B	KL LI45 5207									312	4	640	5,46
	ACCESSORIES												
C	KL PROT 5100									25	8		1,02

A

Perforated bottom
Load capacity
20 kg

B



C

DATASHEET

A

Stacked edge height	265 mm
Usable stacked height / with lid	260 mm/ 249 mm
Usable internal dimensions	346 x 262 x 275H mm
Volume	24,1 litres
Pieces per pack / pallet	4 64
Package dimensions	620 x 420 x 565H mm
Pallet dimensions	1200 x 800 x 2285H mm

B

Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000H mm

C

Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 147 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	KL 6147 5127	■				■		■		1820	4	64	10,05
PP	B	KL LI65 5127									680	4	240	4,88
		ARTICLE ON REQUEST												
	A	KL 6147 5207	■				■		■		2038	4	64	18,80
	B	KL LI65 5207									762	4	240	9,74
		ACCESSORIES												
PP	C	KL PROT 5100									25	8		1,02

A

Perforated bottom
Load capacity
20 kg

B



C

DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / with lid	127 mm/ 116 mm
Usable internal dimensions	543 x 358 x 142H mm
Volume	25 litres
Pieces per pack / pallet	4 64
Package dimensions	600 x 400 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B	
Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order.....200 boxes
Delivery guaranteed within.....6 weeks

iMilani
innovative
italian
ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 280 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	KL 6280 5127	■				■		■		2670	2	32	14,68
B	KL LI65 5127									680	4	240	4,88
	ARTICLE ON REQUEST												
A	KL 6280 5207	■				■		■		2990	2	32	27,45
B	KL LI65 5207									762	4	240	9,74
	ACCESSORIES												
C	KL PROT 5100									25	8		1,02

A

Perforated bottom
Load capacity
20 kg



B

C

DATASHEET

A	
Stacked edge height	265 mm
Usable stacked height / with lid	260 mm/ 249 mm
Usable internal dimensions	543 x 358 x 275H mm
Volume	51,9 litres
Pieces per pack / pallet	2 / 32
Package dimensions	600 x 400 x 565H mm
Pallet dimensions	1200 x 800 x 2285H mm

B	
Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



Dimensions

1000 x 400 mm H 214 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	KL 1421 5127	■					■	■		4000	9	33	21,68

1421 - KLT

iMiCUBE

33

A

Reinforced bottom
Load capacity 20 kg

DATASHEET

	A
Stacked edge height	199 mm
Usable stacked height / with lid	177 mm
Usable internal dimensions	935 x 345 x 191H mm
Volume	63 litres
Pieces per pack / pallet	9 — 33
Package dimensions	1200 x 1000 x 782H mm
Pallet dimensions	1200 x 1000 x 2354h mm

innovative italian ideas

iMilani

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ODETTE

5
PP

The distinctive yellow-coloured boxes of the Odette series were designed and built under the "Odette" project (Organisation for Data Exchange by Tele Transmission in Europe). The organisation's membership includes a number of important Italian and international companies, operating in particular in the automotive industry.

The "Odette" boxes came into being thanks to close cooperation with European car makers. The "Odette" project was launched Europe-wide in 1985 to create harmonised standards for containers for the handling and transport of small volumes or amounts.

BOTTOM

reinforced bottom





PICKING

picking from above



picking from below



side picking





Dimensions

300 x 200 mm H 147 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	OD 4950 5105	■					■	■		600	16	256	7,91
B	OD 32SE 5105									110	8	1440	2,52
	ACCESSORIES												
C	OD BEAM 0099										8		0,61

A

Reinforced bottom
Load capacity 20 kg

B

C

A	
Stacked edge height	132 mm
Usable stacked height / with lid	118 mm/ 107 mm
Usable internal dimensions	235 x 161 x 133H mm
Volume	4.6 litres
Pieces per pack / pallet	16 / 256
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B	
Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 160H mm
Pieces per pallet / dimension	1440 / 1200 x 800 x 1000H mm

C	
Metal document holder rod	
Pieces per pack	8

DATASHEET

iMilani innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 214 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	OD 4930 5105	■					■	■		1740	6	88	11,77
B	OD 43SE 5105									240	6	640	3,71
	ACCESSORIES												
C	OD BEAM 0099										8		0,61

A

Reinforced bottom
Load capacity 20 kg

B

C

DATASHEET

A

Stacked edge height	199 mm
Usable stacked height / with lid	185 mm/ 174 mm
Usable internal dimensions	335 x 261 x 200H mm
Volume	15.8 litres
Pieces per pack / pallet	6 / 88
Package dimensions	620 x 420 x 632H mm
Pallet dimensions	1200 x 800 x 2354H mm

B

Lid	400 x 300 mm
Pieces per pack. / dimension	6 / 400 x 300 x 120H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000H mm

C

Metal document holder rod	
Pieces per pack	8

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 214 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	OD 4910 5105	■					■	■		2820	3	44	18,60
B	OD 64SE 5105									500	3	320	6,51
	ACCESSORIES												
C	OD BEAM 0099										8		0,61

A

Reinforced bottom
Load capacity 20 kg

B

C

A	
Stacked edge height	199 mm
Usable stacked height / with lid	185 mm/ 174 mm
Usable internal dimensions	535 x 361 x 200H mm
Volume	34.8 litres
Pieces per pack / pallet	3 / 44
Package dimensions	620 x 420 x 632H mm
Pallet dimensions	1200 x 800 x 2354H mm

B	
Lid	600 x 400 mm
Pieces per pack. / dimension	3 / 600 x 400 x 60H mm
Pieces per pallet / dimension	320 / 1200 x 800 x 1000H mm

C	
Metal document holder rod	
Pieces per pack	8

DATASHEET

iMilani innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 314 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	OD 4900 5105	■					■	■		4020	3	40	27,10
B	OD 64SE 5105									500	3	320	6,51
	ACCESSORIES												
C	OD BEAM 0099										8		0,61

A

Reinforced bottom
Load capacity 20 kg

B

C

DATASHEET

A

Stacked edge height	299 mm
Usable stacked height / with lid	285 mm/ 274 mm
Usable internal dimensions	535 x 361 x 300H mm
Volume	53 litres
Pieces per pack / pallet	3 / 40
Package dimensions	620 x 420 x 648H mm
Pallet dimensions	1200 x 800 x 2369H mm

B

Lid	600 x 400 mm
Pieces per pack. / dimension	3 / 600 x 400 x 60H mm
Pieces per pallet / dimension	320 / 1200 x 800 x 1000H mm

C

Metal document holder rod	
Pieces per pack	8

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ANTI-SLIP
The particular pattern in relief on the upper part has a non-slip design, ensuring maximum grip even when wet.

WIRING
The non-slip mats are suitable for the totally safe housing of electric cables laid on the floor.

SAFETY
The linear and corner connecting ramps increase safety for operators using trolleys, ease the rolling of wheels and improve visual characteristics for accident prevention.

CLIP
All parts can be joined and removed quickly and easily by means of the special galvanised clip system.

MATS

4
PE-LD

These mats are made of PE-LD (low density polyethylene) and are suitable especially in engineering workshops, metal processing industries, washing installations, food industries, warehouses, bathing facilities, campsites, wardrobes, etc.

The summary results of testing in the Plastics Centre of Southern Germany were as follows: the mats showed good floor adherence both in no-load and full-load conditions; they did not form bevels (which may cause the user to stumble) or large gaps. Also, they remain equally usable in damp conditions as they have a raised surface.

800 x 400 mm H 25 mm

	ARTICLE	CLOSED WALKING SURFACE	PERFORATED WALKING SURFACE	GR.	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
A	CA 0804A 4101	■		1968	4	105	14,58	PE-LD
	CA 0804A 4106	■		1968	4	105	14,58	PE-LD
	CA 0804A 4107	■		1968	4	105	14,58	PE-LD
	CA 0804A 4207	■		2339	4	105	30,89	
B	CA 0804B 4101		■	1979	4	105	13,47	PE-LD
	CA 0804B 4106		■	1979	4	105	13,47	PE-LD
	CA 0804B 4107		■	1979	4	105	13,47	PE-LD
	ACCESSORIES							
C	CA 0401A 4105	■		240	20		3,17	PE-LD
	CA 0401A 4207	■		269	20		5,05	
D	CA 0101A 4105	■		68	10		1,78	PE-LD
	CA 0101A 4207	■		69	10		3,09	
E	CA CLIP				10		0,16	

A



B

C

D



E

DATASHEET

A - CLOSED NON-SLIP MAT

Dimensions	800 x 400 x 25H mm
Walking surface	without slots
Pieces per pack / pallet	4 105
Package dimensions	800 x 400 x 100H mm
Pallet dimensions	1200 x 800 x 1025H mm

B - PERFORATED NON-SLIP MAT

Dimensions	800 x 400 x 25H mm
Walking surface	with slots
Pieces per pack / pallet	4 105
Package dimensions	800 x 400 x 100H mm
Pallet dimensions	1200 x 800 x 1025H mm

C - LINEAR CONNECTING RAMP FOR MAT

Dimensions	400 x 120 x 25H mm
Pieces per pack	20

D - CORNER CONNECTING RAMP FOR MAT

Dimensions	120 x 120 x 25H mm
Pieces per pack	10

E - GALVANISED CONNECTION CLIP

Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



SAFELID

5
PP

SafeLid is the safest, most versatile and affordable way to secure loads during transport. Available in 3 sizes – 800x600 mm, 1200x800 mm and 1200x1000 m – SafeLid can be supplemented with security seals, thus ensuring load inaccessibility. Also, there is no longer any need to use stretch film, thus increasing savings in time, cost and environmental protection.

LOAD SAFETY

extendible belt extraction

positioning of fixing hook

load securing with ratchet handle

COMPONENTS

ratchet handle

lifting handle

extendible belt

SEAL

EPAL
EPAL

Dimensions

800 x 600 mm H 93 mm
1200 x 800 mm H 118 mm
1200 x 1000 mm H 100 mm

	ARTICLE	2 SHORT SIDE STRAPS	2 LONG SIDE STRAPS	2 STRAPS ATTACHABLE ON EITHER SIDE	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	SL 0806 5107	■			6150	1	60	112,23
B	SL 1208 5107		■	■	10930	1	25	155,29
C	SL 1210 5107		■	■	9930	1	25	164,48

A

B

C

DATASHEET

A

Dimensions	822 x 618 x 93H mm
Stacked edge height	62.5 mm
Maximum load weight	2000 kg
Operating temperature	-20C° / +40C°
Strap length	2000 mm
Pieces per pack / pallet	1 60
Package dimensions	850 x 650 x 120H mm
Pallet dimensions	1200 x 800 x 1980H mm

B

Dimensions	1222 x 822 x 118H mm
Stacked edge height	71 mm
Maximum load weight	2000 kg
Operating temperature	-20C° / +40C°
Strap length	2000 mm
Pieces per pack / pallet	1 25
Package dimensions	1260 x 860 x 150H mm
Pallet dimensions	1250 x 850 x 1950H mm

C

Dimensions	1227 x 1027 x 100H mm
Stacked edge height	71 mm
Maximum load weight	2000 kg
Operating temperature	-20C° / +40C°
Strap length	2000 mm
Pieces per pack / pallet	1 25
Package dimensions	1260 x 1060 x 130H mm
Pallet dimensions	1250 x 1100 x 1930H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

MOTION

5
PP

Motion is a trolley made of high-impact polypropylene and can be stacked when not in use.

A simple coupling system means you can create rows of trolleys with a single movement.

Available with black nylon wheels as standard.

Blue non-marking wheels, shown on this page, are available on request.

With the use of a top lid, it is also suitable for the transport of Delta boxes, stably and safely.

To facilitate the transport of multiple trolleys, a height-adjustable telescopic drawbar is provided.

COUPLING SYSTEM

The MOTION coupling system gives the option of connecting trolleys both on the short and long sides, enabling the user to shift more loads together or to prepare them for transport.

STACKING

The special design of the MOTION supporting surface allows trolleys to be stacked safely and stably, with cross-positioning of the various levels.

SWIVEL WHEELS

The MOTION trolley is equipped with 4 thermoplastic swivel wheels as standard, 100 mm in diameter.
Upon request, it is also possible to have TPR 75 mm diameter wheels in non-marking material, as shown in the photo to the left, to help maintain the appearance of resin flooring.

BARCODE AND LOGO

A customisation option is available for a logo to be applied by hot marking on the sides of the MOTION trolley.
There is also provision for 2 protected areas on each side of the MOTION trolley for the application of barcode labels or tags; they can be supplied together with the trolleys in accordance with the customer's specifications.

Motion combination with Kronos

Motion combination with Minerva

Motion combination with KLT

Motion combination with Delta

Motion combination with Odette

Motion combination with Athena

Dimensions

594 x 396 mm H 173 mm

	ARTICLE	NYLON WHEELS DIAM. 100 MM	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
A	MO 64TP 5107	■	3540	1	64	49,24
	ACCESSORIES					
1	MO HELM			1		42,05
2	DE 64SE 5101		960	1	160	9,33
	DE 64SE 51XB		960	1	160	9,33
3	MI 64SE 5101		1000	1	160	7,82
	MI 64SE 51XB		1000	1	160	7,82

A

1

2

3

DATASHEET

A	
Dimensions	594 x 396 x 173H mm
Cross-stacked inter-axle pitch	75 mm
In-line stacked inter-axle pitch	135 mm
Height from ground	117 mm
Type of wheels	4 swivel wheels
Wheel material as a standard	thermoplastic
Wheel diameter	100 mm
Wheel upper plate	in galvanised steel
Maximum No. of stacked units	1 +15 trolleys
Load capacity kg	250
Pieces per pack / pallet	1 64
Pallet dimensions	1200 x 800 x 1500H mm

1
Height-adjustable telescopic drawbar

2 - 3	
Lid for use with Delta/Minerva box	600 x 400 mm
Pieces per pack	1
Package dimensions	620 x 420 x 100H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

LOGISTICS



ATHENA 52



ATHENA LIGHT 110

CONTAINER 114

PALLET & LID 120



ATHENA

5
PP

The variety of materials and sizes of the Athena series of boxes make them suitable for use in all sectors, with optimal adaptability to storage and distribution requirements. They are stackable with and without lids and conform to euro-pallet sizes.

Edges and reinforcements are designed to give the boxes structural strength to withstand the heaviest loads. The bottoms and walls of the boxes can be closed or perforated.

The handles can also be in open or closed mode. The varied composition of these elements permits a wide range of solutions and does not exclude the option of customised solutions.

HANDLES

open handle

closed handle

WALLS

closed walls

perforated walls

LONG side wall with window

SHORT side wall with window

BOTTOMS

closed bottom

reinforced bottom



perforated bottom



800x600 mm
bottom for accessories



with crossbars

with feet

with wheels

LIDS

hinged

with handles

sliding

Use of the lid does not exclude the option of stacking the boxes

CLOSING CLIPS

The lid of the Athena series box in the version with hinges and with handles can be closed with a sliding fastener in nylon.

closing with lead

PARTITIONED BOXES

Partitions offer a systematic way to divide Athena series boxes into two or more compartments, depending on the solution chosen. A handy dust LID is available in transparent polystyrene, fitted with a lifting grip.

COMB DIVIDERS





To organise and protect particularly delicate articles or materials that must not come into contact with other products during handling and storage, the box can be partitioned by means of comb dividers.

They are of plastic or ESD construction and are available in five heights; the dividers feature slots positioned 20 mm apart, allowing the systematic and variable subdivision of the interior space of the boxes according to the user's needs.

Dividers can be made to measure to satisfy any requirement.

INTERMEDIATE SHELF

Made of plastic, the intermediate shelf acts as a separator if the box has to be divided into more than one layer. The side grooves on the lid facilitate gripping and removal.





DOCUMENT HOLDER SPRING

The Document holder spring snaps onto the long or short side of the Athena box and can be used to secure transport notes or other documents.

Dimensions

200 x 150 mm H 150 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 2115A 5101	■			■			■		298	24	480	3,10
	AT 2115A 51XB	■			■			■		298	24	480	3,10
	ARTICLE ON REQUEST												
A	AT 2115A 5207	■			■			■		334	24	480	4,23
	AT 2115A 5401	■			■			■		311	24	480	2,48
	AT 2115A 5900	■			■			■		298	24	480	3,10

ECOGREEN

A

Closed bottom
Load capacity 10 kg

DATASHEET

	A
Stacked edge height	139 mm
Usable stacked height	135 mm
Usable internal dimensions	158 x 109 x 146 H mm
Volume	2.7 litres
Pieces per pack / pallet	24 480
Package dimensions	620 x 420 x 448 H mm
Pallet dimensions	1200 x 800 x 2246 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

300 x 200 mm H 120 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
		AT 3212A 5101	■			■			■		432	16	320	4,65
	A	AT 3212A 51XB	■			■			■		432	16	320	4,65
ECOGREEN		AT 3212A 5401	■			■			■		451	16	320	3,82
		ARTICLE ON REQUEST												
	A	AT 3212A 5207	■			■			■		484	16	320	6,60
		AT 3212A 5900	■			■			■		432	16	320	4,65
		ACCESSORIES												
		AT 32HG 5101									150	10	2560	2,63
	1	AT 32HG 51XB									150	10	2560	2,63
ECOGREEN		AT 32HG 5401									157	10	2560	2,28
	2	SPRING 0099	Document holder spring									10		0,33
	3	AT LOCK 8113	Pair closing clips									10		0,33
		ACCESSORY ON DEMAND												
	1	AT 32HG 5207									168	10	2560	3,30
		AT 32HG 5900									150	10	2560	2,63

A

Smooth bottom
Load capacity 15 kg

1

2

3

DATASHEET

A	
Stacked edge height	109 mm
Usable stacked height / with lid	105 mm/ 107 mm
Usable internal dimensions	259 x 160 x 116 H mm
Volume	5 litres
Pieces per pack / pallet	16 320
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

1	
Hinged lid	300 x 200 mm
Pieces per package / dimension	10/300 x 200 x 100 mm
Pieces per pallet / dimension	2560/1200x800x1000H mm

2	
Document holder spring	
Pieces per pack	10

3	
Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

300 x 200 mm H 170 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 3217A 5101	■			■			■		616	12	224	5,07
A	AT 3217A 51XB	■			■			■		616	12	224	5,07
	AT 3217A 5401	■			■			■		644	12	224	4,06
	ARTICLE ON REQUEST												
A	AT 3217A 5207	■			■			■		690	12	224	7,49
A	AT 3217A 5900	■			■			■		616	12	224	5,07
	ACCESSORIES												
1	AT 32HG 5101									150	10	2560	2,63
1	AT 32HG 51XB									150	10	2560	2,63
1	AT 32HG 5401									157	10	2560	2,28
2	SPRING 0099	Document holder spring									10		0,33
3	AT LOCK 8113	Pair closing clips									10		0,33
	ACCESSORY ON DEMAND												
1	AT 32HG 5207									168	10	2560	3,30
1	AT 32HG 5900									150	10	2560	2,63

ECOGREEN

A

Smooth bottom
Load capacity 15 kg

1

2

3

DATASHEET

A

Stacked edge height	159 mm
Usable stacked height / with lid	155 mm/ 157 mm
Usable internal dimensions	259 x 160 x 166 H mm
Volume	7 litres
Pieces per pack / pallet	12 224
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

1

Hinged lid	300 x 200 mm
Pieces per package / dimension	10/300 x 200 x 100 mm
Pieces per pallet / dimension	2560/1200x800x1000H mm

2

Document holder spring	
Pieces per pack	10

3

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani
innovative italian ideas

ATHENA 4305

iMiCUBE

60

Dimensions

400 x 300 mm H 55 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	AT 4305A 5101	■			■			■		488	20	400	5,01
PP	A	AT 4305A 51XB	■			■			■		488	20	400	5,01
		ARTICLE ON REQUEST												
		AT 4305A 5207	■			■			■		547	20	400	8,23
ECOGREEN	A	AT 4305A 5401	■			■			■		510	20	400	4,00
PP		AT 4305A 5900	■			■			■		488	20	400	5,01

A

Closed bottom
Load capacity 15 kg

DATASHEET

A	
Stacked edge height	44 mm
Usable stacked height / with lid	40 mm/ 42 mm
Usable internal dimensions	355 x 255 x 51 H mm
Volume	3.8 litres
Pieces per pack / pallet	20 400
Package dimensions	620 x 420 x 471 H mm
Pallet dimensions	1200 x 800 x 2361 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani
innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 55 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	AT 43SE 5101	■			322	10	480	3,51	
	AT 43SE 51XB	■			322	10	480	3,51	
	AT 43SE 5207	■			361	10	480	5,09	
2	AT 43HG 5101		■		340	10	640	3,51	
	AT 43HG 51XB		■		340	10	640	3,51	
	AT 43HG 5207		■		381	10	640	5,09	
	AT 43HG 5401		■		355	10	640	2,90	ECOGREEN
	AT 43HG 5900		■		340	10	640	3,51	
3	AT LOCK 8113	Pair closing clips				10		0,33	
	ARTICLE ON REQUEST								
1	AT 43SE 5401	■			336	10	480	2,90	ECOGREEN
	AT 43SE 5900	■			322	10	480	3,51	

1

2

3

DATASHEET

1

Separate lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm

2

Hinged lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm

3

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 75 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	AT 4308A 5101	■			■			■		516	14	280	5,75
PP	A	AT 4308A 51XB	■			■			■		516	14	280	5,75
		ARTICLE ON REQUEST												
		AT 4308A 5207	■			■			■		578	14	280	8,76
ECOGREEN	A	AT 4308A 5401	■			■			■		540	14	280	4,60
PP		AT 4308A 5900	■			■			■		516	14	280	5,75

A

Closed bottom
Load capacity 15 kg

DATASHEET

A	
Stacked edge height	64 mm
Usable stacked height / with lid	60 mm/ 62 mm
Usable internal dimensions	355 x 255 x 71 H mm
Volume	6 litres
Pieces per pack / pallet	14 280
Package dimensions	620 x 420 x 479 H mm
Pallet dimensions	1200 x 800 x 2401 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani
innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 75 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	AT 43SE 5101	■			322	10	480	3,51
	AT 43SE 51XB	■			322	10	480	3,51
	AT 43SE 5207	■			361	10	480	5,09
2	AT 43HG 5101		■		340	10	640	3,51
	AT 43HG 51XB		■		340	10	640	3,51
	AT 43HG 5207		■		381	10	640	5,09
	AT 43HG 5401		■		355	10	640	2,90
	AT 43HG 5900		■		340	10	640	3,51
3	AT 43SL 5101			■	328	10	480	4,35
	AT 43SL 51XB			■	328	10	480	4,35
	AT 43SL 5207			■	367	10	480	7,00
4	SPRING 0099	Document holder spring				10		0,33
5	AT LOCK 8113	Pair closing clips				10		0,33
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			336	10	480	2,90
	AT 43SE 5900	■			322	10	480	3,51
3	AT 43SL 5900			■	328	10	480	4,35

1

2

3

4

5

DATASHEET

1

Separate lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm

2

Hinged lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm

3

Sliding lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm

4

Document holder spring	
Pieces per pack	10

5

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 120 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	AT 4312A 5101	■			■			■		782	8	160	6,42
PP	A	AT 4312A 51XB	■			■			■		782	8	160	6,42
	A	AT 4312A 5207	■			■			■		876	8	160	11,76
ECOGREEN	A	AT 4312A 5401	■			■			■		817	8	160	5,23
PP	C	AT 4312C 5101	■					■	■		876	8	160	7,24
PP	C	AT 4312C 51XB	■					■	■		876	8	160	7,24
PP	H	AT 4312H 5101	■				■		■		736	8	160	6,42
PP	H	AT 4312H 51XB	■				■		■		736	8	160	6,42
		ARTICLE ON REQUEST												
PP	A	AT 4312A 5900	■			■			■		782	8	160	6,42
	C	AT 4312C 5207	■					■	■		981	8	160	12,18
ECOGREEN	C	AT 4312C 5401	■					■	■		915	8	160	5,79
PP	C	AT 4312C 5900	■					■	■		876	8	160	7,24
	H	AT 4312H 5207	■				■		■		824	8	160	11,76
ECOGREEN	H	AT 4312H 5401	■				■		■		769	8	160	5,23
PP	H	AT 4312H 5900	■				■		■		736	8	160	6,42

A

Closed bottom
Load capacity 15 kg

C

Reinforced bottom
Load capacity 20 kg

H

Perforated bottom
Load capacity 15 kg

DATASHEET

A	
Stacked edge height	109 mm
Usable stacked height / with lid	105 mm/ 107 mm
Usable internal dimensions	355 x 255 x 116 H mm
Volume	10 litres
Pieces per pack / pallet	8 160
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

C	
Stacked edge height	109 mm
Usable stacked height / with lid	92 mm/ 96 mm
Usable internal dimensions	355 x 255 x 105 H mm
Volume	10 litres
Pieces per pack / pallet	8 160
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

H	
Stacked edge height	109 mm
Usable stacked height / with lid	105 mm/ 107 mm
Usable internal dimensions	355 x 255 x 116 H mm
Volume	10 litres
Pieces per pack / pallet	8 160
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 120 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
1	AT 43SE 5101	■			322	10	480	3,51
	AT 43SE 51XB	■			322	10	480	3,51
	AT 43SE 5207	■			361	10	480	5,09
2	AT 43HG 5101		■		340	10	640	3,51
	AT 43HG 51XB		■		340	10	640	3,51
	AT 43HG 5207		■		381	10	640	5,09
	AT 43HG 5401		■		355	10	640	2,90
	AT 43HG 5900		■		340	10	640	3,51
3	AT 43SL 5101			■	328	10	480	4,35
	AT 43SL 51XB			■	328	10	480	4,35
	AT 43SL 5207			■	367	10	480	7,00
4	SPRING 0099	Document holder spring				10		0,33
5	AT LOCK 8113	Pair closing clips				10		0,33
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			336	10	480	2,90
	AT 43SE 5900	■			322	10	480	3,51
3	AT 43SL 5900			■	328	10	480	4,35

ECOGREEN

DATASHEET

1

Separate lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm

2

Hinged lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm

3

Sliding lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm

4

Document holder spring	
Pieces per pack	10

5

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

1

2

3

4

5

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 170 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	AT 4317A 5101	■			■			■		1042	6	112	8,14
PP	A	AT 4317A 51XB	■			■			■		1042	6	112	8,14
	A	AT 4317A 5207	■			■			■		1167	6	112	13,38
ECOGREEN	A	AT 4317A 5401	■			■			■		1089	6	112	6,76
PP	C	AT 4317C 5101	■					■	■		1108	6	112	9,55
PP	C	AT 4317C 51XB	■					■	■		1108	6	112	9,55
		ARTICLE ON REQUEST												
PP	A	AT 4317A 5900	■			■			■		1042	6	112	8,14
	C	AT 4317C 5207	■					■	■		1241	6	112	13,89
ECOGREEN	C	AT 4317C 5401	■					■	■		1158	6	112	7,63
PP	C	AT 4317C 5900	■					■	■		1108	6	112	9,55

A

Closed bottom
Load capacity 15 kg

C

Reinforced bottom
Load capacity 20 kg

DATASHEET

A	
Stacked edge height	159 mm
Usable stacked height / with lid	155 mm/ 157 mm
Usable internal dimensions	355 x 255 x 166 H mm
Volume	15 litres
Pieces per pack / pallet	6 112
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

C	
Stacked edge height	159 mm
Usable stacked height / with lid	142 mm/ 146 mm
Usable internal dimensions	355 x 255 x 155 H mm
Volume	15 litres
Pieces per pack / pallet	6 112
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 170 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
1	AT 43SE 5101	■			322	10	480	3,51
1	AT 43SE 51XB	■			322	10	480	3,51
	AT 43SE 5207	■			361	10	480	5,09
2	AT 43HG 5101		■		340	10	640	3,51
2	AT 43HG 51XB		■		340	10	640	3,51
2	AT 43HG 5207		■		381	10	640	5,09
2	AT 43HG 5401		■		355	10	640	2,90
2	AT 43HG 5900		■		340	10	640	3,51
3	AT 43SL 5101			■	328	10	480	4,35
3	AT 43SL 51XB			■	328	10	480	4,35
3	AT 43SL 5207			■	367	10	480	7,00
4	SPRING 0099	Document holder spring				10		0,33
5	AT LOCK 8113	Pair closing clips				10		0,33
6	AT LH43 5107	Label holders				10		0,87
7	LB 14581 0425	A4 sheet with 4 labels				25		0,16
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			336	10	480	2,90
1	AT 43SE 5900	■			322	10	480	3,51
3	AT 43SL 5900			■	328	10	480	4,35

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	480 / 1200 x 800 x 1000 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	640 / 1200 x 800 x 1000 H mm
3	Sliding lid	400 x 300 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	480 / 1200 x 800 x 1000 H mm
4	Document holder spring	
	Pieces per pack	10
5	Pair closing clips	
	Pieces per pack	10
6	Label holders	150 x 85 H mm
	Pieces per pack	10
7	A4 sheet with 4 labels	145 x 81 mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	AT 4322A 5101	■			■			■		1284	4	80	8,82
PP	A	AT 4322A 51XB	■			■			■		1284	4	80	8,82
	A	AT 4322A 5207	■			■			■		1438	4	80	16,46
ECOGREEN	A	AT 4322A 5401	■			■			■		1342	4	80	7,56
PP	B	AT 4322B 5101	■			■				■	1230	4	80	8,82
PP	B	AT 4322B 51XB	■			■				■	1230	4	80	8,82
PP	D	AT 4322D 5101	■					■		■	1330	4	80	9,55
PP	D	AT 4322D 51XB	■					■		■	1330	4	80	9,55
		ARTICLE ON REQUEST												
PP	A	AT 4322A 5900	■			■			■		1284	4	80	8,82
	B	AT 4322B 5207	■			■				■	1378	4	80	16,46
PP	B	AT 4322B 5900	■			■				■	1230	4	80	8,82
	D	AT 4322D 5207	■					■		■	1490	4	80	16,96
PP	D	AT 4322D 5900	■					■		■	1230	4	80	9,55

A

Closed bottom
Load capacity 15 kg

B

Closed bottom
Load capacity 15 kg

D

Reinforced bottom
Load capacity 20 kg

A	
Stacked edge height	209 mm
Usable stacked height / with lid	205 mm/ 207 mm
Usable internal dimensions	355 x 255 x 216 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

B	
Stacked edge height	209 mm
Usable stacked height / with lid	205 mm/ 207 mm
Usable internal dimensions	355 x 255 x 216 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

D	
Stacked edge height	209 mm
Usable stacked height / with lid	192 mm/ 196 mm
Usable internal dimensions	355 x 255 x 205 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
1	AT 43SE 5101	■			322	10	480	3,51
1	AT 43SE 51XB	■			322	10	480	3,51
	AT 43SE 5207	■			361	10	480	5,09
2	AT 43HG 5101		■		340	10	640	3,51
2	AT 43HG 51XB		■		340	10	640	3,51
2	AT 43HG 5207		■		381	10	640	5,09
2	AT 43HG 5401		■		355	10	640	2,90
2	AT 43HG 5900		■		340	10	640	3,51
3	AT 43SL 5101			■	328	10	480	4,35
3	AT 43SL 51XB			■	328	10	480	4,35
3	AT 43SL 5207			■	367	10	480	7,00
4	SPRING 0099	Document holder spring				10		0,33
5	AT LOCK 8113	Pair closing clips				10		0,33
6	AT LH43 5107	Label holders				10		0,87
7	LB 14581 0425	A4 sheet with 4 labels				25		0,16
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			336	10	480	2,90
1	AT 43SE 5900	■			322	10	480	3,51
3	AT 43SL 5900			■	328	10	480	4,35

ECOGREEN

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	480 / 1200 x 800 x 1000 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	640 / 1200 x 800 x 1000 H mm
3	Sliding lid	400 x 300 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	480 / 1200 x 800 x 1000 H mm
4	Document holder spring	
	Pieces per pack	10
5	Pair closing clips	
	Pieces per pack	10
6	Label holders	150 x 85 H mm
	Pieces per pack	10
7	A4 sheet with 4 labels	145 x 81 mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ATHENA 4332

iMiCUBE

70

Dimensions

400 x 300 mm H 325 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	AT 4332A 5101	■			■			■		1852	2	56	12,87
PP	A	AT 4332A 51XB	■			■			■		1852	2	56	12,87
	A	AT 4332A 5207	■			■			■		2074	2	56	24,19
ECOGREEN	A	AT 4332A 5401	■			■			■		1935	2	56	10,31
PP	B	AT 4332B 5101	■			■				■	1728	2	56	12,87
PP	B	AT 4332B 51XB	■			■				■	1728	2	56	12,87
		ARTICLE ON REQUEST												
PP	A	AT 4332A 5900	■			■			■		1852	2	56	12,87
	B	AT 4332B 5207	■			■				■	1935	2	56	24,19
PP	B	AT 4332B 5900	■			■				■	1728	2	56	12,87

A

Closed bottom
Load capacity 15 kg

B

Closed bottom
Load capacity 15 kg

DATASHEET

A	
Stacked edge height	314 mm
Usable stacked height / with lid	310 mm/ 312 mm
Usable internal dimensions	355 x 255 x 321 H mm
Volume	30 litres
Pieces per pack / pallet	2 56
Package dimensions	620 x 420 x 345 H mm
Pallet dimensions	1200 x 800 x 2359 H mm

B	
Stacked edge height	314 mm
Usable stacked height / with lid	310 mm/ 312 mm
Usable internal dimensions	355 x 255 x 321 H mm
Volume	30 litres
Pieces per pack / pallet	2 56
Package dimensions	620 x 420 x 345 H mm
Pallet dimensions	1200 x 800 x 2359 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 325 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	AT 43SE 5101	■			322	10	480	3,51
	AT 43SE 51XB	■			322	10	480	3,51
	AT 43SE 5207	■			361	10	480	5,09
2	AT 43HG 5101		■		340	10	640	3,51
	AT 43HG 51XB		■		340	10	640	3,51
	AT 43HG 5207		■		381	10	640	5,09
	AT 43HG 5401		■		355	10	640	2,90
	AT 43HG 5900		■		340	10	640	3,51
3	AT 43SL 5101			■	328	10	480	4,35
	AT 43SL 51XB			■	328	10	480	4,35
	AT 43SL 5207			■	368	10	480	7,00
4	SPRING 0099	Document holder spring				10		0,33
5	AT LOCK 8113	Pair closing clips				10		0,33
6	AT LH43 5107	Label holders				10		0,87
7	LB 14581 0425	A4 sheet with 4 labels				25		0,16
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			337	10	480	2,90
	AT 43SE 5900	■			322	10	480	3,51
3	AT 43SL 5900			■	328	10	480	4,35

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	480 / 1200 x 800 x 1000 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	640 / 1200 x 800 x 1000 H mm
3	Sliding lid	400 x 300 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	480 / 1200 x 800 x 1000 H mm
4	Document holder spring	
	Pieces per pack	10
5	Pair closing clips	
	Pieces per pack	10
6	Label holders	150 x 85 H mm
	Pieces per pack	10
7	A4 sheet with 4 labels	145 x 81 mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Per container

400 x 300 mm

		ARTICLE	1 PARTITION	2 PARTITIONS	4 PARTITIONS	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
	1	AT 43S1 5207	■			246	20	320	3,87
ECOGREEN	1	AT 43S1 5407	■			230	20	320	2,58
	2	AT 43S2 5207		■		263	20	320	4,34
ECOGREEN	2	AT 43S2 5407		■		246	20	320	2,80
	3	AT 43S4 5207			■	291	20	320	4,42
ECOGREEN	3	AT 43S4 5407			■	272	20	320	3,06
	4	AT LID4 6896	Transparent lid			118	20		2,59

1

2

3

4

Subdivision with 1 and 2 compartments

Subdivision with 1 and 4 compartments

Subdivision with 2 and 4 compartments

DATASHEET

1	
Partitioned box 1 partition	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm

2	
Partitioned box 2 partitions	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm

3	
Partitioned box 4 partitions	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm

4	
Transparent polystyrene lid	
Pieces per pack / pallet	20
Package dimensions	265 x 195 x 180 H mm

Per container

400 x 300 mm

	ARTICLE	H 45	H 70	H 90	H 120	H 180	GR.	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
1	DI 25545 5101	■						10		1,07
	DI 25545 5207	■						10		1,66
	DI 35545 5101	■						10		1,14
	DI 35545 5207	■						10		2,01
2	DI 25570 5101		■					10		1,20
	DI 25570 5207		■					10		2,35
	DI 35570 5101		■					10		1,35
	DI 35570 5207		■					10		2,76
3	DI 25590 5101			■				10		1,35
	DI 25590 5207			■				10		2,76
	DI 35590 5101			■				10		1,60
	DI 35590 5207			■				10		3,48
4	DI 25512 5101				■			10		1,70
	DI 25512 5207				■			10		3,48
	DI 35512 5101				■			10		2,03
	DI 35512 5207				■			10		4,40
5	DI 25518 5101					■		10		2,18
	DI 25518 5207					■		10		5,07
	DI 35518 5101					■		10		2,69
	DI 35518 5207					■		10		6,54
6	DI 43SHT 5101							10		3,23
	DI 43SHT 5207							10		8,55



1

2



3

4

5

6

DATASHEET

1

Comb divider 255 x 45 H mm per box 400 x 300 x 75H mm	10 items
Comb divider 355 x 45 H mm per box 400 x 300 x 75H mm	10 items

2

Comb divider 255 x 70 H mm per box 400 x 300 x 120H mm	10 items
Comb divider 355 x 70 H mm per box 400 x 300 x 120H mm	10 items

3

Comb divider 255 x 90 H mm per box 400 x 300 x 120H mm	10 items
Comb divider 355 x 90 H mm per box 400 x 300 x 120H mm	10 items

4

Comb divider 255 x 120 H mm per box 400 x 300 x 170H mm	10 items
Comb divider 355 x 120 H mm per box 400 x 300 x 170H mm	10 items

5

Comb divider 255 x 180 H mm per box 400 x 300 x 220H mm	10 items
Comb divider 355 x 180 H mm per box 400 x 300 x 220H mm	10 items

6

Intermediate partition shelf 355 x 255 mm	10 items

Dimensions

600 x 400 mm H 75 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP		AT 6408A 5101	■			■			■		1312	7	140	9,19
PP		AT 6408A 51XB	■			■			■		1312	7	140	9,19
	A	AT 6408A 5207	■			■			■		1469	7	140	16,72
ECOGREEN		AT 6408A 5401	■			■			■		1371	7	140	7,34
PP		AT 6408A 5900	■			■			■		1312	7	140	9,19

A

Closed bottom
Load capacity 20 kg

A	
Stacked edge height	64 mm
Usable stacked height / with lid	60 mm/ 62 mm
Usable internal dimensions	555 x 355 x 71 H mm
Volume	10 litres
Pieces per pack / pallet	7 140
Package dimensions	620 x 420 x 479 H mm
Pallet dimensions	1200 x 800 x 2401 H mm

DATASHEET

iMilani
innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 75 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 64SE 5101	■		720	10	240	6,95	
	AT 64SE 51XB	■		720	10	240	6,95	
	AT 64SE 5207	■		806	10	240	9,74	
2	AT 64HG 5101		■	700	10	320	6,95	
	AT 64HG 51XB		■	700	10	320	6,95	
	AT 64HG 5207		■	784	10	320	9,74	
	AT 64HG 5401		■	732	10	320	5,77	ECOGREEN
	AT 64HG 5900		■	700	10	320	6,95	
3	SPRING 0099	Document holder spring			10		0,33	
4	AT LOCK 8113	Pair closing clips			10		0,33	
	ARTICLE ON REQUEST							
1	AT 64SE 5401	■		752	10	240	5,77	ECOGREEN
	AT 64SE 5900	■		720	10	240	6,95	

1

2

3

4

DATASHEET

1

Separate lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

2

Hinged lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H m

3

Document holder spring	
Pieces per pack	10

4

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 120 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP		AT 6412A 5101	■			■			■		1636	4	80	10,62
PP		AT 6412A 51XB	■			■			■		1636	4	80	10,62
	A	AT 6412A 5207	■			■			■		1832	4	80	19,87
ECOGREEN		AT 6412A 5401	■			■			■		1710	4	80	9,04
PP		AT 6412A 5900	■			■			■		1636	4	80	10,62
PP		AT 6412C 5101	■					■	■		1690	4	80	11,05
PP		AT 6412C 51XB	■					■	■		1690	4	80	11,05
	C	AT 6412C 5207	■					■	■		1893	4	80	23,98
ECOGREEN		AT 6412C 5401	■					■	■		1766	4	80	8,85
PP		AT 6412C 5900	■					■	■		1690	4	80	11,05

A

Closed bottom
Load capacity 20 kg

C

Reinforced bottom
Load capacity 30 kg

DATASHEET

A	
Stacked edge height	109 mm
Usable stacked height / with lid	105 mm/ 107 mm
Usable internal dimensions	555 x 355 x 116 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

C	
Stacked edge height	109 mm
Usable stacked height / with lid	92 mm/ 96 mm
Usable internal dimensions	555 x355 x 105 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

CONTINUED ON NEXT PAGE >>

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 120 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €	
1	AT 64SE 5101	■		720	10	240	6,95	
	AT 64SE 51XB	■		720	10	240	6,95	
	AT 64SE 5207	■		806	10	240	9,74	
2	AT 64HG 5101		■	700	10	320	6,95	
	AT 64HG 51XB		■	700	10	320	6,95	
	AT 64HG 5207		■	784	10	320	9,74	
	AT 64HG 5401		■	732	10	320	5,77	ECOGREEN
	AT 64HG 5900		■	700	10	320	6,95	
3	SPRING 0099	Document holder spring			10		0,33	
4	AT LOCK 8113	Pair closing clips			10		0,33	
	ARTICLE ON REQUEST							
1	AT 64SE 5401	■		752	10	240	5,77	ECOGREEN
	AT 64SE 5900	■		720	10	240	6,95	

1

2

3

4

DATASHEET

1

Separate lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

2

Hinged lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H m

3

Document holder spring	
Pieces per pack	10

4

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 120 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	G	AT 6412G 5101		■		■			■		1624	4	80	10,62
PP		AT 6412G 51XB		■		■			■		1624	4	80	10,62
		AT 6412G 5207		■		■			■		1819	4	80	19,87
ECOGREEN		AT 6412G 5401		■		■			■		1697	4	80	9,04
PP		AT 6412G 5900		■		■			■		1624	4	80	10,62
PP	H	AT 6412H 5101		■			■		■		1460	4	80	10,62
PP		AT 6412H 51XB		■			■		■		1460	4	80	10,62
		AT 6412H 5207		■			■		■		1635	4	80	19,87
ECOGREEN		AT 6412H 5401		■			■		■		1526	4	80	9,04
PP		AT 6412H 5900		■			■		■		1460	4	80	10,62

G

Closed bottom
Load capacity 20 kg



H

Perforated bottom
Load capacity 15 kg

DATASHEET

G	
Stacked edge height	109 mm
Usable stacked height / with lid	105 mm/ 107 mm
Usable internal dimensions	555 x 355 x 116 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

H	
Stacked edge height	109 mm
Usable stacked height / with lid	105 mm/ 107 mm
Usable internal dimensions	555 x355 x 116 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

<< CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 120 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €	
1	AT 64SE 5101	■		720	10	240	6,95	
	AT 64SE 51XB	■		720	10	240	6,95	
	AT 64SE 5207	■		806	10	240	9,74	
2	AT 64HG 5101		■	700	10	320	6,95	
	AT 64HG 51XB		■	700	10	320	6,95	
	AT 64HG 5207		■	784	10	320	9,74	
	AT 64HG 5401		■	732	10	320	5,77	ECOGREEN
	AT 64HG 5900		■	700	10	320	6,95	
3	SPRING 0099	Document holder spring			10		0,33	
4	AT LOCK 8113	Pair closing clips			10		0,33	
	ARTICLE ON REQUEST							
1	AT 64SE 5401	■		752	10	240	5,77	ECOGREEN
	AT 64SE 5900	■		720	10	240	6,95	

1

2

3

4

DATASHEET

1

Separate lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

2

Hinged lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H m

3

Document holder spring	
Pieces per pack	10

4

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ATHENA 6417

iMiCUBE

80

Dimensions

600 x 400 mm H 170 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	AT 6417A 5101	■			■			■		2134	3	56	13,05
PP	A	AT 6417A 51XB	■			■			■		2134	3	56	13,05
	A	AT 6417A 5207	■			■			■		2390	3	56	24,41
ECOGREEN	A	AT 6417A 5401	■			■			■		2230	3	56	10,76
PP	C	AT 6417C 5101	■					■	■		2266	3	56	14,11
PP	C	AT 6417C 51XB	■					■	■		2266	3	56	14,11
		ARTICLE ON REQUEST												
PP	A	AT 6417A 5900	■			■			■		2134	3	56	13,05
	C	AT 6417C 5207	■					■	■		2538	3	56	28,51
ECOGREEN	C	AT 6417C 5401	■					■	■		2368	3	56	11,29
PP	C	AT 6417C 5900	■					■	■		2266	3	56	14,11

A

Closed bottom
Load capacity 20 kg

C

Reinforced bottom
Load capacity 30 kg

DATASHEET

A	
Stacked edge height	159 mm
Usable stacked height / with lid	155 mm/ 157 mm
Usable internal dimensions	555 x 355 x 166 H mm
Volume	30 litres
Pieces per pack / pallet	3 56
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

C	
Stacked edge height	159 mm
Usable stacked height / with lid	142 mm/ 146 mm
Usable internal dimensions	555 x 355 x 155 H mm
Volume	30 litres
Pieces per pack / pallet	3 56
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani
innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 170 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	6,95
	AT 64SE 51XB	■		720	10	240	6,95
	AT 64SE 5207	■		806	10	240	9,74
2	AT 64HG 5101		■	700	10	320	6,95
	AT 64HG 51XB		■	700	10	320	6,95
	AT 64HG 5207		■	784	10	320	9,74
	AT 64HG 5401		■	732	10	320	5,77
	AT 64HG 5900		■	700	10	320	6,95
3	SPRING 0099	Document holder spring			10		0,33
4	AT LOCK 8113	Pair closing clips			10		0,33
5	AT LH64 5107	Label holders			10		0,97
6	LB 21081 0325	A4 sheet with 3 labels			25		0,24
7	AT DI17 0199	Galvanised divider with pair of supports			1		14,89
	ARTICLE ON REQUEST						
1	AT 64SE 5401	■		752	10	240	5,77
	AT 64SE 5900	■		720	10	240	6,95

ECOGREEN

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
3	Document holder spring	
	Pieces per pack	10
4	Pair closing clips	
	Pieces per pack	10
5	Label holders	215 x 85 H mm
	Pieces per pack	10
6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25
7	Galv. divider w/pair of supports	145 H mm
	Pieces per pack	1

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	AT 6422A 5101	■			■			■		2586	2	40	16,94
PP	A	AT 6422A 51XB	■			■			■		2586	2	40	16,94
ECOGREEN	A	AT 6422A 5401	■			■			■		2702	2	40	13,56
PP	B	AT 6422B 5101	■			■				■	2518	2	40	16,94
PP	B	AT 6422B 51XB	■			■				■	2518	2	40	16,94
		ARTICLE ON REQUEST												
	A	AT 6422A 5207	■			■			■		2896	2	40	31,68
PP	A	AT 6422A 5900	■			■			■		2586	2	40	16,94
	B	AT 6422B 5207	■			■				■	2820	2	40	31,68
PP	B	AT 6422B 5900	■			■				■	2518	2	40	16,94

A

Closed bottom
Load capacity 20 kg

B

Closed bottom
Load capacity 20 kg

DATASHEET

A	
Stacked edge height	209 mm
Usable stacked height / with lid	205 mm/ 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

B	
Stacked edge height	209 mm
Usable stacked height / with lid	205 mm/ 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

CONTINUED ON NEXT PAGE >>

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €	
1	AT 64SE 5101	■		720	10	240	6,95	
1	AT 64SE 51XB	■		720	10	240	6,95	
1	AT 64SE 5207	■		806	10	240	9,74	
2	AT 64HG 5101		■	700	10	320	6,95	
2	AT 64HG 51XB		■	700	10	320	6,95	
2	AT 64HG 5207		■	784	10	320	9,74	
2	AT 64HG 5401		■	732	10	320	5,77	ECOGREEN
2	AT 64HG 5900		■	700	10	320	6,95	
3	SPRING 0099	Document holder spring			10		0,33	
4	AT LOCK 8113	Pair closing clips			10		0,33	
5	AT LH64 5107	Label holders			10		0,97	
6	LB 21081 0325	A4 sheet with 3 labels			25		0,24	
7	AT DI22 0199	Galvanised divider with pair of supports			1		16,63	
	ARTICLE ON REQUEST							
1	AT 64SE 5401	■		752	10	240	5,77	ECOGREEN
1	AT 64SE 5900	■		720	10	240	6,95	

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
3	Document holder spring	
	Pieces per pack	10
4	Pair closing clips	
	Pieces per pack	10
5	Label holders	215 x 85 H mm
	Pieces per pack	10
6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25
7	Galv. divider w/pair of supports	195 H mm
	Pieces per pack	1

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	D	AT 6422D 5101	■					■		■	2800	2	40	17,89
PP	D	AT 6422D 51XB	■					■		■	2800	2	40	17,89
PP	S	AT 6422S 5101		■			■			■	2424	2	40	16,94
PP	S	AT 6422S 51XB		■			■			■	2424	2	40	16,94
		ARTICLE ON REQUEST												
	D	AT 6422D 5207	■					■		■	3136	2	40	35,79
PP	D	AT 6422A 5900	■					■		■	2800	2	40	17,89
	S	AT 6422S 5207		■			■			■	2715	2	40	31,68
PP	S	AT 6422S 5900		■			■			■	2424	2	40	16,94

D

Reinforced bottom
Load capacity 30 kg

S

Perforated bottom
Load capacity 15 kg

DATASHEET

D	
Stacked edge height	209 mm
Usable stacked height / with lid	192 mm/ 196 mm
Usable internal dimensions	555 x 355 x 205 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

S	
Stacked edge height	209 mm
Usable stacked height / with lid	205 mm/ 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	6,95
	AT 64SE 51XB	■		720	10	240	6,95
	AT 64SE 5207	■		806	10	240	9,74
2	AT 64HG 5101		■	700	10	320	6,95
	AT 64HG 51XB		■	700	10	320	6,95
	AT 64HG 5207		■	784	10	320	9,74
	AT 64HG 5401		■	732	10	320	5,77
	AT 64HG 5900		■	700	10	320	6,95
3	SPRING 0099	Document holder spring			10		0,33
4	AT LOCK 8113	Pair closing clips			10		0,33
5	AT LH64 5107	Label holders			10		0,97
6	LB 21081 0325	A4 sheet with 3 labels			25		0,24
7	AT DI22 0199	Galvanised divider with pair of supports			1		16,63
	ARTICLE ON REQUEST						
1	AT 64SE 5401	■		752	10	240	5,77
	AT 64SE 5900	■		720	10	240	6,95

ECOGREEN

ECOGREEN

1

2

3

4

5 6

7

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
3	Document holder spring	
	Pieces per pack	10
4	Pair closing clips	
	Pieces per pack	10
5	Label holders	215 x 85 H mm
	Pieces per pack	10
6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25
7	Galv. divider w/pair of supports	195 H mm
	Pieces per pack	1

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 280 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	AT 6428A 5101	■			■			■		2866	2	32	19,75
PP	A	AT 6428A 51XB	■			■			■		2866	2	32	19,75
ECOGREEN	A	AT 6428A 5401	■			■			■		2995	2	32	15,80
PP	B	AT 6428B 5101	■			■				■	2762	2	32	19,75
PP	B	AT 6428B 51XB	■			■				■	2762	2	32	19,75
PP	D	AT 6428D 5101	■					■		■	2968	2	32	21,77
PP	D	AT 6428D 51XB	■					■		■	2968	2	32	21,77
		ARTICLE ON REQUEST												
	A	AT 6428A 5207	■			■			■		3210	2	32	36,55
PP	A	AT 6428A 5900	■			■			■		2866	2	32	19,75
	B	AT 6428B 5207	■			■				■	3093	2	32	36,55
PP	B	AT 6428B 5900	■			■				■	2762	2	32	19,75
	D	AT 6428D 5207	■					■		■	3324	2	32	40,66
PP	D	AT 6428D 5900	■					■		■	2968	2	32	21,77

A

Closed bottom
Load capacity 20 kg

B

Closed bottom
Load capacity 20 kg

D

Reinforced bottom
Load capacity 30 kg

DATASHEET

A	
Stacked edge height	269 mm
Usable stacked height / with lid	265 mm/ 267 mm
Usable internal dimensions	555 x 355 x 276 H mm
Volume	53 litres
Pieces per pack / pallet	2 32
Package dimensions	620 x 420 x 569 H mm
Pallet dimensions	1200 x 800 x 2313 H mm

B	
Stacked edge height	269 mm
Usable stacked height / with lid	265 mm/ 267 mm
Usable internal dimensions	555 x 355 x 276 H mm
Volume	53 litres
Pieces per pack / pallet	2 32
Package dimensions	620 x 420 x 569 H mm
Pallet dimensions	1200 x 800 x 2313 H mm

D	
Stacked edge height	269 mm
Usable stacked height / with lid	252 mm/ 256 mm
Usable internal dimensions	555 x 355 x 265 H mm
Volume	53 litres
Pieces per pack / pallet	2 32
Package dimensions	620 x 420 x 569 H mm
Pallet dimensions	1200 x 800 x 2313 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 280 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	6,95
	AT 64SE 51XB	■		720	10	240	6,95
	AT 64SE 5207	■		806	10	240	9,74
2	AT 64HG 5101		■	700	10	320	6,95
	AT 64HG 51XB		■	700	10	320	6,95
	AT 64HG 5207		■	784	10	320	9,74
	AT 64HG 5401		■	732	10	320	5,77
	AT 64HG 5900		■	700	10	320	6,95
3	SPRING 0099	Document holder spring			10		0,33
4	AT LOCK 8113	Pair closing clips			10		0,33
5	AT LH64 5107	Label holders			10		0,97
6	LB 21081 0325	A4 sheet with 3 labels			25		0,24
	ARTICLE ON REQUEST						
1	AT 64SE 5401	■		752	10	240	5,77
	AT 64SE 5900	■		720	10	240	6,95

1

2

3

4

5

6

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
3	Document holder spring	
	Pieces per pack	10
4	Pair closing clips	
	Pieces per pack	10
5	Label holders	215 x 85 H mm
	Pieces per pack	10
6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 325 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	AT 6432A 5101	■			■			■		3170	3	40	22,04
PP	A	AT 6432A 51XB	■			■			■		3170	3	40	22,04
	A	AT 6432A 5207	■			■			■		3550	3	40	38,82
ECOGREEN	A	AT 6432A 5401	■			■			■		3313	3	40	17,63
PP	A	AT 6432A 5900	■			■			■		3170	3	40	22,04
PP	B	AT 6432B 5101	■			■				■	3228	3	40	22,04
PP	B	AT 6432B 51XB	■			■				■	3228	3	40	22,04
		ARTICLE ON REQUEST												
	B	AT 6432B 5207	■			■				■	3615	3	40	38,82
PP	B	AT 6432B 5900	■			■				■	3228	3	40	22,04

A

Closed bottom
Load capacity 20 kg

B

Closed bottom
Load capacity 20 kg

DATASHEET

A	
Stacked edge height	314 mm
Usable stacked height / with lid	310 mm/ 312 mm
Usable internal dimensions	555 x 355 x 321 H mm
Volume	60 litres
Pieces per pack / pallet	3 40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

B	
Stacked edge height	314 mm
Usable stacked height / with lid	310 mm/ 312 mm
Usable internal dimensions	555 x 355 x 321 H mm
Volume	60 litres
Pieces per pack / pallet	3 40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

CONTINUED ON NEXT PAGE >>

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 325 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	6,95
	AT 64SE 51XB	■		720	10	240	6,95
	AT 64SE 5207	■		806	10	240	9,74
2	AT 64HG 5101		■	700	10	320	6,95
	AT 64HG 51XB		■	700	10	320	6,95
	AT 64HG 5207		■	784	10	320	9,74
	AT 64HG 5401		■	732	10	320	5,77
	AT 64HG 5900		■	700	10	320	6,95
3	SPRING 0099	Document holder spring			10		0,33
4	AT LOCK 8113	Pair closing clips			10		0,33
5	AT LH64 5107	Label holders			10		0,97
6	LB 21081 0325	A4 sheet with 3 labels			25		0,24
	ARTICLE ON REQUEST						
1	AT 64SE 5401	■		752	10	240	5,77
	AT 64SE 5900	■		720	10	240	6,95

1

2

3

4

5

6

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
3	Document holder spring	
	Pieces per pack	10
4	Pair closing clips	
	Pieces per pack	10
5	Label holders	215 x 85 H mm
	Pieces per pack	10
6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 325 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	D	AT 6432D 5101	■					■		■	3500	3	40	23,17
PP	D	AT 6432D 51XB	■					■		■	3500	3	40	23,17
PP	R	AT 6432R 5101		■		■				■	2968	3	40	22,04
PP	R	AT 6432R 51XB		■		■				■	2968	3	40	22,04
		ARTICLE ON REQUEST												
	D	AT 6432D 5207	■					■		■	3920	3	40	42,92
PP	D	AT 6432D 5900	■					■		■	3500	3	40	23,17
	R	AT 6432R 5207		■		■				■	3324	3	40	38,82
PP	R	AT 6432R 5900		■		■				■	2968	3	40	22,04

D

Reinforced bottom
Load capacity 30 kg

R

Closed bottom
Load capacity 20 kg

DATASHEET

D	
Stacked edge height	314 mm
Usable stacked height / with lid	297 mm/ 301 mm
Usable internal dimensions	555 x 355 x 310 H mm
Volume	60 litres
Pieces per pack / pallet	3 40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

R	
Stacked edge height	314 mm
Usable stacked height / with lid	310 mm/ 312 mm
Usable internal dimensions	555 x 355 x 321 H mm
Volume	60 litres
Pieces per pack / pallet	3 40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 325 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	6,95
	AT 64SE 51XB	■		720	10	240	6,95
	AT 64SE 5207	■		806	10	240	9,74
2	AT 64HG 5101		■	700	10	320	6,95
	AT 64HG 51XB		■	700	10	320	6,95
	AT 64HG 5207		■	784	10	320	9,74
	AT 64HG 5401		■	732	10	320	5,77
	AT 64HG 5900		■	700	10	320	6,95
3	SPRING 0099	Document holder spring			10		0,33
4	AT LOCK 8113	Pair closing clips			10		0,33
5	AT LH64 5107	Label holders			10		0,97
6	LB 21081 0325	A4 sheet with 3 labels			25		0,24
	ARTICLE ON REQUEST						
1	AT 64SE 5401	■		752	10	240	5,77
	AT 64SE 5900	■		720	10	240	6,95

1

2

3

4

5

6

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
3	Document holder spring	
	Pieces per pack	10
4	Pair closing clips	
	Pieces per pack	10
5	Label holders	215 x 85 H mm
	Pieces per pack	10
6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 430 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	AT 6443B 5101	■			■				■	3752	1	20	28,30
PP	B	AT 6443B 51XB	■			■				■	3752	1	20	28,30
PP	R	AT 6443R 5101		■		■				■	3502	1	20	28,14
PP	R	AT 6443R 51XB		■		■				■	3502	1	20	28,14
		ARTICLE ON REQUEST												
	B	AT 6443B 5207	■			■				■	4202	1	20	50,47
PP	B	AT 6443B 5900	■			■				■	3752	1	20	28,30
	R	AT 6443R 5207		■		■				■	3922	1	20	52,64
PP	R	AT 6443R 5900		■		■				■	3502	1	20	28,14

B

Closed bottom
Load capacity 20 kg

R

Closed bottom
Load capacity 20 kg

DATASHEET

B	
Stacked edge height	419 mm
Usable stacked height / with lid	415 mm/ 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Volume	90 litres
Pieces per pack / pallet	1 20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm

R	
Stacked edge height	419 mm
Usable stacked height / with lid	415 mm/ 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Volume	90 litres
Pieces per pack / pallet	1 20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm

CONTINUED ON NEXT PAGE >>

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 430 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	6,95
	AT 64SE 51XB	■		720	10	240	6,95
	AT 64SE 5207	■		806	10	240	9,74
2	AT 64HG 5101		■	700	10	320	6,95
	AT 64HG 51XB		■	700	10	320	6,95
	AT 64HG 5207		■	784	10	320	9,74
	AT 64HG 5401		■	732	10	320	5,77
	AT 64HG 5900		■	700	10	320	6,95
3	SPRING 0099	Document holder spring			10		0,33
4	AT LOCK 8113	Pair closing clips			10		0,33
5	AT LH64 5107	Label holders			10		0,97
6	LB 21081 0325	A4 sheet with 3 labels			25		0,24
	ARTICLE ON REQUEST						
1	AT 64SE 5401	■		752	10	240	5,77
	AT 64SE 5900	■		720	10	240	6,95

1

2

3

4

5

6

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
3	Document holder spring	
	Pieces per pack	10
4	Pair closing clips	
	Pieces per pack	10
5	Label holders	215 x 85 H mm
	Pieces per pack	10
6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 430 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Side window 400 mm		Side window 600 mm	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	U	AT 6443U 5101	■			■				■	3746	1	20	28,14
PP	U	AT 6443U 51XB	■			■				■	3746	1	20	28,14
PP	V	AT 6443V 5101			■	■				■	3626	1	20	28,14
PP	V	AT 6443V 51XB			■	■				■	3626	1	20	28,14
		ARTICLE ON REQUEST												
	U	AT 6443U 5207	■			■				■	4196	1	20	52,64
PP	U	AT 6443U 5900	■			■				■	3746	1	20	28,14
	V	AT 6443V 5207			■	■				■	4061	1	20	52,64
PP	V	AT 6443V 5900			■	■				■	3626	1	20	28,14

U

Closed bottom
Load capacity 20 kg

V

Closed bottom
Load capacity 20 kg

DATASHEET

U	
Stacked edge height	419 mm
Usable stacked height / with lid	415 mm/ 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Size of the opening	262 mm x 184 H mm
Volume	90 litres
Pieces per pack / pallet	1 20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm

V	
Stacked edge height	419 mm
Usable stacked height / with lid	415 mm/ 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Size of the opening	464 mm x 182 H mm
Volume	90 litres
Pieces per pack / pallet	1 20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 430 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	6,95
	AT 64SE 51XB	■		720	10	240	6,95
	AT 64SE 5207	■		806	10	240	9,74
2	AT 64HG 5101		■	700	10	320	6,95
	AT 64HG 51XB		■	700	10	320	6,95
	AT 64HG 5207		■	784	10	320	9,74
	AT 64HG 5401		■	732	10	320	5,77
	AT 64HG 5900		■	700	10	320	6,95
3	SPRING 0099	Document holder spring			10		0,33
4	AT LOCK 8113	Pair closing clips			10		0,33
5	AT LH64 5107	Label holders			10		0,97
6	LB 21081 0325	A4 sheet with 3 labels			25		0,24
	ARTICLE ON REQUEST						
1	AT 64SE 5401	■		752	10	240	5,77
	AT 64SE 5900	■		720	10	240	6,95

1

2

3

4

5

6

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
3	Document holder spring	
	Pieces per pack	10
4	Pair closing clips	
	Pieces per pack	10
5	Label holders	215 x 85 H mm
	Pieces per pack	10
6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Per container

600 x 400 mm

		ARTICLE	1 PARTITION	2 PARTITIONS	4 PARTITIONS	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
	1	AT 64S1 5207	■			459	10	160	6,93
ECOGREEN	1	AT 64S1 5407	■			428	10	160	3,87
	2	AT 64S2 5207		■		493	10	160	7,57
ECOGREEN	2	AT 64S2 5407		■		460	10	160	4,10
	3	AT 64S4 5207			■	524	10	160	8,23
ECOGREEN	3	AT 64S4 5407			■	489	10	160	4,36
	4	AT 64S0 5207	■			322	20	320	5,66
ECOGREEN	4	AT 64S0 5407	■			345	20	320	3,17
	5	AT LID6 6896	Transparent lid				20		4,21

1

2

3

4

5

Subdivision with 1 and 2 compartments

Subdivision with 1 and 4 compartments

Subdivision with 2 and 4 compartments

DATASHEET

1	Partition box 1 partition	357 x 278 x 90 H mm
	Pieces per pack / pallet	10 160
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
2	Partition box 2 partitions	357 x 278 x 90 H mm
	Pieces per pack / pallet	10 160
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
3	Partition box 4 partitions	357 x 278 x 90 H mm
	Pieces per pack / pallet	10 160
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
4	Partition box 1 partition	277 x 177 x 99 H mm
	Pieces per pack / pallet	20 320
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
5	Transparent polystyrene lid	
	Pieces per pack	20
	Package dimensions	365 x 295 x 180 H mm

Per container

600 x 400 mm

	ARTICLE	H 45	H 70	H 90	H 120	H 180	GR.	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
1	DI 35545 5101	■						10		1,14
	DI 35545 5207	■						10		2,01
	DI 55545 5101	■						10		1,50
	DI 55545 5207	■						10		2,86
2	DI 35570 5101		■					10		1,35
	DI 35570 5207		■					10		2,76
	DI 55570 5101		■					10		1,86
	DI 55570 5207		■					10		4,10
3	DI 35590 5101			■				10		1,60
	DI 35590 5207			■				10		3,48
	DI 55590 5101			■				10		2,13
	DI 55590 5207			■				10		5,07
4	DI 35512 5101				■			10		2,03
	DI 35512 5207				■			10		4,40
	DI 55512 5101				■			10		2,75
	DI 55512 5207				■			10		6,54
5	DI 35518 5101					■		10		2,69
	DI 35518 5207					■		10		6,54
	DI 55518 5101					■		10		3,61
	DI 55518 5207					■		10		9,45
6	DI 64SHT 5101							10		6,28
	DI 64SHT 5207							10		18,18



1

2



3



4

5



6

DATASHEET

1

Comb divider 355 x 45 H mm per box 600 x 400 x 75H mm	10 items
Comb divider 555 x 45 H mm per box 600 x 400 x 75H mm	10 items

2

Comb divider 355 x 70 H mm per box 600 x 400 x 120H mm	10 items
Comb divider 555 x 70 H mm per box 600 x 400 x 120H mm	10 items

3

Comb divider 355 x 90 H mm per box 600 x 400 x 120H mm	10 items
Comb divider 555 x 90 H mm per box 600 x 400 x 120H mm	10 items

4

Comb divider 355 x 120 H mm per box 600 x 400 x 170H mm	10 items
Comb divider 555 x 120 H mm per box 600 x 400 x 170H mm	10 items

5

Comb divider 355 x 180 H mm per box 600 x 400 x 220H mm	10 items
Comb divider 555 x 180 H mm per box 600 x 400 x 220H mm	10 items

6

Intermediate partition shelf 555 x 355 mm	10 items

Box for non-conforming material

Dimensions

400 x 300 mm H 220 mm
600 x 400 mm H 120 mm
600 x 400 mm H 220 mm
600 x 400 mm H 320 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 4322A ISO	■			■			■			4	80	11,76
B	AT 6412A ISO	■			■			■			4	80	14,16
C	AT 6422A ISO	■			■			■			2	40	22,59
D	AT 6432A ISO	■			■			■			3	40	29,39
	ACCESSORIES												
1	AT 43HG ISO										10	640	4,67
2	AT 64HG ISO										10	320	9,28

A

B

C

D

1

2

DATASHEET

A	Dimensions	400 x 300 x 220 H mm
	Pieces per pack. / dimens.	4 / 620 x 420 x 449 H mm
	Pieces per pallet / dimens.	80 / 1200 x 800 x 2251 H mm
B	Dimensions	600 x 400 x 120 H mm
	Pieces per pack. / dimens.	4 / 620 x 420 x 467 H mm
	Pieces per pallet / dimens.	80 / 1200 x 800 x 2341 H mm
C	Dimensions	600 x 400 x 220 H mm
	Pieces per pack. / dimens.	2 / 620 x 420 x 449 H mm
	Pieces per pallet / dimens.	40 / 1200 x 800 x 2251 H mm
D	Dimensions	600 x 400 x 325 H mm
	Pieces per pack. / dimens.	3 / 620 x 420 x 670 H mm
	Pieces per pallet / dimens.	40 / 1200 x 800 x 2410 H mm
1	Hinged lid dim.	400 x 300 mm
	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	640 / 1200 x 800 x 1000 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ATHENA 8612

iMiCUBE
100

Dimensions

800 x 600 mm H 120 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	C	AT 8612C 5101	■					■	■		3458	4	40	27,30
	C	AT 8612C 51XB	■					■	■		3458	4	40	27,30
	C	AT 8612C 5207	■					■	■		3873	4	40	45,65
		ARTICLE ON REQUEST												
ECOGREEN	C	AT 8612C 5401	■					■	■		3614	4	40	21,85
	C	AT 8612C 5900	■					■	■		3458	4	40	27,30
		ACCESSORIES												
	1	AT FEET 5101	Foot Order 4 pieces								136	1		3,25
	1	AT FEET 51XB									136	1		3,25
	1	AT FEET 5207									152	1		3,90
ECOGREEN	1	AT FEET 5401									142	1		2,92
	1	AT FEET 5900									136	1		3,25
	2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces								382	1		4,34
	2	AT RUNN 51XB									382	1		4,34
	2	AT RUNN 5207									428	1		6,07
ECOGREEN	2	AT RUNN 5401									400	1		3,91
	2	AT RUNN 5900									382	1		4,34
	3	AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		16,15
	3	AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		17,22

All accessories include fixing screws when required

C

Reinforced bottom
Load capacity 60 kg



1



Order 4 feet

2



Order 2 crossbars

3

Order 4 wheels
AT WRCT 100/125
or alternatively those on
the page opposite

Accessories supplied mounted
When fitted with wheels, the boxes are not stackable

DATASHEET

C	
Stacked edge height	105 mm
Usable stacked height / with lid	86 mm/ 93 mm
Usable internal dimensions	755 x 555 x 101 H mm
Volume	49 litres
Pieces per pack / pallet	4 — 40
Package dimensions	820 x 620 x 455H mm
Pallet dimensions	1200 x 800 x 2265 H mm

1	
Feet with fixing screws	100 H mm
Pieces per pack	1

2	
Crossbar	25 H mm
Pieces per pack	1

3	
Swivel wheel in rubber	diameter 100/125 mm
Pieces per pack	1

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani
innovative italian ideas

800 x 600 mm H 120 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	11,26
	AT 86SE 51XB	■	1978	5	60	11,26
	AT 86SE 5207	■	2215	5	60	23,16
2	SPRING 0099	Document holder spring		10		0,33
3	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		18,82
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		19,95
4	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		13,78
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		14,40
5	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		18,46
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		20,32
6	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		14,01
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		15,55
7	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		22,34
8	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		15,23
	ARTICLE ON REQUEST					
1	AT 86SE 5401	■	2067	5	60	9,01
	AT 86SE 5900	■	1978	5	60	11,26

ECOGREEN

All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 / 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per pack	10
3	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
4	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
5	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
6	Fixed wheel in nylon diameter 100 mm - footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
8	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ATHENA 8617

iMiCUBE
102

Dimensions

800 x 600 mm H 170 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	C	AT 8617C 5101	■					■	■		3804	3	28	29,39
	C	AT 8617C 51XB	■					■	■		3804	3	28	29,39
		AT 8617C 5207	■					■	■		4260	3	28	49,74
		ARTICLE ON REQUEST												
ECOGREEN	C	AT 8617C 5401	■					■	■		3975	3	28	23,51
	C	AT 8617C 5900	■					■	■		3804	3	28	29,39
		ACCESSORIES												
	1	AT FEET 5101	Foot Order 4 pieces								136	1		3,25
	1	AT FEET 51XB									136	1		3,25
	1	AT FEET 5207									152	1		3,90
ECOGREEN	1	AT FEET 5401									142	1		2,92
	1	AT FEET 5900									136	1		3,25
	2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces								382	1		4,34
	2	AT RUNN 51XB									382	1		4,34
	2	AT RUNN 5207									428	1		6,07
ECOGREEN	2	AT RUNN 5401									400	1		3,91
	2	AT RUNN 5900									382	1		4,34
	3	AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		16,15
	3	AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		17,22

All accessories include fixing screws when required

C

Reinforced bottom
Load capacity 60 kg



1



Order 4 feet

2

Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the page opposite

Accessories supplied mounted

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

C	
Stacked edge height	155 mm
Usable stacked height / with lid	136 mm/ 143 mm
Usable internal dimensions	755 x 555 x 151 H mm
Volume	69 litres
Pieces per pack / pallet	3 — 28
Package dimensions	820 x 620 x 500H mm
Pallet dimensions	1200 x 800 x 2335 H mm

1	
Feet with fixing screws	100 H mm
Pieces per pack	1

2	
Crossbar	25 H mm
Pieces per pack	1

3	
Swivel wheel in rubber	diameter 100/125 mm
Pieces per pack	1

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani
innovative italian ideas

800 x 600 mm H 170 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	11,26
	AT 86SE 51XB	■	1978	5	60	11,26
	AT 86SE 5207	■	2215	5	60	23,16
2	SPRING 0099	Document holder spring		10		0,33
3	AT LH64 5107	Label holders		10		0,97
4	LB 21081 0325	A4 sheet with 3 labels		25		0,24
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		18,82
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		19,95
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		13,78
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		14,40
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		18,46
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		20,32
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		14,01
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		15,55
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		22,34
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		15,23
	ARTICLE ON REQUEST					
1	AT 86SE 5401	■	2067	5	60	9,01
	AT 86SE 5900	■	1978	5	60	11,26

All accessories include fixing screws when required

ECOGREEN



DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 / 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per pack	10
3	Label holders	215 x 85 H mm
	Pieces per pack	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm - footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm - footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

800 x 600 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	C	AT 8622C 5101	■					■	■		4588	2	20	30,40
	C	AT 8622C 51XB	■					■	■		4588	2	20	30,40
	C	AT 8622C 5207	■					■	■		5138	2	20	58,52
		ARTICLE ON REQUEST												
ECOGREEN	C	AT 8622C 5401	■					■	■		4795	2	20	24,30
	C	AT 8622C 5900	■					■	■		4588	2	20	30,40
		ACCESSORIES												
	1	AT FEET 5101	Foot Order 4 pieces								136	1		3,25
	1	AT FEET 51XB									136	1		3,25
	1	AT FEET 5207									152	1		3,90
ECOGREEN	1	AT FEET 5401									142	1		2,92
	1	AT FEET 5900									136	1		3,25
	2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces								382	1		4,34
	2	AT RUNN 51XB									382	1		4,34
	2	AT RUNN 5207									428	1		6,07
ECOGREEN	2	AT RUNN 5401									400	1		3,91
	2	AT RUNN 5900									382	1		4,34
	3	AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		16,15
	3	AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		17,22

All accessories include fixing screws when required

C

Reinforced bottom
Load capacity 60 kg



1



Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the page opposite

Accessories supplied mounted

DATASHEET

C	
Stacked edge height	205 mm
Usable stacked height / with lid	186 mm/ 193 mm
Usable internal dimensions	755 x 555 x 201 H mm
Volume	90 litres
Pieces per pack / pallet	2 — 20
Package dimensions	820 x 620 x 445H mm
Pallet dimensions	1200 x 800 x 2215 H mm

1	
Feet with fixing screws	100 H mm
Pieces per pack	1

2	
Crossbar	25 H mm
Pieces per pack	1

3	
Swivel wheel in rubber	diameter 100/125 mm
Pieces per pack	1

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

800 x 600 mm H 220 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	11,26
	AT 86SE 51XB	■	1978	5	60	11,26
	AT 86SE 5207	■	2215	5	60	23,16
2	SPRING 0099	Document holder spring		10		0,33
3	AT LH64 5107	Label holders		10		0,97
4	LB 21081 0325	A4 sheet with 3 labels		25		0,24
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		18,82
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		19,95
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		13,78
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		14,40
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		18,46
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		20,32
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		14,01
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		15,55
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		22,34
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		15,23
	ARTICLE ON REQUEST					
1	AT 86SE 5401	■	2067	5	60	9,01
	AT 86SE 5900	■	1978	5	60	11,26

All accessories include fixing screws when required

ECOGREEN

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 / 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per pack	10
3	Label holders	215 x 85 H mm
	Pieces per pack	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm - footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm - footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ATHENA 8632

iMiCUBE
106

Dimensions

800 x 600 mm H 320 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	C	AT 8632C 5101	■					■	■		5422	2	14	34,49
	C	AT 8632C 51XB	■					■	■		5422	2	14	34,49
	C	AT 8632C 5207	■					■	■		6072	2	14	66,12
		ARTICLE ON REQUEST												
ECOGREEN	C	AT 8632C 5401	■					■	■		5665	2	14	27,58
	C	AT 8632C 5900	■					■	■		5422	2	14	34,49
		ACCESSORIES												
	1	AT FEET 5101	Foot Order 4 pieces								136	1		3,25
	1	AT FEET 51XB									136	1		3,25
	1	AT FEET 5207									152	1		3,90
ECOGREEN	1	AT FEET 5401									142	1		2,92
	1	AT FEET 5900									136	1		3,25
	2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces								382	1		4,34
	2	AT RUNN 51XB									382	1		4,34
	2	AT RUNN 5207									428	1		6,07
ECOGREEN	2	AT RUNN 5401									400	1		3,91
	2	AT RUNN 5900									382	1		4,34
	3	AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		16,15
	3	AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		17,22

All accessories include fixing screws when required

C

Reinforced bottom
Load capacity 60 kg



1

Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the page opposite

Accessories supplied mounted

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

C	
Stacked edge height	310 mm
Usable stacked height / with lid	291 mm/ 298 mm
Usable internal dimensions	755 x 555 x 306 H mm
Volume	130 litres
Pieces per pack / pallet	2 — 14
Package dimensions	820 x 620 x 655H mm
Pallet dimensions	1200 x 800 x 2335 H mm

1	
Feet with fixing screws	100 H mm
Pieces per pack	1

2	
Crossbar	25 H mm
Pieces per pack	1

3	
Swivel wheel in rubber	diameter 100/125 mm
Pieces per pack	1

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani
innovative italian ideas

800 x 600 mm H 320 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	11,26
	AT 86SE 51XB	■	1978	5	60	11,26
	AT 86SE 5207	■	2215	5	60	23,16
2	SPRING 0099	Document holder spring		10		0,33
3	AT LH64 5107	Label holders		10		0,97
4	LB 21081 0325	A4 sheet with 3 labels		25		0,24
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		18,82
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		19,95
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		13,78
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		14,40
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		18,46
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		20,32
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		14,01
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		15,55
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		22,34
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		15,23
	ARTICLE ON REQUEST					
1	AT 86SE 5401	■	2067	5	60	9,01
	AT 86SE 5900	■	1978	5	60	11,26

All accessories include fixing screws when required

ECOGREEN

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 / 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per pack	10
3	Label holders	215 x 85 H mm
	Pieces per pack	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm - footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm - footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

800 x 600 mm H 430 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	C	AT 8643C 5101	■					■	■		6238	1	10	39,89
	C	AT 8643C 51XB	■					■	■		6238	1	10	39,89
	C	AT 8643C 5207	■					■	■		6986	1	10	72,11
		ARTICLE ON REQUEST												
ECOGREEN	C	AT 8643C 5401	■					■	■		6518	1	10	31,91
	C	AT 8643C 5900	■					■	■		6238	1	10	39,89
		ACCESSORIES												
	1	AT FEET 5101	Foot Order 4 pieces								136	1		3,25
	1	AT FEET 51XB									136	1		3,25
	1	AT FEET 5207									152	1		3,90
ECOGREEN	1	AT FEET 5401									142	1		2,92
	1	AT FEET 5900									136	1		3,25
	2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces								382	1		4,34
	2	AT RUNN 51XB									382	1		4,34
	2	AT RUNN 5207									428	1		6,07
ECOGREEN	2	AT RUNN 5401									400	1		3,91
	2	AT RUNN 5900									382	1		4,34
	3	AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		16,15
	3	AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		17,22

All accessories include fixing screws when required

C

Reinforced bottom
Load capacity 60 kg



1

Order 4 feet

2

Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the page opposite

Accessories supplied mounted

DATASHEET

C	
Stacked edge height	415 mm
Usable stacked height / with lid	396 mm/ 403 mm
Usable internal dimensions	755 x 555 x 411 H mm
Volume	175 litres
Pieces per pack / pallet	1 — 10
Package dimensions	820 x 620 x 450H mm
Pallet dimensions	1200 x 800 x 2240 H mm

1	
Feet with fixing screws	100 H mm
Pieces per pack	1

2	
Crossbar	25 H mm
Pieces per pack	1

3	
Swivel wheel in rubber	diameter 100/125 mm
Pieces per pack	1

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

800 x 600 mm H 430 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	11,26
	AT 86SE 51XB	■	1978	5	60	11,26
	AT 86SE 5207	■	2215	5	60	23,16
2	SPRING 0099	Document holder spring		10		0,33
3	AT LH 64 5107	Label holders		10		0,97
4	LB 21081 0325	A4 sheet with 3 labels		25		0,24
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		18,82
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		19,95
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		13,78
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		14,40
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		18,46
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		20,32
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		14,01
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		15,55
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		22,34
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		15,23
	ARTICLE ON REQUEST					
1	AT 86SE 5401	■	2067	5	60	9,01
	AT 86SE 5900	■	1978	5	60	11,26

All accessories include fixing screws when required

ECOGREEN



DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 / 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per pack	10
3	Label holders	215 x 85 H mm
	Pieces per pack	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm - footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm - footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ATHENA LIGHT

5
PP

The Athena Light box series has been designed and built in alignment with new techniques for the warehousing and transport of a wide range of materials. Lightweight and manageable, the boxes are available in grey or turquoise polypropylene.

Unlike the Athena series, they are available only in the 600 x 400 x 220H mm size and have larger holes, allowing for greater ventilation and visibility of the product.

HANDLES

open handle

closed handle

WALLS

closed walls

perforated walls

BOTTOMS

closed bottom

perforated bottom



comb dividers
and intermediate shelf

Refer to the Athena section
on page 97

LIDS

hinged

with handle

closing clips

closure with seal

The lid of the Athena Light series box in the version with hinges and with handles can be closed with a sliding fastener in nylon.

Document holder spring

The Document holder spring snaps onto the long or short side of the Athena Light box and can be used to secure transport notes or other documents.

Dimensions

600 x 400 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	A	AL 6422A 5101	■			■			■		1960	2	40	12,85
	A	AL 6422A 51XB	■			■			■		1960	2	40	12,85
	A	AL 6422A 5207	■			■			■		2195	2	40	24,91
	B	AL 6422B 5101	■			■				■	1950	2	40	12,85
	B	AL 6422B 51XB	■			■				■	1950	2	40	12,85
	S	AL 6422S 5101		■			■			■	1476	2	40	11,45
	S	AL 6422S 51XB		■			■			■	1476	2	40	11,45
		ARTICLE ON REQUEST												
ECOGREEN	A	AL 6422A 5401	■			■			■		2048	2	40	10,28
	A	AL 6422A 5900	■			■			■		1960	2	40	12,85
	B	AL 6422B 5207	■			■				■	2184	2	40	24,91
	B	AL 6422B 5900	■			■				■	1950	2	40	12,85
	S	AL 6422S 5207		■			■			■	1653	2	40	24,91
	S	AL 6422S 5900		■			■			■	1476	2	40	11,45

A

Closed bottom
Load capacity 20 kg

B

Closed bottom
Load capacity 20 kg

S

Perforated bottom
Load capacity 15 kg

DATASHEET

A	
Stacked edge height	206 mm
Usable stacked height / with lid	201 mm/ 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

B	
Stacked edge height	206 mm
Usable stacked height / with lid	201 mm/ 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

S	
Stacked edge height	206 mm
Usable stacked height / with lid	201 mm/ 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 64SE 5101	■		720	10	240	6,95	
	AT 64SE 51XB	■		720	10	240	6,95	
	AT 64SE 5207	■		806	10	240	9,74	
2	AT 64HG 5101		■	700	10	320	6,95	
	AT 64HG 51XB		■	700	10	320	6,95	
	AT 64HG 5207		■	784	10	320	9,74	
	AT 64HG 5401		■	731	10	320	5,77	ECOGREEN
	AT 64HG 5900		■	700	10	320	6,95	
3	SPRING 0099	Document holder spring			10		0,33	
4	AT LOCK 8113	Pair closing clips			10		0,33	
	ARTICLE ON REQUEST							
1	AT 64SE 5401	■		752	10	240	5,77	ECOGREEN
	AT 64SE 5900	■		720	10	240	6,95	

Comb dividers on page 97 Athena section

1

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

2

2	Hinged lid	600 x 400 mm
	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm

3	Document holder spring	
	Pieces per pack	10

3

4	Pair closing clips	
	Pieces per pack	10

4

ARTICLES ON REQUEST

Minimum order ..... 200 pieces
Delivery guaranteed within..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

CONTAINER

2
PE-HD

Injection moulded container in High Density Polyethylene (HDPE), also suitable for food use. Fully recyclable material, initial melting guarantee and certification. Easy to clean and impervious to rust; insensitive to weight changes on contact with water.

Highly resistant to UV and infrared rays, high and low temperatures, acids and alkalis. Designed to be stackable, thus facilitating storage and handling operations.

VERSIONS

with 4 feet

with 2 skids

with 4 wheels

ACCESSORIES

separate lid

bar handle

1000 x 640 mm H 655 mm
1165 x 790 mm H 800 mm

	ARTICLE	4 FEET	6 FEET WITH SKIDS	VIRGIN PE-HD	REGENERATED PE-HD	KG	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
A	CN 1006FJ 4001	■		■		14.3	1	6	82,10
	CN 1006FJ 4007	■			■	14.3	1	6	58,65
B	CN 1107FJ 4001	■		■		25	1	3	157,83
	CN 1107FJ 4007	■			■	25	1	3	115,96
C	CN 1107SJ 4001		■	■		26.2	1	3	170,83
	CN 1107SJ 4007		■		■	26.2	1	3	129,03

Raw material for black articles: Regenerated High Density Polyethylene

A





DATASHEET

A - CONTAINER WITH 4 FEET

Dimensions	1000 x 640 x 655H mm
Internal dimensions	925 x 580 x 520H mm
Load capacity	150 kg
Volume	280 litres
Pieces per pack / pallet	1 — 6

B - CONTAINER WITH 4 FEET

Dimensions	1165 x 790 x 800H mm
Internal dimensions	1100 x 735 x 650H mm
Load capacity	250 kg
Volume	520 litres
Pieces per pack / pallet	1 — 3

C - CONTAINER WITH 2 CROSSBARS

Dimensions	1165 x 790 x 800H mm
Internal dimensions	1100 x 735 x 650H mm
Load capacity	250 kg
Volume	520 litres
Pieces per pack / pallet	1 — 3

B

C

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

1000 x 640 mm H 790/815 mm
1165 x 790 mm H 935/960 mm

		ARTICLE	WHEEL DIAMETER 100 MM	WHEEL DIAMETER 125 MM	OPTIONAL BAR HANDLE ATTACHMENT	WEIGHT WITHOUT WHEELS KG	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
PE-HD	A	CN 1006R1J 4001	■		■	14.3	1	6	161,76
PE-HD		CN 1006R2J 4001		■	■	14.3	1	6	166,93
PE-HD	B	CN 1107R1J 4001	■		■	25.0	1	3	236,31
PE-HD		CN 1107R2J 4001		■	■	25.0	1	3	237,88



A

B

DATASHEET

A	
Dimensions with wheels diam. 100 mm Dimensions with wheels diam. 125 mm	1000 x 640 x 790H mm 1000 x 640 x 815H mm
Internal dimensions	925 x 580 x 520H mm
Wheels without brake	4
Load capacity	150 kg
Volume	280 litres
Pieces per pack / pallet	1 6

B	
Dimensions with wheels diam. 100 mm Dimensions with wheels diam. 125 mm	1165 x 790 x 935H mm 1165 x 790 x 960H mm
Internal dimensions	1100 x 735 x 650H mm
Wheels without brake	4
Load capacity	250 kg
Volume	520 litres
Pieces per pack / pallet	1 3

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

1200 x 1000 mm H 760 mm

	ARTICLE	4 FEET	9 FEET WITH 3 SKIDS	VIRGIN PE-HD	REGENERATED PE-HD	KG	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
A	CN 1210BJ 4001		■	■		38.5	1	3	245,91

A

Special container for collecting used batteries
Lid to be ordered separately

	ARTICLE	FOR CONTAINER CN121 ...	FOR CONTAINER CN100 ...	FOR CONTAINER CN110 ...	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	CN CV12 4001	■			7000	1		61,48
2	CN CV10 4001		■		1700	1		32,43
3	CN CV11 4001			■	3100	1		48,65
4	CN HAND480001		■			1		56,88
	CN HAND670001			■		1		60,49



1

2

3

4

DATASHEET

A - CONTAINER COLLECTION OF USED BATTERIES WITH 3 CROSSBARS

Dimensions	1200 x 1000 x 760H mm
Internal dimensions	1120 x 920 x 600H mm
Load capacity	450 kg
Volume	610 litres
Pieces per pack / pallet	1 — 3

1 - LID FOR COLLECTION OF USED BATTERIES

Nominal dimensions	1200 x 1000 mm
Pieces per pack / pallet	1

2 - LID

Nominal dimensions	1000 x 640 mm
Pieces per pack / pallet	1

3 - LID

Nominal dimensions	1165 x 790
Pieces per pack / pallet	1

4 - TRANSPORT HANDLES

Length	480 mm/ 670 mm
Pieces per pack / pallet	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

PALLET & LID

5 PP
2 PE-HD
2 R-PE

The pallet was invented over 80 years ago, in the form of a simple wooden structure to be placed under material to facilitate handling.

Since then, much progress has been made, not only as regards vehicles but also in materials and geometrical research to make pallets endlessly reusable, easy to wash and producible in sustainable materials.

For increased load retention and safety, goods placed on pallets can be protected with the use of lids, of thermoforming or injection moulding construction.

PALLET K SERIES

This is a pallet with a new-generation monolithic structure without seams or joints, designed to improve the entire logistics process. It facilitates mechanical and manual handling and has been tested to ISO 8611-1991 standards.

It is has excellent resistance to falls and is highly tolerant to twisting and pressure exerted from top to bottom and vice versa.

Made of 100% recyclable black polypropylene. The grid support surface facilitates cleaning.

Can be customised with hot marking, barcodes and RFID.

PALLET J SERIES

Injection moulded pallet in High Density Polyethylene (HDPE) also suitable for food use, made of fully recyclable material, initial melting guarantee and certification.

Easy to clean and impervious to rust, insensitive to weight changes on contact with water.

Highly resistant to UV and infrared rays, high and low temperatures, acids and alkalis.

Can be customised with hot marking, barcodes and RFID.

PALLET M SERIES

Made from recycled polyethylene, fully environmentally-friendly.

The M Series pallets can be inserted one inside the other, thanks to their specially designed feet.

It is available for light and medium loads. The light-load model is nevertheless very durable and can also be used as a disposable pallet.

The honeycomb structure surface of the medium-load model makes it suitable also for intensive use.

Both versions can be customised with hot marking, barcodes and RFID.

LIDS

Available in 800x1200 mm and 1000x1200 mm sizes, they are made of high density polyethylene in the thermoforming version, which is lighter and more manageable, while polypropylene is used for the injection version.

Easily cleaned and reusable, they can be customised with hot marking, barcodes and RFID.

Dimensions

1200 x 800 mm
1200 x 1000 mm

		ARTICLE	ATHENA ATHENA LIGHT KRONOS	RL-KLT R-KLT	ODETTE	KG	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
PP	A	PA 1208EK 5107	■			17.3	1	15	71,16
PP	B	PA 1210IK 5107		■	■	17.9	1	15	66,74

A



B



A

B

A - PALLET WITH FLUSH EDGE

Dimensions	1200 x 800 x 160H mm
Static load capacity	5000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

B - PALLET WITH RIM

Dimensions	1200 x 1000 x 150H mm
Static load capacity	5000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

DATASHEET

iMilani
innovative
italian
ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

1200 x 800 mm
1200 x 1000 mm

	ARTICLE	ATHENA ATHENA LIGHT KRONOS	RL-KLT R-KLT	ODETTE	KG	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
D	PA 1208FJ 5100	General use			12.3	1	15	77,89
E	PA 1210FJ 5100	General use			15.1	1	15	94,17
F	PA 1208HJ 5100		■	■	14.5	1	15	123,54
G	PA 1210HJ 5100		■	■	17.0	1	15	144,85
H	PA 1208LJ 5100	■			14.0	1	15	123,54
I	PA 1210LJ 5100	■			16.9	1	15	144,85

D
E



D
F
H



E
G
I

F
G

H
I

DATASHEET

D - PALLET WITHOUT RIM

Dimensions	1200 x 800 x 145H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

E - PALLET WITHOUT RIM

Dimensions	1200 x 1000 x 145H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

F - G PALLET WITH HIGH SECTION OUTER EDGE IN GALVANISED STEEL - FOR R-KLT RL-KLT - ODETTE

Dimensions	1200 x 800/1000 x 145H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

H - I PALLET WITH LOW SECTION OUTER EDGE IN GALVANISED STEEL - FOR ATHENA - ATHENA LIGHT - KRONOS

Dimensions	1200 x 800/1000 x 145H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

1200 x 800 mm
1200 x 1000 mm

		ARTICLE	NESTABLE	HEXAGONAL MESH	SQUARE MESH	KG	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
PP	A	PA 1208LM 5107	■		■	4.8	1	66	16,41
PP	B	PA 1210LM 5107	■		■	6.9	1	60	22,73

Raw materials: Regenerated High Density Polyethylene

A



B



A

B

DATASHEET

A

Dimensions	1200 x 800 x 135H mm
Static load capacity	1500 kg
Dynamic load capacity	600 kg
Pieces per pack / pallet	1 — 66

B

Dimensions	1200 x 1000 x 135H mm
Static load capacity	1500 kg
Dynamic load capacity	600 kg
Pieces per pack / pallet	1 — 60

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

800 x 600 mm
1200 x 800 mm
1200 x 1000 mm

	ARTICLE	NESTABLE	HEXAGONAL MESH	SQUARE MESH	KG	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
C	PA 0806AM 5107	■	■		3.2	1	60	13,25
D	PA 1208AM 5107	■	■		8.1	1	55	29,36
E	PA 1210AM 5107	■	■		9.25	1	60	33,39

Raw materials: Regenerated High Density Polyethylene

C



C



D



E

DATASHEET

C

Dimensions	800 x 600 x 140H mm
Static load capacity	3000 kg
Dynamic load capacity	600 kg
Pieces per pack / pallet	1 — 60

D

D

Dimensions	1200 x 800 x 140H mm
Static load capacity	4000 kg
Dynamic load capacity	1200 kg
Pieces per pack / pallet	1 — 55

E

E

Dimensions	1200 x 1000 x 140H mm
Static load capacity	4000 kg
Dynamic load capacity	1200 kg
Pieces per pack / pallet	1 — 60

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

1200 x 800 mm
1200 x 1000 mm

		ARTICLE	THERMOFORMING	INJECTION	GR	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
PE-HD	A	CV 1208C3 5107	■		4275	1	50	57,78
PE-HD	B	CV 1210C3 5107	■		4980	1	141	61,40

A

B

THERMOFORMED LIDS

DATASHEET

A	
Nominal dimensions	1200 x 800 mm
Height space when in use	40 mm
Pieces per pack / pallet	1 — 50
Pallet dimensions	1250 x 850 x 1050H mm

B	
Nominal dimensions	1200 x 1000 mm
Height space when in use	40 mm
Pieces per pack / pallet	1 — 141
Pallet dimensions	1230 x 1035 x 1170H mm

iMilani
innovative
italian
ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

1200 x 800 mm
1200 x 1000 mm

	ARTICLE	THERMOFORMING	INJECTION	GR	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
C	CV 1208SC 5107		■	5770	1	20	61,99	PE-HD
D	CV 1210SH 5107		■	7390	1	20	68,96	PE-HD

C

D

LID OF INJECTION MANUFACTURE

DATASHEET

C

Nominal dimensions	1200 x 800 mm
Height space when in use	20 mm
Pieces per pack / pallet	1 — 20
Pallet dimensions	1250 x 850 x 960H mm

D - LID FOR USE SPECIFICALLY WITH R-KLT / RL-KLT / ODETTE

Nominal dimensions	1200 x 1000 mm
Height space when in use	20 mm
Pieces per pack / pallet	1 — 20
Pallet dimensions	1250 x 1050 x 960H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

SPACE SAVER



KRONOS

130



DELTA 136



MINERVA 142

iMiCUBE
130

KRONOS

5
PP

KRONOS foldable boxes have been designed and manufactured to significantly reduce the overall space occupied when not in use and during transport of empties. Their volume reduction of up to 75% therefore leads to high savings in storage and transport costs. KRONOS foldable boxes are equipped with a sturdy stacking edge and ribbed outer walls at the highest stress points:

these structural features give the boxes extra durability over time.

Lightweight and manageable, they adapt perfectly to normalised pallets. Their flat bottoms allow use on all types of roller beds, thus giving great flexibility also in internal handling.

The short sides are supplied with handy label holders and comfort handles for easy grip; the handles can be closed with the use of special casings.

WALLS

handle closure casing

When used with the lid, the box can be fastened shut with disposable seals that are also customisable: the seals are applied on the two-flap lid and on the opening mechanism positioned on the two short sides of the box.

FOLDABILITY

400 x 300 x 220H mm

600 x 400 x 220H mm

600 x 400 x 320H mm

Dimensions

400 x 300 mm H 220 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
B	KR 4322B 51XB	■			■				■	1510	10	240	19,55
	ACCESSORIES												
1	KR 43HG 51XB									277	5	700	3,06
2	KR PLUG 5125									18	10		0,29
3	KR SEAL 5113										500		0,09

KRONOS 4322

iMiCUBE 133

B

Closed bottom
Load capacity 20 kg

1

2

3

DATASHEET

B	
Height closed	80 mm
Stacked edge height closed	72 mm
Stacked edge height open	212 mm
Usable stacked height / with lid	202 mm/ 202 mm
Usable internal dimensions	354 x 256 x 216H mm
Maximum stacking load capacity	160 kg
Volume	20 litres
Pieces per pack / pallet	10 240
Package dimensions	620 x 420 x 388H mm
Pallet dimensions	1200 x 800 x 2318H mm

1	
Lid	400 x 300 mm
Pieces per pack. / dimension	5 / 410 x 180 x 150H mm
Pieces per pallet / dimension	700 / 1200 x 800 x 870H mm

2	
Handle closure casing	
Pieces per pack	10

3	
Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani innovative italian ideas

Dimensions

600 x 400 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
♻ PP	B	KR 6422B 51XB	■			■				■	2192	5	120	24,10
		ACCESSORIES												
♻ PP	1	KR 64HG 51XB									590	5	350	4,86
♻ PP	2	KR PLUG 5125									18	10		0,29
♻ PP	3	KR SEAL 5113										500		0,09

B

Closed bottom
Load capacity 20 kg

1

2

3

DATASHEET

B	
Height closed	80 mm
Stacked edge height closed	72 mm
Stacked edge height open	212 mm
Usable stacked height / with lid	202 mm/ 202 mm
Usable internal dimensions	554 x 356 x 216H mm
Maximum stacking load capacity	160 kg
Volume	40 litres
Pieces per pack / pallet	5 120
Package dimensions	620 x 420 x 388H mm
Pallet dimensions	1200 x 800 x 2318H mm

1	
Lid	600 x 400 mm
Pieces per pack. / dimension	5 / 610 x 250 x 150H mm
Pieces per pallet / dimension	350 / 1200 x 800 x 870H mm

2	
Handle closure casing	
Pieces per pack	10

3	
Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

iMilani
innovative
italian
ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 320 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
B	KR 6432B 51XB	■			■				■	2780	5	120	28,55
	ACCESSORIES												
1	KR 64HG 51XB									590	5	350	4,86
2	KR PLUG 5125									18	10		0,29
3	KR SEAL 5113										500		0,09

KRONOS 6432

iMiCUBE

135

B

Closed bottom
Load capacity 20 kg

1

2

3

DATASHEET

B	
Height closed	80 mm
Stacked edge height closed	72 mm
Stacked edge height open	312 mm
Usable stacked height / with lid	302 mm/ 302 mm
Usable internal dimensions	554 x356 x 316H mm
Maximum stacking load capacity	160 kg
Volume	60 litres
Pieces per pack / pallet	5 120
Package dimensions	620 x 420 x 388H mm
Pallet dimensions	1200 x 800 x 2318H mm

1	
Lid	600 x 400 mm
Pieces per pack. / dimension	5 / 610 x 250 x 150H mm
Pieces per pallet / dimension	350 / 1200 x 800 x 870H mm

2	
Handle closure casing	
Pieces per pack	10

3	
Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani
innovative italian ideas

DELTA

5
PP

Boxes in the Delta series have a truncated cone structure, allowing for stable and safe stacking at full load. When empty they can be inserted one inside the other, resulting in a 70% reduction in volume.

These properties make them perfect for maximising warehouse space and transport space. They are particularly useful in shipment returns when empty or when packaging must take up the least possible space.

SAFETY

With the separate or hinged two-flap lids, the box can be fastened shut with dedicated disposable seals as well with commercially available nylon ties.

In addition to these, straps can be used both on the short and long sides, with containment points provided to prevent unauthorised removal of the straps.

STACKING

By shifting the pair of yellow supports towards the inside or the outside, the boxes can be stacked and interlocked.

In the version with the two-flap lid, you can stack the boxes and interlock them. Stacking with the lids open ensures geometrical consistency of the battery of boxes.

TRANSPORT

The wedges on the edges of short sides ensure the stability of the box in the event of accidental interruptions during the advance of automatic rollers and conveyor belts.

The external surface of the bottom has a smooth frame and rounded edge, for a silent impact on conveyor system rollers. Additionally, the surface of the central part is designed for increased adherence, ideal for safe transport over flat surfaces and conveyor belt ramps in ascent and descent.



Dimensions

600 x 400 mm H 225 mm — Version A
600 x 400 mm H 230 mm — Version I
600 x 400 mm H 240 mm — Version Z

	ARTICLE	BOTTOM WALLS HANDLES Closed	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
A	DE 6422A 5101	■			1706	5	136	11,96
	DE 6422A 51XB	■			1706	5	136	11,96
I	DE 6422I 5101	■	■		1922	5	136	16,29
	DE 6422I 51XB	■	■		1922	5	136	16,29
Z	DE 6422Z 5101	■		■	2606	5	104	23,09
	DE 6422Z 51XB	■		■	2606	5	104	23,09
	ACCESSORIES							
1	DE 64SE 5101				960	1	160	9,33
	DE 64SE 51XB				960	1	160	9,33
2	DE SEAL 5113					500		0,09
	ARTICLE ON REQUEST							
A	DE 6422A 5900	■			1706	5	136	11,96
I	DE 6422I 5900	■	■		1922	5	136	16,29
Z	DE 6422Z 5900	■		■	2606	5	104	23,09
1	DE 64SE 5900				960	1	160	9,33

iMiCUBE 139

A

Closed bottom load capacity 20 kg

I

Closed bottom Load capacity 20 kg

Z

Closed bottom Load capacity 20 kg

1

2

DATASHEET

A - I

Stacked edge height	50 mm
Usable height with lid	215 mm
Usable internal dimensions at the base	500 x 330 x 220H mm
Volume	38 litres
Pieces per pack / pallet	5 / 136
Package dimensions	620 x 420 x 445H mm
Pallet dimensions	1220 x 800 x 2025H mm

Z

Stacked edge height	90 mm
Usable height with lid	215 mm
Usable internal dimensions at the base	500 x 330 x 220H mm
Volume	38 litres
Pieces per pack / pallet	5 / 104
Package dimensions	630 x 510 x 520H mm
Pallet dimensions	1300 x 1000 x 2015H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pallet / dimension	160 / 1220 x 800 x 1000H mm

2

Disposable security seal	
Pieces per pack	500

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani innovative italian ideas

DELTA 6432

iMiCUBE

140

Dimensions

Version A 600 x 400 mm H 325 mm

Version I 600 x 400 mm H 330 mm

Version Z 600 x 400 mm H 340 mm

		ARTICLE	BOTTOM WALLS HANDLES	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
	A	DE 6432A 5101	■			2270	4	80	16,02
	A	DE 6432A 51XB	■			2270	4	80	16,02
	I	DE 6432I 5101	■	■		2486	4	80	20,37
	I	DE 6432I 51XB	■	■		2486	4	80	20,37
	Z	DE 6432Z 5101	■		■	3170	4	76	27,17
	Z	DE 6432Z 51XB	■		■	3170	4	76	27,17
		ACCESSORIES							
	1	DE 64SE 5101				960	1	160	9,33
	1	DE 64SE 51XB				960	1	160	9,33
	2	DE SEAL 5113					500		0,09
		ARTICLE ON REQUEST							
	A	DE 6432A 5900	■			2270	4	80	16,02
	I	DE 6432I 5900	■	■		2486	4	80	20,37
	Z	DE 6432Z 5900	■		■	3170	4	76	27,17
	1	DE 64SE 5900				960	1	160	9,33

A

Closed bottom
Load capacity 20 kg

I

Closed bottom
Load capacity 20 kg

Z

Closed bottom
Load capacity 20 kg

1

2

DATASHEET

A - I

Stacked edge height	80 mm
Usable height with lid	315 mm
Usable internal dimensions at the base	500 x 330 x 320H mm
Volume	58 litres
Pieces per pack / pallet	4 — 80
Package dimensions	620 x 420 x 585H mm
Pallet dimensions	1220 x 800 x 1995H mm

Z

Stacked edge height	120 mm
Usable H.	315 mm
Usable internal dimensions at the base	500 x 330 x 320H mm
Volume	58 litres
Pieces per pack / pallet	4 — 76
Package dimensions	630 x 510 x 645H mm
Pallet dimensions	1300 x 1000 x 2200H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pallet / dimension	160 / 1220 x 800 x 1000H mm

2

Disposable security seal	
Pieces per pack	500

ARTICLES ON REQUEST

Minimum order .....200 boxes
Delivery guaranteed within.....6 weeks

iMilani
innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 425 mm — Version A
600 x 400 mm H 430 mm — Version I
600 x 400 mm H 440 mm — Version Z

	ARTICLE	BOTTOM WALLS HANDLES Closed	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
A	DE 6442A 5101	■			2890	3	64	20,63
	DE 6442A 51XB	■			2890	3	64	20,63
I	DE 6442I 5101	■	■		3106	3	64	25,00
	DE 6442I 51XB	■	■		3106	3	64	25,00
Z	DE 6442Z 5101	■		■	3790	3	56	31,76
	DE 6442Z 51XB	■		■	3790	3	56	31,76
	ACCESSORIES							
1	DE 64SE 5101				960	1	160	9,33
	DE 64SE 51XB				960	1	160	9,33
2	DE SEAL 5113					500		0,09
	ARTICLE ON REQUEST							
A	DE 6442A 5900	■			2890	3	64	20,63
I	DE 6442I 5900	■	■		3106	3	64	25,00
Z	DE 6442Z 5900	■		■	3790	3	56	31,76
1	DE 64SE 5900				960	1	160	9,33

iMiCUBE 141

A

Closed bottom
Load capacity 20 kg

I

Closed bottom
Load capacity 20 kg

Z

Closed bottom
Load capacity 20 kg

1

2

DATASHEET

A - I

Stacked edge height	100 mm
Usable height with lid	415 mm
Usable internal dimensions at the base	500 x 330 x 420H mm
Volume	74 litres
Pieces per pack / pallet	3 — 64
Package dimensions	620 x 420 x 605H mm
Pallet dimensions	1220 x 800 x 2075H mm

Z

Stacked edge height	140 mm
Usable height with lid	415 mm
Usable internal dimensions at the base	500 x 330 x 420H mm
Volume	74 litres
Pieces per pack / pallet	3 — 56
Package dimensions	630 x 510 x 650H mm
Pallet dimensions	1300 x 1000 x 2085H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pallet / dimension	160 / 1220 x 800 x 1000H mm

2

Disposable security seal	
Pieces per pack	500

ARTICLES ON REQUEST

Minimum order ..... 200 boxes
Delivery guaranteed within ..... 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani innovative italian ideas

MINERVA

5
PP

Boxes in the MINERVA series have a truncated cone structure, allowing for stable and safe stacking at full load. When empty they can be inserted one inside the other, resulting in a 60% reduction in volume.

These properties make them perfect for maximising warehouse space and transport space. They are particularly useful in shipment returns when empty or when packaging must take up the least possible space.

HANDLES

open handle

WALLS

closed walls

perforated walls

BOTTOMS

closed bottom

perforated bottom

The Minerva series boxes have asymmetrical wall geometry. This characteristic means that, without having to use the lid, you can create a stack when they are empty, or when they are full by simply rotating the box by 180°; they can thus be nested when empty or stacked when full.

When the separate lid is used, however, stacking of the full box does not require any rotation.

Boxes stacked with lid

Boxes stacked without lid

600 x 400 mm H 200 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	MI 6420B 5101	■			■				■	1650	6	128	11,14
B	MI 6420B 51XB	■			■				■	1650	6	128	11,14
	MI 6420B 5900	■			■				■	1650	6	128	11,14
	MI 6420S 5101		■			■			■	1502	6	128	11,14
S	MI 6420S 51XB		■			■			■	1502	6	128	11,14
	MI 6420S 5900		■			■			■	1502	6	128	11,14
	ACCESSORIES												
	MI 64SE 5101									1000	1	160	7,82
1	MI 64SE 51XB									1000	1	160	7,82
	MI 64SE 5900									1000	1	160	7,82
2	SPRING 0099										10		0,33
3	MI LOCK 0099										10		0,27

MINERVA 6420

iMiCUBE

145

B

Closed bottom
Load capacity 20 kg

S

Perforated bottom
Load capacity 20 kg

1

2

3

DATASHEET

B - S

Stacked edge height	60 mm
Usable stacked height / with lid	178 mm/ 195 mm
Usable internal dimensions	453 x 336 x 197H mm
Volume	32 litres
Pieces per pack / pallet	6 128
Package dimensions	620 x 420 x 520H mm
Pallet dimensions	1200 x 800 x 2210H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pack. / dimension	160 / 1230 x 820 x 950H mm

2

Labels and document holder spring	
Pieces per pack	10

3

Lid holder spring	
Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani
innovative italian ideas

Dimensions

600 x 400 mm H 300 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
		MI 6430B 5101	■			■				■	2432	4	88	16,75
	B	MI 6430B 51XB	■			■				■	2432	4	88	16,75
		MI 6430B 5900	■			■				■	2432	4	88	16,75
		MI 6430S 5101		■			■			■	2294	4	88	16,75
	S	MI 6430S 51XB		■			■			■	2294	4	88	16,75
		MI 6430S 5900		■			■			■	2294	4	88	16,75
		ACCESSORIES												
		MI 64SE 5101									1000	1	160	7,82
	1	MI 64SE 51XB									1000	1	160	7,82
		MI 64SE 5900									1000	1	160	7,82
	2	SPRING 0099										10		0,33
	3	MI LOCK 0099										10		0,27

B

Closed bottom
Load capacity 20 kg

S

Perforated bottom
Load capacity 20 kg

1

2

3

DATASHEET

B - S	
Stacked edge height	86 mm
Usable stacked height / with lid	272 mm/ 295 mm
Usable internal dimensions	453 x 336 x 297H mm
Volume	50 litres
Pieces per pack / pallet	4 / 88
Package dimensions	620 x 420 x 578H mm
Pallet dimensions	1200 x 800 x 2256H mm

1	
Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pack. / dimension	160 / 1230 x 820 x 950H mm

2	
Labels and document holder spring	
Pieces per pack	10

3	
Lid holder spring	
Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 400 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
B	MI 6440B 5101	■			■				■	2865	3	60	21,41
B	MI 6440B 51XB	■			■				■	2865	3	60	21,41
	MI 6440B 5900	■			■				■	2865	3	60	21,41
S	MI 6440S 5101		■			■			■	2654	3	60	21,41
S	MI 6440S 51XB		■			■			■	2654	3	60	21,41
	MI 6440S 5900		■			■			■	2654	3	60	21,41
	ACCESSORIES												
1	MI 64SE 5101									1000	1	160	7,82
1	MI 64SE 51XB									1000	1	160	7,82
	MI 64SE 5900									1000	1	160	7,82
2	SPRING 0099										10		0,33
3	MI LOCK 0099										10		0,27

MINERVA 6440

iMiCUBE 147

B

Closed bottom
Load capacity 20 kg

S

Perforated bottom
Load capacity 20 kg

1

2

3

DATASHEET

B - S

Stacked edge height	117 mm
Usable stacked height / with lid	372 mm / 395 mm
Usable internal dimensions	453 x 336 x 397H mm
Volume	70 litres
Pieces per pack / pallet	3 / 60
Package dimensions	620 x 420 x 654H mm
Pallet dimensions	1200 x 800 x 2188H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pack. / dimension	160 / 1230 x 820 x 950H mm

2

Labels and document holder spring	
Pieces per pack	10

3

Lid holder spring	
Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani innovative italian ideas

C-PARTS

COMPAT 150



PRACTIBOX 160



RK

180

ZEUS

202

iMiCUBE
150

COMPAT

5
PP

The Compat container series is the ideal solution to any storage problems in the warehouse, workshop or on assembly lines. They allow you to have the contents always at hand and in full view, making them easily extractable.

These containers can be stacked stably and safely and the material is just as easily accessible even when they are one on top of the other.

BOTTOMS

smooth bottom

ribbed bottom

bottom ribbed at 45° with crossbar

CROSSBAR

The largest containers are equipped with a frontal crossbar that helps prevent any deformation of the side walls due to large loads and to facilitate grip.

HANDLES

Lifting and transport are aided by convenient handles that allow for quick grip even with gloves.

SIDE REINFORCEMENT

Lateral reinforcement on the bottom allows the containers to be stacked safely even when fully loaded.

ACCESSORIES

The containers can be divided longitudinally and transversely for load units with multiple products inside them.

Practical transparent doors protect against dust.

Internal partition with removable boxes

Size 01 - Size 0

		ARTICLE	SMOOTH BOTTOM	SIZE 01	SIZE 0	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
PP	A	CO Z001 5101	■	■		18	100	-	0,47
PP		CO Z001 5102	■	■		18	100	-	0,47
PP		CO Z001 5103	■	■		18	100	-	0,47
PP		CO Z001 5104	■	■		18	100	-	0,47
PP		CO Z001 5105	■	■		18	100	-	0,47
PP	B	CO Z000 5101	■		■	38	98	-	0,69
PP		CO Z000 5102	■		■	38	98	-	0,69
PP		CO Z000 5103	■		■	38	98	-	0,69
PP		CO Z000 5104	■		■	38	98	-	0,69
PP		CO Z000 5105	■		■	38	98	-	0,69
		CO Z000 5207	■		■	43	98	-	1,39
	C	LB 4911 8001	■		■		1		1,54

A

Smooth bottom

B

Closed bottom



C



DATASHEET

A	
Volume	0.08 litres
Pieces per pack	100
Package dimensions	350 x 270 x 170H mm

B	
Volume	0.25 litres
Pieces per pack	98
Package dimensions	470 x 300 x 350H mm

C	
Sheet of 80 labels for size 0	49 x 11H mm

iMilani innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 1 - Size 2

	ARTICLE	SMOOTH BOTTOM	SIZE 1	SIZE 2	GR.	PACKAGING		UNIT PRICE €	
		Closed				Qty. per pack.	Qty. per pallet		
A	CO C001 5101	■	■		78	50	1750	0,94	PP
	CO C001 5102	■	■		78	50	1750	0,94	PP
	CO C001 5103	■	■		78	50	1750	0,94	PP
	CO C001 5104	■	■		78	50	1750	0,94	PP
	CO C001 5105	■	■		78	50	1750	0,94	PP
	CO C001 5401	■	■		82	50	1750	0,73	ECOGREEN
	CO C001 5207	■	■		87	50	1750	1,83	
B	CO C002 5101	■		■	214	54	1080	1,82	PP
	CO C002 5102	■		■	214	54	1080	1,82	PP
	CO C002 5103	■		■	214	54	1080	1,82	PP
	CO C002 5104	■		■	214	54	1080	1,82	PP
	CO C002 5105	■		■	214	54	1080	1,82	PP
	CO C002 5207	■		■	240	54	1080	3,64	
	CO C002 5401	■		■	224	54	1080	1,51	ECOGREEN
C	CO C1S2 5407		■		40	25	-	1,14	ECOGREEN
	CO C1S2 5207		■		45	25	-	2,12	
	CO C2S2 5407			■	100	25	-	1,54	ECOGREEN
	CO C2S2 5207			■	112	25	-	2,89	
D	CO C1S4 5407		■		50	25	-	1,14	ECOGREEN
	CO C1S4 5207		■		56	25	-	2,12	
	CO C2S4 5407			■	120	25	-	1,54	ECOGREEN
	CO C2S4 5207			■	134	25	-	2,89	
E	LB 7520 3601		■			1		1,39	
	LB 10433 1601			■		1		1,23	

A



Closed bottom
Load capacity 2 kg

B



Closed bottom
Load capacity 5 kg

C

D

E

DATASHEET

A

Volume	1 litre
Pieces per pack / pallet	50 / 1750
Package dimensions	520 x 350 x 370H mm
Pallet dimensions	1300 x 1000 x 2000H mm

B

Volume	3.8 litre
Pieces per pack / pallet	54 / 1080
Package dimensions	720 x 460 x 500H mm
Pallet dimensions	1450 x 1200 x 2100H mm

C

Divider 2 compartments for size 1
Divider 2 compartments for size 2

D

Divider 4 compartments for size 1
Divider 4 compartments for size 2

E

Sheet of 36 labels for size 1	75 x 20H mm
Sheet of 16 labels for size 2	104 x 33H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 3A2 - Size 3 - Size 3L5

		ARTICLE	RIBBED BOTTOM	SIZE 3A2	SIZE 3	SIZE 3L5	GR.	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
PP	A	CO C3A2 5101	■	■			598	21	252	4,35
PP		CO C3A2 5102	■	■			598	21	252	4,35
PP		CO C3A2 5103	■	■			598	21	252	4,35
PP		CO C3A2 5104	■	■			598	21	252	4,35
PP		CO C3A2 5105	■	■			598	21	252	4,35
ECOGREEN		CO C3A2 5401	■	■			625	21	252	3,73
		CO C3A2 5207	■	■			670	21	252	8,08
PP	B	CO C003 5101	■		■		784	15	180	5,14
PP		CO C003 5102	■		■		784	15	180	5,14
PP		CO C003 5103	■		■		784	15	180	5,14
PP		CO C003 5104	■		■		784	15	180	5,14
PP		CO C003 5105	■		■		784	15	180	5,14
ECOGREEN		CO C003 5401	■		■		819	15	180	4,36
		CO C003 5207	■		■		878	15	180	10,09
PP	C	CO Z3L5 5101	■			■	1074	14	112	8,19
PP		CO Z3L5 5102	■			■	1074	14	112	8,19
PP		CO Z3L5 5103	■			■	1074	14	112	8,19
PP		CO Z3L5 5104	■			■	1074	14	112	8,19
PP		CO Z3L5 5105	■			■	1074	14	112	8,19

A

Ribbed bottom
Load capacity 15 kg



B

Ribbed bottom
Load capacity 20 kg



C

Ribbed bottom
Load capacity 20 kg



DATASHEET

A

Volume	9.4 litres	
Pieces per pack / pallet	21	252
Package dimensions	360 x 640 x 980H mm	
Pallet dimensions	1300 x 1000 x 2000H mm	

B

Volume	12.5 litres	
Pieces per pack / pallet	15	180
Package dimensions	360 x 640 x 980H mm	
Pallet dimensions	1300 x 1000 x 2000H mm	

C

Volume	19 litres	
Pieces per pack / pallet	14	112
Package dimensions	710 x 960 x 480H mm	
Pallet dimensions	1450 x 1000 x 2100H mm	

iMilani
innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 3A2 - Size 3 - Size 3L5

	ARTICLE	SIZE 3A2	SIZE 3	SIZE 3L5	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	CD C3A2 0099	■			200	1		4,98
	CD C003 0099		■		300	1		5,11
	CD Z3L5 0099			■	250	1		4,57
B	CD C3A2 7107	■			108	10		1,76
	CD C003 7107		■		160	10		2,30
	CD Z3L5 7107			■	114	10		2,09
C	CW C3A2 6896	■			28	10		1,28
	CW C003 6896		■		40	10		1,35
D	LH C000 0099	■	■		100	1		2,84
E	LB 7731 1801	■		■		1		1,05
	LB 7742 1201		■			1		0,94

A

B

C

D

E

DATASHEET

A	
Galvanised longit. divider size 3A2	302 x 105H mm
Galvanised longit. divider size 3	307 x 160H mm
Galvanised longit. divider size 3L5	326 x 115H mm
Pieces per pack	1

B	
Plastic longit. divider size 3A2	300 x 105H mm
Plastic longit. divider size 3	305 x 160H mm
Plastic longit. divider size 3L5	325 x 105H mm
Pieces per pack	10

C	
Dust cover size 3A2	
Dust cover size 3	
Pieces per pack	10

D	
Inclined galvanised tag holder for size 3 - 3A2	100 x 67 mm
Pieces per pack	1

E	
Sheet of 18 labels for size 3A2 - 3L5	77 x 31 mm
Sheet of 12 labels for size 3	77 x 42 mm
Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 4A2 - Size 4 - Size 4A5

		ARTICLE	RIBBED BOTTOM	SIZE 4A2	SIZE 4	SIZE 4A5	GR.	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
		CO C4A2 5101	■	■			1222	14	112	8,86
		CO C4A2 5102	■	■			1222	14	112	8,86
	A	CO C4A2 5103	■	■			1222	14	112	8,86
		CO C4A2 5104	■	■			1222	14	112	8,86
		CO C4A2 5105	■	■			1222	14	112	8,86
		CO C004 5101	■		■		1335	10	80	10,04
		CO C004 5102	■		■		1335	10	80	10,04
		CO C004 5103	■		■		1335	10	80	10,04
	B	CO C004 5104	■		■		1335	10	80	10,04
		CO C004 5105	■		■		1335	10	80	10,04
ECOGREEN		CO C004 5401	■		■		1395	10	80	8,57
		CO C004 5207	■		■		1495	10	80	18,03
		CO C4A5 5101	■			■	1874	6	48	12,23
		CO C4A5 5102	■			■	1874	6	48	12,23
	C	CO C4A5 5103	■			■	1874	6	48	12,23
		CO C4A5 5104	■			■	1874	6	48	12,23
		CO C4A5 5105	■			■	1874	6	48	12,23

A

Ribbed bottom
Load capacity 30 kg



B

Ribbed bottom
Load capacity 35 kg



C

Ribbed bottom
Load capacity 35 kg



DATASHEET

A	
Volume	20 litres
Pieces per pack / pallet	14 / 112
Package dimensions	640 x 520 x 900H mm
Pallet dimensions	1300 x 1000 x 2150H mm

B	
Volume	28 litres
Pieces per pack / pallet	10 / 80
Package dimensions	640 x 520 x 980H mm
Pallet dimensions	1300 x 1000 x 2150H mm

C	
Volume	42 litres
Pieces per pack / pallet	6 / 48
Package dimensions	640 x 520 x 900H mm
Pallet dimensions	1300 x 1000 x 2150H mm

iMilani
innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 4A2 - Size 4 - Size 4A5

	ARTICLE	SIZE 4A2	SIZE 4	SIZE 4A5	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	CD C4A2 0099	■			360	1		6,06
	CD C004 0099		■		500	1		6,32
	CD C4A5 0099			■	540	1		7,52
B	CD C004 7107		■		236	10		3,17
	CD C4A5 7107			■	390	10		4,42
C	CD C004 0199		■		368	1		7,11
D	CW C004 6896		■		66	10		1,60
	CW C4A5 6896			■	92	10		2,21
E	LH C000 0099		■	■	100	1		2,84
F	LB 7731 1801	■				1		1,05
	LB 7742 1201		■	■		1		0,94

A

B

C

D

E

F

DATASHEET

A

Galvanised longit. divider size 4A2	457 x 120Hmm
Galvanised longit. divider size 4	426 x 160H mm
Galvanised longit. divider size 4A5	460 x 249Hmm
Pieces per pack	1

B

Plastic longit. divider size 4	460 x 160H mm
Plastic longit. divider size 4A5	460 x 250Hmm
Pieces per pack	10

C

Pair of galvanised transverse dividers size 4	
Pieces per pack	1

D

Dust cover size 4	
Dust cover size 4A5	
Pieces per pack	10

E

Inclined galvanised tag holder for size 4 - 4A5	100 x 67 mm
Pieces per pack	1

F

Sheet 18 labels for size 4A2	77 x 31 mm
Sheet 12 labels for size 4 - 4A5	77 x 42 mm
Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 5P4 - Size 5

		ARTICLE	RIBBED BOTTOM A 45°	SIZE 5P4	SIZE 5	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
PP	A	CO Z5P4 5101	■	■		3370	18	42	22,96
PP		CO Z5P4 5102	■	■		3370	18	42	22,96
PP		CO Z5P4 5103	■	■		3370	18	42	22,96
PP		CO Z5P4 5104	■	■		3370	18	42	22,96
PP		CO Z5P4 5105	■	■		3370	18	42	22,96
PP	B	CO Z005 5101	■		■	4378	12	28	29,03
PP		CO Z005 5102	■		■	4378	12	28	29,03
PP		CO Z005 5103	■		■	4378	12	28	29,03
PP		CO Z005 5104	■		■	4378	12	28	29,03
PP		CO Z005 5105	■		■	4378	12	28	29,03

A

Ribbed bottom 45°
Load capacity 35 kg

B

Ribbed bottom 45°
Load capacity 35 kg



DATASHEET

A

Volume	63 litres	
Pieces per pack / pallet	18	42
Package dimensions	1400 x 1100 x 1050H mm	
Pallet dimensions	1400 x 1100 x 2100H mm	

B

Volume	88 litres	
Pieces per pack / pallet	12	28
Package dimensions	1450 x 1000 x 1050H mm	
Pallet dimensions	1450 x 1000 x 2100H mm	

iMilani
innovative
italian
ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 5P4 - Size 5

	ARTICLE	SIZE 5P4	SIZE 5	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
A	CS Z5P4 0199	■		1420	1		9,52
	CS Z005 0199		■	1750	1		10,36
B	CD Z5P4 0099	■		680	1		6,63
	CD Z005 0099		■	1000	1		7,77
C	LH Z000 0099	■	■	150	1		3,18
D	LB 12739 1001	■	■		1		1,14
E	LB 18985 0301	■	■		1		0,50
F	ZE Z002 5101	■	■	264	54	1080	2,52
	ZE Z002 5102	■	■	264	54	1080	2,52
	ZE Z002 5103	■	■	264	54	1080	2,52
	ZE Z002 5104	■	■	264	54	1080	2,52
	ZE Z002 5105	■	■	264	54	1080	2,52

A

B

C

D

E

F

DATASHEET

A

Galvanised longit. divider size 5P4 with pair of galvanised transverse supports	473 x 215H mm
Galvanised longit. divider size 5 with pair of galvanised transverse supports	654 x 214H mm
Pieces per pack	1 set

B

Galvanised longit. divider size 5P4	473 x 215H mm
Galvanised longit. divider size 5	654 x 214H mm
Pieces per pack	1

C

Inclined galvanised tag holder for size 5P4 - 5	128 x 90 mm
Pieces per pack	1

D

Sheet 10 upper labels for size 5P4- 5	127 x 39 mm
Pieces per pack	1

E

Sheet 3 lower labels for size 5P4- 5	189 x 85 mm
Pieces per pack	1

F

Box for division into 6 compartments size 5P4 and into 8 compartments size 5	200 x 140 x 130H mm	
Volume	88 litres	
Pieces per pack / pallet	54	1080
Package dimensions	640 x 460 x 500H mm	
Pallet dimensions	1400 x 1100 x 1660H mm	

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

PRACTIBOX

5
PP

The Practibox series of drawer units consists of grey ABS structures and high mechanical strength drawers in transparent polystyrene.

Available in models of different depth and height, they share a standard 600 mm width that allows stacking in a wide range of combinations.

DRAWERS

The drawers, made in high mechanical strength transparent polystyrene, are housed in the ABS container, designed to be positioned on Practibox shelves and in trolleys or fixed to the wall with anchor bolts.

STACKING

Practibox drawer units are available in different depths and heights but have a standard width of 600 mm. This features means that modules of the same depth or lesser depth can be stacked, allowing a wide range of combinations.

TILTED OPENING

Equipped with a handy tilting door opening, Practibox drawer units offer excellent access to the product.

ORDER

Equipped with a practical handle, Practibox drawer units meet the most varied needs.

Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR 9077 0001	600	69	77	9	2	468	12,32
	LB 03510 0901					10		0,84
B	PR 6112 0001	600	98	112	6	2	216	15,04
	LB 05315 0601					10		0,58
C	PR 5164 0001	600	141	164	5	1	120	23,94
	LB 08022 0501					10		0,47
D	PR 4206 0001	600	174	206	4	1	80	31,46
	LB 08028 0401					10		0,63
E	PR 3240 0001	600	209	240	3	1	56	36,94
	LB 12134 0301					10		0,46
F	PR 2353 0001	600	311	353	2	1	30	69,08
	LB 12150 0201					10		0,30

A



B



C



D



E



F



DATASHEET

A - 9 drawers

Pieces per pack / pallet	2	468
Package dimensions	610 x 155 x 95H mm	
Pallet dimensions	1300 x 1000 x 1600H mm	
LB035100901	Sheet of 9 labels included	

B - 6 drawers

Pieces per pack / pallet	2	216
Package dimensions	610 x 210 x 125H mm	
Pallet dimensions	1300 x 1000 x 1600H mm	
LB053150601	Sheet of 6 labels included	

C - 5 drawers

Pieces per pack / pallet	1	120
Package dimensions	610 x 155 x 175H mm	
Pallet dimensions	1300 x 1000 x 2000H mm	
LB080220501	Sheet of 5 labels included	

D - 4 drawers

Pieces per pack / pallet	1	80
Package dimensions	610 x 155 x 175H mm	
Pallet dimensions	1300 x 1000 x 2000H mm	
LB080280401	Sheet of 4 labels included	

E - 3 drawers

Pieces per pack / pallet	1	56
Package dimensions	610 x 225 x 255H mm	
Pallet dimensions	1300 x 1000 x 2000H mm	
LB121340301	Sheet of 3 labels included	

F - 2 drawers

Pieces per pack / pallet	1	30
Package dimensions	610 x 325 x 365H mm	
Pallet dimensions	1300 x 1000 x 2000H mm	
LB121500201	Sheet of 2 labels included	

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 610 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR D050 015 0301	610	174	500	15	1	-	103,17
B	PR D050 0001	610	150	500	-	1	-	32,73
C	PRT BOX 5104	350	200	465	18	1	-	60,78
D	PR ST90 0099	600				1	-	1,82
	PR ST61 0099	600				1	-	1,82
	PR ST51 0099	600				1	-	1,82
	PR ST42 0099	600				1	-	1,82
	PR ST32 0099	600				1	-	1,82
	PR ST23 0099	600				1	-	2,12



DATASHEET

A

Bench frame with drawers	1 x PR D050 0001
Drawers set	1 x PR 6112 0001
	1 x PR 5164 0001
	1 x PR 4206 0001

B

Bench frame without drawers	1 x PR D050 0001

C

Top Box case	18 drawers type PR 6112 0001

Release system

D

Galvanised stop for PR 9077...	1 x PR ST90 0099
Galvanised stop for PR 6112...	1 x PR ST61 0099
Galvanised stop for PR 5164...	1 x PR ST51 0099
Galvanised stop for PR 4206...	1 x PR ST42 0099
Galvanised stop for PR 3240...	1 x PR ST32 0099
Galvanised stop for PR 2353...	1 x PR ST23 0099

Galvanised stops

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F030 0001	600	28	300	-	1	-	15,48
B	PR F030 036 0101	600	78	308	36	1	-	64,76
C	PR F030 021 0201	600	107	300	21	1	-	57,88
D	PR F030 010 0101	600	150	328	10	1	-	63,36

B

A



C

D

DATASHEET

A	
Rear panel	1 x PR F030 0001

B	
Rear panel	1 x PR F030 0001
Drawers set	4 x PR 9077 0001

C	
Rear panel	1 x PR F030 0001
Drawers set	1 x PR 9077 0001
	2 x PR 6112 0001

D	
Rear panel	1 x PR F030 0001
Drawers set	2 x PR 5164 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F050 0001	600	28	500	-	1	-	17,98
B	PR F050 054 0101	600	78	500	54	1	-	91,90
C	PR F050 036 0201	600	107	500	36	1	-	87,74
D	PR F050 015 0301	600	183	500	15	1	-	88,42



A

B

C

D

DATASHEET

A

Rear panel	1 x PR F050 0001

B

Rear panel	1 x PR F050 0001
Drawers set	6 x PR 9077 0001

C

Rear panel	1 x PR F050 0001
Drawers set	2 x PR 9077 0001
	3 x PR 6112 0001

D

Rear panel	1 x PR F050 0001
Drawers set	1 x PR 6112 0001
	1 x PR 5164 0001
	1 x PR 4206 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F065 0001	600	28	650	-	1	-	21,64
B	PR F065072 0101	600	78	650	72	1	-	120,20
C	PR F065039 0201	600	107	650	39	1	-	109,16
D	PR F065028 0201	600	150	664	28	1	-	114,64

B

A



C

D

DATASHEET

A	
Rear panel	1 x PR F065 0001

B	
Rear panel	1 x PR F065 0001
Drawers set	8 x PR 9077 0001

C	
Rear panel	1 x PR F065 0001
Drawers set	1 x PR 9077 0001
	5 x PR 6112 0001

C	
Rear panel	1 x PR F065 0001
Drawers set	3 x PR 6112 0001
	2 x PR 5164 0001

iMilani innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F100 0001	600	41	1000	-	1	-	29,07
B	PR F100 084 0201	600	113	1022	84	1	-	178,19
C	PR F100 054 0101	600	113	1008	54	1	-	164,43
D	PR F100 029 0401	600	224	1000	29	1	-	175,43
E	PR DBAS 0001	600	300	100		1		38,75





A

B

C

D

E

DATASHEET

A	
Rear panel	1 x PR F100 0001

B	
Rear panel	1 x PR F100 0001
Drawers set	6 x PR 9077 0001
	5 x PR 6112 0001

C	
Rear panel	1 x PR F100 0001
Drawers set	9 x PR 6112 0001

D	
Rear panel	1 x PR F100 0001
Drawers set	2 x PR 6112 0001
	2 x PR 5164 0001
	1 x PR 4206 0001
	1 x PR 3240 0001

E	
Optional base for shelf	1 x PR DBAS 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F150 0001	600	41	1500	-	1	-	29,88
B	PR F150 123 0201	600	113	1500	123	1	-	246,04
C	PR F150 084 0101	600	113	1568	84	1	-	240,44
D	PR F150 064 0501	600	224	1540	64	1	-	254,90
E	PR DBAS 0001	600	300	100	-	1	-	38,75

B

A



C

D

E

DATASHEET

A	
Rear panel	1 x PR F150 0001

B	
Rear panel	1 x PR F150 0001
Drawers set	9 x PR 9077 0001
	7 x PR 6112 0001

C	
Rear panel	1 x PR F150 0001
Drawers set	14 x PR 6112 0001

D	
Rear panel	1 x PR F150 0001
Drawers set	2 x PR 9077 0001
	4 x PR 6112 0001
	3 x PR 5164 0001
	1 x PR 4206 0001
	1 x PR 3240 0001

E	
Optional base for shelf	1 x PR DBAS 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F175 0001	600	41	1750	-	1	-	38,16
B	PR F175 132 0201	600	113	1750	132	1	-	287,12
C	PR F175 099 0201	600	113	1750	99	1	-	276,08
D	PR F175 066 0501	600	224	1750	66	1	-	288,46
E	PR DBAS 0001	600	300	100		1		38,75



A

B

C

D

E

DATASHEET

A	
Rear panel	1 x PR F175 0001

B	
Rear panel	1 x PR F175 0001
Drawers set	8 x PR 9077 0001
	10 x PR 6112 0001

C	
Rear panel	1 x PR F175 0001
Drawers set	1 x PR 9077 0001
	15 x PR 6112 0001

D	
Rear panel	1 x PR F175 0001
Drawers set	1 x PR 9077 0001
	6 x PR 6112 0001
	2 x PR 5164 0001
	2 x PR 4206 0001
	1 x PR 3240 0001

E	
Optional base for shelf	1 x PR DBAS 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F195 0001	600	41	1950	-	1	-	34,00
B	PR F195 144 0201	600	113	1960	144	1	-	313,04
C	PR F195 100 0301	600	156	1950	100	1	-	310,98
D	PR F195 043 0401	600	326	1989	43	1	-	346,58
E	PR DBAS 0001	600	300	100	-	1	-	38,75

B

C

D

E

A



DATASHEET

A	
Rear panel	1 x PR F195 0001

B	
Rear panel	1 x PR F195 0001
Drawers set	8 x PR 9077 0001
	12 x PR 6112 0001

C	
Rear panel	1 x PR F195 0001
Drawers set	3 x PR 9077 0001
	8 x PR 6112 0001
	5 x PR 5164 0001

D	
Rear panel	1 x PR F195 0001
Drawers set	6 x PR 5164 0001
	2 x PR 4206 0001
	1 x PR 3240 0001
	1 x PR 2353 0001

E	
Optional base for shelf	1 x PR DBAS 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm - Module depth 325 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR D150 0001	600	325	1500	-	1	-	66,86
B	PR D150 114 0201	600	325	1500	114	1	-	270,70
C	PR D150 078 0101	600	325	1556	78	1	-	262,38
D	PR D150 058 0501	600	325	1528	58	1	-	276,84





A

B

C

D

DATASHEET

A	
Rear panel with base	1 x PR D150 0001

B	
Rear panel with base	1 x PR D150 0001
Drawers set	8 x PR 9077 0001
	7 x PR 6112 0001

C	
Rear panel with base	1 x PR D150 0001
Drawers set	13 x PR 6112 0001

D	
Rear panel with base	1 x PR D150 0001
Drawers set	2 x PR 9077 0001
	3 x PR 6112 0001
	3 x PR 5164 0001
	1 x PR 4206 0001
	1 x PR 3240 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm - Module depth 325 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR D175 0001	600	325	1750	-	1	-	69,20
B	PR D175 112 0301	600	325	1786	112	1	-	311,32
C	PR D175 062 0501	600	325	1750	62	1	-	310,64
D	PR D175 057 0301	600	325	1770	57	1	-	310,60

B

A





C

D

DATASHEET

A	
Rear panel with base	1 x PR F175 0001

B	
Rear panel with base	1 x PR D175 0001
Drawers set	6 x PR 9077 0001
	8 x PR 6112 0001
	2 x PR 5164 0001

C	
Rear panel with base	1 x PR D175 0001
Drawers set	2 x PR 9077 0001
	3 x PR 6112 0001
	3 x PR 5164 0001
	2 x PR 4206 0001
	1 x PR 3240 0001

D	
Rear panel with base	1 x PR D175 0001
Drawers set	5 x PR 6112 0001
	3 x PR 5164 0001
	3 x PR 4206 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm - Module depth 325 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR D195 0001	600	325	1950	-	1	-	70,54
B	PR D195 117 0401	600	325	1950	117	1	-	335,22
C	PR D195 066 0501	600	325	1950	66	1	-	343,44
D	PR D195 061 0301	600	325	1976	61	1	-	343,40



A

B

C

D

DATASHEET

A	
Rear panel with base	1 x PR D195 0001

B	
Rear panel with base	1 x PR D195 0001
Drawers set	6 x PR 9077 0001
	9 x PR 6112 0001
	1 x PR 5164 0001
	1 x PR 4206 0001

C	
Rear panel with base	1 x PR D195 0001
Drawers set	2 x PR 9077 0001
	3 x PR 6112 0001
	3 x PR 5164 0001
	3 x PR 4206 0001
	1 x PR 3240 0001

D	
Rear panel with base	1 x PR D195 0001
Drawers set	5 x PR 6112 0001
	3 x PR 5164 0001
	4 x PR 4206 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR R186 260 0401	900	900	1865	260	1	-	1509,07
B	PR R161 0001	900	900	1615	-	1	-	522,06
C	PR R186 0001	900	900	1865	-	1	-	498,27
D	PR R206 0001	900	900	2065	-	1	-	562,99

A

B
C
D





The Practibox swivel shelf consists of a 360° swivel base that houses 4 Practibox drawer unit holder frames, available in 3 different heights. Capacious, robust, practical – characteristics that make it usable in both large and small spaces.

⚠ The swivel base must be fixed to the floor

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A

Swivel structure with 4 frames	1 x PR R186 0001
Drawers set	2 x PR 9077 0001
	18 x PR 6112 0001
	22 x PR 5164 0001
	6 x PR 4206 0001

B

Swivel structure with 4 frames	1 x PR R161 0001

C

Swivel structure with 4 frames	1 x PR R186 0001

D

Swivel structure with 4 frames	1 x PR R206 0001

14.021
14.022
14.023
14.024
14.025
14.027.24
14.028
14.030
14.031
14.032
14.033
I4.038
I4.039
I4.040
I4.041
I4.042
I4.045
I4.044.40

Cabinets with removable frames - Extractable frame holder 400 kg

	ARTICLE	WIDTH	DEPTH	HEIGHT	USABLE FRAME HEIGHT	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR COOL 5001	1073	705	2000	-	1	-	886,18
B	PR COOL 7001	1481	705	2000	-	1	-	996,34
C	PR C000 0401	-	705	1900	1765	1	-	574,38
D	PR FIX 0099	-	-	-	-	2	-	6,20





A
B

C

D

DATASHEET

A	
Cabinet for extractable frames with lock	PR COOL 5001
Usable cabinet widtH mm	967

B	
Cabinet for extractable frames with lock	PR COOL 7001
Usable cabinet widtH mm	1375

C	
Removable frame capacity 400 kg	PR C000 0401

D					
Pair of anchor bolts for fixing a side unit				PR FIX 0099	
Drawer unit	**A**	**B***	**C**	**Q.ty H1**	**Q.ty H2**
PR 2353 ...	330.5	650	352	2	2
PR 3240 ...	228.5	445	241	3	3
PR 4206 ...	203.5	380	207	4	4
PR 5164 ...	177.5	315	164	5	5
PR 6112 ...	126.5	225	112	7	8
PR 9077 ...	101.5	170	77	10	11
B* - see usable width of cabinets without removable frames					

* see useful width of cabinets without drawers

⚠ The cabinet must be fixed to the floor

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Compositions with and without drawers – Extractable frame 400 kg

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR C41L 5401	1073	705	2000	-	1	-	3.114,22
B	PR C41L 720 5401	1073	705	2000	720	1	-	4.919,02
C	PR C32L 5401	1073	705	2000	-	1	-	2.557,22
D	PR C32L 380 5401	1073	705	2000	380	1	-	3.966,02
E	PR C33L 5401	1073	705	2000	-	1		2.557,22
F	PR C33L 344 5401	1073	705	2000	344	1		3.990,58

A
B



C
D



E
F



⚠ The cabinet must be fixed to the floor

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A	
Cabinet with 4 extractable frames with lock	1 x PR C41L 5401

B	
Cabinet with 4 extractable frames with lock	1 x PR C41L 5401
Drawers set	120 x PR 6112 001

C	
Cabinet with 3 extractable frames with lock	1 x PR C32L 5401

D	
Cabinet with 3 extractable frames with lock	1 x PR C32L 5401
Drawers set	30 x PR 6112 001
	40 x PR 5164 001

E	
Cabinet with 3 extractable frames with lock	1 x PR C33L 5401

F	
Cabinet with 3 extractable frames with lock	1 x PR C33L 5401
Drawers set	30 x PR 6112 001
	20 x PR 5164 001
	16 x PR 4206 001

Compositions with and without drawers – Extractable frame 400 kg

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR C51L 7401	1481	705	2000	-	1	-	3.781,38
B	PR C51L 900 7401	1481	705	2000	900	1	-	6.037,38
C	PR C42L 7401	1481	705	2000	-	1	-	3.224,38
D	PR C42L 480 7401	1481	705	2000	480	1	-	5.111,98
E	PR C31L 7401	1481	705	2000	-	1		2.667,36
F	PR C31L 192 7401	1481	705	2000	192	1		4.177,44



DATASHEET

A	
Cabinet with 5 extractable frames with lock	1 x PR C51L 7401

B	
Cabinet with 5 extractable frames with lock	1 x PR C51L 7401
Drawers set	150 x PR 6112 001

C	
Cabinet with 4 extractable frames with lock	1 x PR C42L 7401

D	
Cabinet with 4 extractable frames with lock	1 x PR C42L 7401
Drawers set	30 x PR 6112 001
	60 x PR 5164 001

E	
Cabinet with 3 extractable frames with lock	1 x PR C31L 7401

F	
Cabinet with 3 extractable frames with lock	1 x PR C31L 7401
Drawers set	48 x PR 4206 001

⚠ The cabinet must be fixed to the floor

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMiCUBE

180

5
PP

RK

Everything in order and clearly visible for flexible and functional storage: this is the result of the design and construction of the RK series of polypropylene boxes and their dedicated shelving system.

Available in eleven different sizes to meet every need, the drawers are ideal for spare parts dealers on account of their resistance to oils and their internal divisibility.

WALLS

Made of top quality polypropylene, the RK boxes have walls strengthened with special ribbing to protect against shocks.

LABELS

Fitted with label holders available in various sizes proportionate to the size of the boxes to which they are applied.

HANDLES

A special handle can be supplied on request for easy lifting and transportation of the RK boxes.

BOTTOMS

smooth bottom

DIVIDERS

Made of transparent polystyrene, the dividers allow the inside of the boxes to be partitioned into several compartments.

Depth 300 mm - Width 120 - 160 mm H 100

		ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLI-CABLE	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
PP		RK 3012 5104	■	4	1	340	32	512	3,78
	A	RK 3012 5207	■	4	1	380	32	512	7,05
ECOGREEN		RK 3012 5401	■	4	1	374	32	512	3,02
PP		RK 3016 5104	■	4	1	370	24	384	4,16
	B	RK 3016 5207	■	4	1	414	24	384	5,96
ECOGREEN		RK 3016 5401	■	4	1	387	24	384	3,33

A

B

A

Usable internal dimensions	257 x 95 x 97H mm
Pieces per pack / pallet	32 512
Package dimensions	970 x 310 x 385H mm
Pallet dimensions	1300 x 1000 x 1700H mm

B

Usable internal dimensions	257 x 136 x 97H mm
Pieces per pack / pallet	24 384
Package dimensions	970 x 310 x 390H mm
Pallet dimensions	1300 x 1000 x 1700H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 300 mm - Width 120 - 160 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
D	RK H120 5104	Handle facilitated grip for width 120 mm	16	1		0,62
	RK H120 5401		18	1		0,49
	RK H120 5207		19	1		1,15
	RK H160 5104	Handle facilitated grip for width 160 mm	18	1		0,62
	RK H160 5207		20	1		1,04
	RK H160 5401		19	1		0,49
E	RK D120 5207	Divider for width 120 mm	25	1		0,93
	RK D120 6896		22	1		0,62
	RK D160 5207	Divider for width 160 mm	32	1		1,04
	RK D160 6896		28	1		0,69
F	RK D300 0099	Galvanised longitudinal divider	200	1		2,66
G	LB 08024 2401	Divider label 120 mm		1		2,42
	LB 12124 1601	Divider label 160 mm		1		1,61
H	LB 08142 1201	Front Label for L = 120 mm		1		1,69
	LB 12144 0801	Front Label for L = 160 mm		1		2,23

ECOGREEN

D

E

F

G

H

DATASHEET

D

Handle for RK 3012	70 x 90H mm
Handle for RK 3016	110 x 90H mm

E

Galvanised transverse divider size 3012	100 x 90H mm
Galvanised transverse divider size 3016	145 x 90H mm

F

Galvanised longitudinal divider	268 x 88H mm

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160	121 x 24 mm

H

Sheet of 12 labels for RK 3012	81 x 42 mm
Sheet of 8 labels for RK 3016	121 x 44 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 400 mm - Width 120- 160 - 240 mm H 100

		ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
PP		RK 4012 5104	■	6	1	438	32	384	4,21
	A	RK 4012 5207	■	6	1	491	32	384	7,89
ECOGREEN		RK 4012 5401	■	6	1	458	32	384	3,37
PP		RK 4016 5104	■	6	1	448	24	288	4,61
	B	RK 4016 5207	■	6	1	502	24	288	6,93
ECOGREEN		RK 4016 5401	■	6	1	468	24	288	3,68
PP		RK 4024 5104	■	6	3	644	16	192	5,81
	C	RK 4024 5207	■	6	3	721	16	192	10,88
ECOGREEN		RK 4024 5401	■	6	3	673	16	192	4,65

A

B

C

DATASHEET

A	
Usable internal dimensions	357 x 95 x 97H mm
Pieces per pack / pallet	32 384
Package dimensions	970 x 415 x 400H mm
Pallet dimensions	1300 x 1000 x 1700H mm

B	
Usable internal dimensions	357 x 136 x 97H mm
Pieces per pack / pallet	24 288
Package dimensions	970 x 415 x 400H mm
Pallet dimensions	1300 x 1000 x 1700H mm

C	
Usable internal dimensions	357 x 215 x 97H mm
Pieces per pack / pallet	16 192
Package dimensions	970 x 415 x 400H mm
Pallet dimensions	1300 x 1000 x 1700H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 400 mm - Width 120- 160 - 240 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €	
				Qty. per pack.	Qty. per pallet		
D	RK H120 5104	Handle facilitated grip for width 120 mm	16	1		0,62	
	RK H120 5207		19	1		1,15	
	RK H120 5401		18	1		0,49	ECOGREEN
	RK H160 5104	Handle facilitated grip for width 160 mm	18	1		0,62	
	RK H160 5207		20	1		1,04	
	RK H160 5401		19	1		0,49	ECOGREEN
	RK H240 5104	Handle facilitated grip for width 240 mm	20	1		1,21	
	RK H240 5207		23	1		2,27	
	RK H240 5401		22	1		0,97	ECOGREEN
E	RK D120 5207	Divider for width 120 mm	25	1		0,93	
	RK D120 6896		22	1		0,62	
	RK D160 5207	Divider for width 160 mm	32	1		1,04	
	RK D160 6896		28	1		0,69	
	RK D240 5207	Divider for width 240 mm	56	1		1,65	
	RK D240 6896		50	1		1,10	
F	RK D400 0099	Galvanised longitudinal divider	280	1		3,06	
G	LB 08024 2401	Divider label 120 mm		1		2,42	
	LB 12124 1601	Divider label 160- 240 mm		1		1,61	
H	LB 08142 1201	Front Label for L = 120 mm		1		1,69	
	LB 12144 0801	Front Label for L = 160 mm		1		2,23	
	LB 20043 0601	Front Label for L = 240 mm		1		1,69	

D

E

F

G

H

DATASHEET

D

Handle for RK 4012	70 x 90H mm
Handle for RK 4016	110 x 90H mm
Handle for RK 4024	120 x 80H mm

E

Galvanised transverse divider size 4012	100 x 90H mm
Galvanised transverse divider size 4016	145 x 90H mm
Galvanised transverse divider size 4024	125 x 90H mm

F

Galvanised longitudinal divider	368 x 88H mm

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160/RK D240	121 x 24 mm

H

Sheet of 12 labels for RK 4012	81 x 42 mm
Sheet of 8 labels for RK 4016	121 x 44 mm
Sheet of 6 labels for RK 4024	200 x 43 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 500 mm - Width 120- 160 - 240 mm H 100

		ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
PP		RK 5012 5104	■	8	1	528	32	256	4,75
	A	RK 5012 5207	■	8	1	591	32	256	8,88
ECOGREEN		RK 5012 5401	■	8	1	552	32	256	3,79
PP		RK 5016 5104	■	8	1	540	24	192	4,93
	B	RK 5016 5207	■	8	1	605	24	192	7,82
ECOGREEN		RK 5016 5401	■	8	1	564	24	192	3,94
PP		RK 5024 5104	■	8	3	766	16	128	6,48
	C	RK 5024 5207	■	8	3	858	16	128	12,14
ECOGREEN		RK 5024 5401	■	8	3	800	16	128	5,19

A

B

C

DATASHEET

A	
Usable internal dimensions	457 x 95 x 97H mm
Pieces per pack / pallet	32 256
Package dimensions	970 x 515 x 390H mm
Pallet dimensions	1050 x 1000 x 1700H mm

B	
Usable internal dimensions	457 x 136 x 97H mm
Pieces per pack / pallet	24 192
Package dimensions	970 x 515 x 390H mm
Pallet dimensions	1050 x 1000 x 1700H mm

C	
Usable internal dimensions	457 x 215 x 97H mm
Pieces per pack / pallet	16 128
Package dimensions	970 x 515 x 390H mm
Pallet dimensions	1050 x 1000 x 1700H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 500 mm - Width 120- 160 - 240 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €	
				Qty. per pack.	Qty. per pallet		
D	RK H120 5104	Handle facilitated grip for width 120 mm	16	1		0,62	
	RK H120 5207		18	1		1,15	
	RK H120 5401		19	1		0,49	ECOGREEN
	RK H160 5104	Handle facilitated grip for width 160 mm	16	1		0,62	
	RK H160 5207		18	1		1,04	
	RK H160 5401		19	1		0,49	ECOGREEN
	RK H240 5104	Handle facilitated grip for width 240 mm	20	1		1,21	
	RK H240 5207		22	1		2,27	
	RK H240 5401		23	1		0,97	ECOGREEN
E	RK D120 5207	Divider for width 120 mm	25	1		0,93	
	RK D120 6896		22	1		0,62	
	RK D160 5207	Divider for width 160 mm	32	1		1,04	
	RK D160 6896		28	1		0,69	
	RK D240 5207	Divider for width 240 mm	56	1		1,65	
	RK D240 6896		50	1		1,10	
F	RK D500 0099	Galvanised longitudinal divider	360	1		3,52	
G	LB 08024 2401	Divider label 120 mm		1		2,42	
	LB 12124 1601	Divider label 160- 240 mm		1		1,61	
H	LB 08142 1201	Front Label for L = 120 mm		1		1,69	
	LB 12144 0801	Front Label for L = 160 mm		1		2,23	
	LB 20043 0601	Front Label for L = 240 mm		1		1,69	

D

E

F

G

H

DATASHEET

D

Handle for RK 5012	70 x 90H mm
Handle for RK 5016	110 x 90H mm
Handle for RK 5024	120 x 80H mm

E

Galvanised transverse divider size 5012	100 x 90H mm
Galvanised transverse divider size 5016	145 x 90H mm
Galvanised transverse divider size 5024	125 x 90H mm

F

Galvanised longitudinal divider	468 x 88H mm

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160/RK D240	121 x 24 mm

H

Sheet of 12 labels for RK 5012	81 x 42 mm
Sheet of 8 labels for RK 5016	121 x 44 mm
Sheet of 6 labels for RK 5024	200 x 43 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm - Width 160 mm H 100

		ARTICLE	BOTTOM WALLS HANDLES Closed	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
PP		RK 6016 5104	■	10	1	662	24	192	5,32
	A	RK 6016 5207	■	10	1	741	24	192	9,94
ECOGREEN		RK 6016 5401	■	10	1	692	24	192	4,25

Depth 655 mm - Width 160 mm H 100

		ARTICLE	BOTTOM WALLS HANDLES Closed	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
	B	RK 6516 5207	■	11	1	816	24	192	9,61

Depth 434 mm - Width 140 mm H 80

		ARTICLE	BOTTOM WALLS HANDLES Closed	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
PP	C	RK 4314 5104	■	7	-	324	30	540	3,47

A

B

C

A

Usable internal dimensions	560 x 136 x 97H mm
Pieces per pack / pallet	24 192
Package dimensions	970 x 620 x 390H mm
Pallet dimensions	1300 x 1000 x 1700H mm

B

Usable internal dimensions	613 x 136 x 97H mm
Pieces per pack / pallet	24 192
Package dimensions	980 x 670 x 390H mm
Pallet dimensions	1300 x 1000 x 1700H mm

C

Usable internal dimensions	403 x 121 x 76H mm
Pieces per pack / pallet	30 540
Package dimensions	450 x 410 x 460H mm
Pallet dimensions	1300 x 1000 x 1530H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm - Width 160 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
D	RK H160 5104	Handle facilitated grip for width 160 mm	16	1		0,62
	RK H160 5207		18	1		1,04
	RK H160 5401		19	1		0,49
E	RK D140 6896	Divider for width 140 mm	22	1		0,69
	RK D160 5207	Divider for width 160 mm	32	1		1,04
	RK D160 6896		28	1		0,69
F	RK D600 0099	Galvanised longitudinal divider	420	1		3,83
G	LB 8024 2401	Divider label 140 mm		1		2,42
	LB 12124 1601	Divider label 160 mm		1		1,61
H	LB 12144 0801	Front label for L=140/160 mm		1		2,23

ECOGREEN

D

E

F

G

H

DATASHEET

D

Handle for RK 6016	120 x 90H mm

E

Galvanised transverse divider size 4314	137 x 75H mm
Galvanised transverse divider size 6016	145 x 90H mm

F

Galvanised longitudinal divider for RK6016	568 x 88H mm

G

Sheet of 24 labels for RK D140	80 x 24 mm
Sheet of 16 labels for RK D160	121 x 24 mm

H

Sheet of 8 labels for RK 4314-6016-6516	121 x 44 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 300 mm

		ARTICLE	RK 3012	RK 3016		GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
	A	RK BX30 0001					1		74,64
PP	B	RK BX31 5104	16				1		173,32
PP	C	RK BX32 5104		12			1		150,64
PP	D	RK BX33 5104	8	6			1		161,98

Compositions complete with guides and rear stops

A

B

C

D

A	
Box	1 x RK BX30 0001

B	
Box	1 x RK BX30 0001
Drawers set	16 x RK 3012 5104

C	
Box	1 x RK BX30 0001
Drawers set	12 x RK 3016 5104

D	
Box	1 x RK BX30 0001
Drawers set	8 x RK 3012 5104
	6 x RK 3016 5104

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 300 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
I	RK F300 0001	Plinth for RK-BOX depth 300		1		22,02
L	RK RL30 0099	Guide for RK-BOX depth 300		1		2,57
M	RK S500 0099	Galvanised front stop		1		1,45
N	RK S120 1099	Galvanised rear front 120 mm		1		0,46
	RK S160 2099	Galvanised rear front 160 mm		1		0,46



I



L



M



N

DATASHEET

I	
Plinth for BX40	485 x 275 x 90H mm

L	
Galvanised guides for BX40	400 mm

M	
Galvanised stop for RK-BOX	485 mm

N	
Galvanised rear stop	120 - 160 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 400 mm

	ARTICLE	RK 4012	RK 4016	RK 4024	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	RK BX40 0001					1		84,84
B	RK BX41 5104	16				1		191,96
C	RK BX42 5104		12			1		167,28
D	RK BX43 5104	8	6			1		179,62

Compositions complete with guides and rear stops

A

B

C

D

DATASHEET

A	
Box	1 x RK BX40 0001

B	
Box	1 x RK BX40 0001
Drawers set	16 x RK 4012 5104

C	
Box	1 x RK BX40 0001
Drawers set	12 x RK 4016 5104

D	
Box	1 x RK BX40 0001
Drawers set	8 x RK 4012 5104
	6 x RK 4016 5104

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 400 mm

	ARTICLE	RK 4012	RK4016	RK 4024	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
E	RK BX44 5104			8		1		145,80
F	RK BX45 5104	8		4		1		168,88
G	RK BX46 5104		6	4		1		156,54
H	RK BX47 5104	4	6	2		1		168,08

Compositions complete with guides and rear stops

E

F

G

H

DATASHEET

E	
Box	1 x RK BX40 0001
Drawers set	8 x RK 4024 5104

F	
Box	1 x RK BX40 0001
Drawers set	8 x RK 4012 5104
	4 x RK 4024 5104

G	
Box	1 x RK BX40 0001
Drawers set	6 x RK 4016 5104
	4 x RK 4024 5104

H	
Box	1 x RK BX40 0001
Drawers set	4 x RK 4012 5104
	6 x RK 4016 5104
	2 x RK 4024 5104

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 400 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
I	RK F400 0001	Plinth for RK-BOX depth 400		1		23,12
L	RK RL40 0099	Guide for RK-BOX depth 400		1		2,70
M	RK S500 0099	Galvanised stop for RK-BOX		1		1,45
N	RK S120 0099	Galvanised rear front 120 mm		1		0,46
	RK S160 0099	Galvanised rear front 160 mm		1		0,46

I



L

M



N

DATASHEET

I

Plinth for BX40	485 x 375 x 90H mm

L

Galvanised guides for BX40	400 mm

M

Galvanised stop for RK-BOX	485 mm

N

Galvanised rear stop	120 - 160 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 500 mm

	ARTICLE	RK 5012	RK 5016	RK 5024	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
A	RK BX50 0001					1		96,55	
B	RK BX51 5104	16				1		214,83	PP
C	RK BX52 5104		12			1		184,51	PP
D	RK BX53 5104	8	6			1		199,67	PP

Compositions complete with guides and rear stops

A

B

C

D

DATASHEET

A	
Box	1 x RK BX50 0001

B	
Box	1 x RK BX50 0001
Drawers set	16 x RK 5012 5104

C	
Box	1 x RK BX50 0001
Drawers set	12 x RK 5016 5104

D	
Box	1 x RK BX50 0001
Drawers set	8 x RK 5012 5104
	6 x RK 5016 5104

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 500 mm

		ARTICLE	RK 5012	RK 5016	RK 5024	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
PP	E	RK BX54 5104			8		1		163,71
PP	F	RK BX55 5104	8		4		1		189,27
PP	G	RK BX56 5104		6	4		1		174,11
PP	H	RK BX57 5104	4	6	2		1		186,89

Compositions complete with guides and rear stops

E

F

G

H

DATASHEET

E	
Box	1 x RK BX50 0001
Drawers set	8 x RK 5024 5104

F	
Box	1 x RK BX50 0001
Drawers set	8 x RK 5012 5104
	4 x RK 5024 5104

G	
Box	1 x RK BX50 0001
Drawers set	6 x RK 5016 5104
	4 x RK 5024 5104

H	
Box	1 x RK BX50 0001
Drawers set	4 x RK 5012 5104
	6 x RK 5016 5104
	2 x RK 5024 5104

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 500 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
I	RK F500 0001	Plinth for RK-BOX depth 500		1		44,83
L	RK RL50 0099	Guide for RK-BOX depth 500		1		2,91
M	RK S500 0099	Galvanised stop for RK-BOX		1		1,45
N	RK S120 0099	Galvanised rear front 120 mm		1		0,46
	RK S160 0099	Galvanised rear front 160 mm		1		0,46

I



L

M



N

DATASHEET

I

Plinth for BX40	485 x 375 x 90H mm

L

Galvanised guides for BX40	400 mm

M

Galvanised stop for RK-BOX	485 mm

N

Galvanised rear stop	120 - 160 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 600 mm

		ARTICLE	RK6016			GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
	A	RK BX60 0001					1		106,51
	B	RK BX61 5104	12				1		201,47

Composition complete with guides and rear stops

A

B

A	
Box	1 x RK BX60 0001

B	
Box	1 x RK BX60 0001
Drawers set	12 x RK 6016 5104

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
I	RK F600 0001	Plinth for RK-BOX depth 600		1		26,44
L	RK RL60 0099	Guide for RK-BOX depth 600		1		3,20
M	RK S500 0099	Galvanised stop for RK-BOX		1		1,45
N	RK S120 0099	Galvanised rear front 120 mm		1		0,46
	RK S160 0099	Galvanised rear front 160 mm		1		0,46

I



L

M



N

DATASHEET

I	
Plinth for BX60	485 x 575 x 90H mm

L	
Galvanised guides for BX60	600 mm

M	
Galvanised stop for RK-BOX	485 mm

N	
Galvanised rear stop	120 - 160 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ZEUS

5
PP

The Zeus box series meets the most exacting needs for goods containment, handling and storage.

Manageable, lightweight and easy to clean thanks to a perfectly smooth interior, they have a sturdy edge that allows stable and safe stacking. Stackability combined with high storage capacity results in ideal use of space.

BOTTOMS

smooth bottom

ribbed bottom

bottom ribbed at 45° with crossbar

SIDE REINFORCEMENT

Lateral reinforcement on the bottom allows the boxes to be stacked safely even when fully loaded.

HANDLES - WALLS

closed handle closed walls

Size 701 - Size 702 - Size 272-2

	ARTICLE	SMOOTH BOTTOM	SIZE 701	SIZE 702	SIZE 272-2	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
A	ZE Z701 5101	■	■			66	50	1600	1,23
	ZE Z701 5102	■	■			66	50	1600	1,23
	ZE Z701 5103	■	■			66	50	1600	1,23
	ZE Z701 5104	■	■			66	50	1600	1,23
	ZE Z701 5105	■	■			66	50	1600	1,23
	ZE Z701 5207	■	■			74	50	1600	1,57
B	ZE Z702 5101	■		■		106	30	960	1,50
	ZE Z702 5102	■		■		106	30	960	1,50
	ZE Z702 5103	■		■		106	30	960	1,50
	ZE Z702 5104	■		■		106	30	960	1,50
	ZE Z702 5105	■		■		106	30	960	1,50
	ZE Z702 5207	■		■		119	30	960	2,26
C	ZE Z002 5101	■			■	264	54	1080	2,52
	ZE Z002 5102	■			■	264	54	1080	2,52
	ZE Z002 5103	■			■	264	54	1080	2,52
	ZE Z002 5104	■			■	264	54	1080	2,52
	ZE Z002 5105	■			■	264	54	1080	2,52
	ZE Z002 5207	■			■	296	54	1080	4,34

Size 701
144 x 91 x 70H mm

A

Smooth bottom

Size 702
144 x 139 x 70H mm

B

Smooth bottom

Size 272-2
211 x 148 x 126H mm

C

Smooth bottom
Load capacity 5 kg

DATASHEET

A	
Stacked edge height	65 mm
Usable stacked height / Volume	63 mm / 0.9 litres
Dimensions	144 x 91 x 70H mm
Usable internal dimensions	123 x 81 x 68H mm
Pieces per pack / pallet	50 / 1600
Package dimensions	470 x 300 x 350H mm
Pallet dimensions	1200 x 1000 x 1550H mm

B	
Stacked edge height	65 mm
Usable stacked height / Volume	63 mm / 1.4 litres
Dimensions	144 x 139 x 70H mm
Usable internal dimensions	124 x 126 x 68H mm
Pieces per pack / pallet	30 / 960
Package dimensions	470 x 300 x 350H mm
Pallet dimensions	1200 x 1000 x 1550H mm

C	
Stacked edge height	112 mm
Usable stacked height / Volume	110 mm / 3.6 litres
Dimensions	211 x 148 x 126H mm
Usable internal dimensions	187 x 125 x 124H mm
Pieces per pack / pallet	54 / 1080
Package dimensions	720 x 460 x 500H mm
Pallet dimensions	1450 x 1200 x 2100H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 272-3A2 - Size 272-4A2 - Size 272-4

A

Size 272-3A2
310 x 210 x 145H mm

Ribbed bottom
Load capacity 15 kg

B

Size 272-4A2
465 x 315 x 120H mm

Ribbed bottom
Load capacity 15 kg

C

Size 272 -4
465 x 315 x 200H mm

Ribbed bottom
Load capacity 20 kg

D



	ARTICLE	RIBBED BOTTOM	SIZE 272-3A2	SIZE 272-4A2	SIZE 272 -4	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
A	ZE Z3A2 5101	■	■			522	21	252	4,44
A	ZE Z3A2 5102	■	■			522	21	252	4,44
A	ZE Z3A2 5103	■	■			522	21	252	4,44
A	ZE Z3A2 5104	■	■			522	21	252	4,44
A	ZE Z3A2 5105	■	■			522	21	252	4,44
A	ZE Z3A2 5207	■	■			585	21	252	7,51
B	ZE Z4A2 5101	■		■		972	16	128	7,67
B	ZE Z4A2 5102	■		■		972	16	128	7,67
B	ZE Z4A2 5103	■		■		972	16	128	7,67
B	ZE Z4A2 5104	■		■		972	16	128	7,67
B	ZE Z4A2 5105	■		■		972	16	128	7,67
B	ZE Z4A2 5207	■		■		1089	16	128	13,38
C	ZE Z004 5101	■			■	1270	10	80	9,45
C	ZE Z004 5102	■			■	1270	10	80	9,45
C	ZE Z004 5103	■			■	1270	10	80	9,45
C	ZE Z004 5104	■			■	1270	10	80	9,45
C	ZE Z004 5105	■			■	1270	10	80	9,45
C	ZE Z004 5207	■			■	1422	10	80	17,19
D	LB 18292 0301			■			1		1,10
D	LB 18985 0301				■		1		0,50

DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / Volume	130 mm / 8.7 litres
Dimensions	310 x 210 x 145H mm
Usable internal dimensions	284 x 184 x 142H mm
Pieces per pack / pallet	21 252
Package dimensions	360 x 640 x 980H mm
Pallet dimensions	1350 x 1100 x 2110H mm

B	
Stacked edge height	107 mm
Usable stacked height / Volume	105 mm / 16.2 litres
Dimensions	465 x 315 x 120H mm
Usable internal dimensions	423 x 275 x 118H mm
Pieces per pack / pallet	16 128
Package dimensions	640 x 520 x 900H mm
Pallet dimensions	1300 x 1000 x 2150H mm

C	
	183 mm
Usable stacked height / Volume	181 mm / 27 litres
Dimensions	465 x 315 x 200H mm
Usable internal dimensions	423 x 277 x 195H mm
Pieces per pack / pallet	10 80
Package dimensions	640 x 520 x 980H mm
Pallet dimensions	1300 x 1000 x 2150H mm

D	
Sheet of 3 labels for size 272-4A2	182 x 92H mm
Sheet of 3 labels for size 272-4	189 x 85H mm

iMilani innovative italian ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 272-4A5 - Size 272-5

	ARTICLE	RIBBED BOTTOM 45°	SIZE 272-4A5	SIZE 272 -5	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
	ZE Z4A5 5101	■	■		1824	6	48	12,79
	ZE Z4A5 5102	■	■		1824	6	48	12,79
A	ZE Z4A5 5103	■	■		1824	6	48	12,79
	ZE Z4A5 5104	■	■		1824	6	48	12,79
	ZE Z4A5 5105	■	■		1824	6	48	12,79
	ZE Z005 5101	■		■	4355	3	28	28,33
	ZE Z005 5102	■		■	4355	3	28	28,33
B	ZE Z005 5103	■		■	4355	3	28	28,33
	ZE Z005 5104	■		■	4355	3	28	28,33
	ZE Z005 5105	■		■	4355	3	28	28,33
C	LB 18985 0301		■	■		1		0,50

Size 272-4A5
465 x 315 x 300H mm

A

Ribbed bottom 45°
Load capacity 35 kg

Size 272 -5
655 x 470 x 300H mm

B

Ribbed bottom 45°
Load capacity 35 kg

C



DATASHEET

A	
Stacked edge height	285 mm
Usable stacked height / Volume	283 mm / 40.5 litres
Dimensions	465 x 315 x 300H mm
Usable internal dimensions	426 x 276 x 297H mm
Pieces per pack / pallet	6 48
Package dimensions	640 x 520 x 900H mm
Pallet dimensions	1300 x 1000 x 2150H mm

B	
Stacked edge height	278 mm
Usable stacked height / Volume	276 mm / 85 litres
Dimensions	655 x 470 x 300H mm
Usable internal dimensions	604 x 429 x 297H mm
Pieces per pack / pallet	3 28
Package dimensions	675 x 490 x 900H mm
Pallet dimensions	1300 x 1000 x 2150H mm

C	
Sheet of 3 labels for size 272-4A5 and 272-5	189 x 85H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

HOLDER

RS

rigid with support

ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT	PRICE € PACK. 10 PZ.
LH A414 RS	215 x 80 x 17 H	1/4 DIN A4 - 210 x 75	34,09
LH A500 RS	215 x 155 x 17 H	DIN A5 - 210 x 148	49,02

RA

rigid with adhesive

ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT	PRICE € PACK. 10 PZ.
LH A700 RA	110 x 83	DIN A5 - 105 x 74	27,25
LH A414 RA	220 x 83	1/4 DIN A4 - 210 x 75	38,54
LH A500 RA	220 x 160	DIN A5 - 210 x 148	46,06

MI

soft insertion

ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT MM	PRICE € PACK. 10 PZ.
LH A414 MI	210 x 80	1/4 DIN A4 - 210 x 75	10,48
LH A413 MI	210 x 100	1/3 DIN A4 - 210 x 99	11,62
LH A500 MI	210 x 147	DIN A5 - 210 x 148	14,03

MF

soft with slot

ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT	PRICE € PACK. 10 PZ.
LH A414 MF	210 x 80	1/4 DIN A4 - 210 x 75	10,48

INSERTABLE LABEL FORMATS

DIN size in mm

DIN A7	1/4 DIN A4	1/3 DIN A4	DIN A5
110 x 83	210 x 75	210 x 99	210 x 160

ATHENA BOX SERIES

iMiCUBE

210

LABEL HOLDER WITH SUPPORT

PART CODE ATHENA	ARTICLE LH A414 RS		ARTICLE LH A500 RS	
	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AT 3212 A	0	2	0	0
AT 3217 A	0	2	0	2
AT 4305 A	0	0	0	0
AT 4308 A	0	0	0	0
AT 4312 A	2	2	0	0
AT 4312 C	2	2	0	0
AT 4312 P	2	2	0	0
AT 4317 A	2	2	2	2
AT 4317 C	2	2	2	2
AT 4322 A	2	2	2	2
AT 4322 B	2	2	2	2
AT 4322 D	2	2	2	2
AT 4332 A	2	2	2	2
AT 4332 B	2	2	2	2
AT 6408 A	0	0	0	0
AT 6412 A	2	2	0	0
AT 6412 C	2	2	0	0
AT 6412 G	2	2	0	0
AT 6412 H	2	2	0	0
AT 6417 A	2	2	2	2
AT 6417 C	2	2	2	2
AT 6422 A	2	2	2	2
AT 6422 B	2	2	2	2
AT 6422 D	2	2	2	2
AT 6422 S	2	2	2	2
AT 6428 A	2	2	2	2
AT 6428 B	2	2	2	2
AT 6428 D	2	2	2	2
AT 6432 A	2	2	2	2
AT 6432 B	2	2	2	2
AT 6432 D	2	2	2	2
AT 6432 R	2	2	2	2
AT 6443 B	2	2	2	2
AT 6443 R	2	2	2	2
AT 6443 V	2	1	2	1
AT 6443 U	1	2	1	2
AT 8612 C	0	0	0	0
AT 8617 C	0	0	0	0
AT 8622 C	0	0	0	0
AT 8632 C	0	0	0	0
AT 8643 W	0	0	0	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

iMilani innovative italian ideas

ATHENA BOX SERIES

LABEL HOLDER WITH ADHESIVE

PART CODE ATHENA	ARTICLE LH A414 RA ADHESIVE 1/4 A4		ARTICLE LH A500 RA ADHESIVE A5		ARTICLE LH A700 RA ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AT 3212 A	0	0	0	0	0	0
AT 3217 A	0	0	0	0	2	2
AT 4305 A	0	0	0	0	0	0
AT 4308 A	0	0	0	0	0	0
AT 4312 A	0	0	0	0	0	0
AT 4312 C	0	0	0	0	0	0
AT 4312 P	0	0	0	0	0	0
AT 4317 A	0	2	0	0	2	2
AT 4317 C	0	2	0	0	2	2
AT 4322 A	0	2	0	1	2	2
AT 4322 B	0	2	0	1	2	2
AT 4322 D	0	2	0	1	2	2
AT 4332 A	0	2	0	2	2	2
AT 4332 B	0	2	0	2	2	2
AT 6408 A	0	0	0	0	0	0
AT 6412 A	0	0	0	0	0	0
AT 6412 C	0	0	0	0	0	0
AT 6412 G	0	0	0	0	0	0
AT 6412 H	0	0	0	0	0	0
AT 6417 A	1	2	0	0	2	2
AT 6417 C	1	2	0	0	2	2
AT 6422 A	2	2	0	2	2	2
AT 6422 B	2	2	0	2	2	2
AT 6422 D	2	2	0	2	2	2
AT 6422 S	0	0	0	0	0	0
AT 6428 A	2	2	2	2	2	2
AT 6428 B	2	2	2	2	2	2
AT 6428 D	2	2	2	2	2	2
AT 6432 A	2	2	2	2	2	2
AT 6432 B	2	2	2	2	2	2
AT 6432 D	2	2	2	2	2	2
AT 6432 R	0	0	0	0	0	0
AT 6443 B	2	1	2	0	2	2
AT 6443 R	0	0	0	0	0	0
AT 6443 V	2	1	2	0	2	2
AT 6443 U	2	1	1	0	2	2
AT 8612 C	0	0	0	0	0	0
AT 8617 C	2	2	0	0	2	2
AT 8622 C	2	2	0	0	2	2
AT 8632 C	2	2	2	2	2	2
AT 8643 W	2	2	2	2	2	2

ATHENA LIGHT BOX SERIES

LABEL HOLDER WITH SUPPORT

PART CODE ATHENA LIGHT	ARTICLE LH A414 RS		ARTICLE LH A500 RS	
	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AL 6422 A	2	2	2	2
AL 6422 B	2	2	2	2
AL 6422 D	2	2	2	2

LABEL HOLDER WITH ADHESIVE

PART CODE ATHENA LIGHT	ARTICLE LH A414 RA		ARTICLE LH A500 RA		ARTICLE LH A700 RA	
	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AL 6422 A	1	0	0	0	2	2
AL 6422 B	1	0	0	0	2	2
AL 6422 S	0	0	0	0	0	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

ODETTE BOX SERIES

LABEL HOLDER WITH SUPPORT

PART CODE ODETTE	ARTICLE LH A414 RS EDGE 1/4 A4		ARTICLE LH A500 RS EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
OD 4950	0	2	0	0
OD 4930	2	2	2	2
OD 4910	2	2	2	2
OD 4900	2	2	2	2

LABEL HOLDER WITH ADHESIVE

PART CODE ODETTE	ARTICLE LH A414 RA ADHESIVE 1/4 A4		ARTICLE LH A500 RA ADHESIVE A5		ARTICLE LH A700 RA ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
OD 4950	0	0	0	0	0	0
OD 4930	0	0	0	0	0	1
OD 4910	0	0	0	0	0	1
OD 4900	0	0	0	0	2	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

LABEL HOLDER WITH SUPPORT

PART CODE RL-KLT	ARTICLE LH A414 RS EDGE 1/4 A4 SHORT SIDE	ARTICLE LH A414 RS EDGE 1/4 A4 LONG SIDE	ARTICLE LH A500 RS EDGE A5 SHORT SIDE	ARTICLE LH A500 RS EDGE A5 LONG SIDE
KL 3147	0	2	0	0
KL 4147	2	2	0	0
KL 4280	2	2	2	2
KL 6147	2	2	0	0
KL 6280	2	2	2	2

LABEL HOLDER WITH ADHESIVE

PART CODE RL-KLT	ARTICLE LH A414 RA ADHESIVE 1/4 A4 SHORT SIDE	ARTICLE LH A414 RA ADHESIVE 1/4 A4 LONG SIDE	ARTICLE LH A500 RA ADHESIVE A5 SHORT SIDE	ARTICLE LH A500 RA ADHESIVE A5 LONG SIDE	ARTICLE LH A700 RA ADHESIVE A7 SHORT SIDE	ARTICLE LH A700 RA ADHESIVE A7 LONG SIDE
KL 3147	0	0	0	0	0	1
KL 4147	0	0	0	0	0	1
KL 4280	0	1	0	1	2	2
KL 6147	0	0	0	0	0	2
KL 6280	1	0	0	0	2	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

R-KLT BOX SERIES

LABEL HOLDER WITH SUPPORT

ARTICLE
LH A414 RS

ARTICLE
LH A500 RS

PART CODE R-KLT	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
K L 3 2 1 5	0	2	0	0
K L 4 3 1 5	2	2	0	0
K L 4 3 2 9	2	2	2	2
K L 6 4 1 5	2	2	0	0
K L 6 4 2 9	2	2	2	2

LABEL HOLDER WITH ADHESIVE

ARTICLE
LH A414 RA

ARTICLE
LH A500 RA

ARTICLE
LH A700 RA

PART CODE R-KLT	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
K L 3 2 1 5	0	0	0	0	0	0
K L 4 3 1 5	0	0	0	0	0	0
K L 4 3 2 9	0	1	0	1	2	2
K L 6 4 1 5	0	0	0	0	0	0
K L 6 4 2 9	1	0	0	0	2	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

LABEL HOLDER WITH SUPPORT

PART CODE MINERVA	ARTICLE LH A414 RS EDGE 1/4 A4 SHORT SIDE	ARTICLE LH A414 RS EDGE 1/4 A4 LONG SIDE	ARTICLE LH A500 RS EDGE A5 SHORT SIDE	ARTICLE LH A500 RS EDGE A5 LONG SIDE
MI 6420 B	0	0	0	0
MI 6420 S	0	0	0	0
MI 6430 B	0	2	0	0
MI 6430 S	0	2	0	0
MI 6440 B	0	2	0	0
MI 6440 S	0	2	0	0

LABEL HOLDER WITH ADHESIVE

PART CODE MINERVA	ARTICLE LH A414 RA ADHESIVE 1/4 A4 SHORT SIDE	ARTICLE LH A414 RA ADHESIVE 1/4 A4 LONG SIDE	ARTICLE LH A500 RA ADHESIVE A5 SHORT SIDE	ARTICLE LH A500 RA ADHESIVE A5 LONG SIDE	ARTICLE LH A700 RA ADHESIVE A7 SHORT SIDE	ARTICLE LH A700 RA ADHESIVE A7 LONG SIDE
MI 6420 B	0	2	0	0	2	2
MI 6420 S	0	0	0	0	0	0
MI 6430 B	0	2	0	2	2	2
MI 6430 S	0	0	0	0	0	0
MI 6440 B	0	2	0	2	2	2
MI 6440 S	0	0	0	0	0	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE

DELTA BOX SERIES

LABEL HOLDER WITH SUPPORT

PART CODE DELTA	ARTICLE LH A414 RS EDGE 1/4 A4		ARTICLE LH A500 RS EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
DE 6422 A	0	0	0	0
DE 6432 A	0	2	0	0
DE 6442 A	0	2	0	0
DE 6422 B	0	0	0	0
DE 6432 B	0	2	0	0
DE 6442 B	0	2	0	0
DE 6422 C	0	0	0	0
DE 6432 C	0	0	0	0
DE 6442 C	0	0	0	0

LABEL HOLDER WITH ADHESIVE

PART CODE DELTA	ARTICLE LH A700 RA ADHESIVE A7		ARTICLE LH A500 RA ADHESIVE A5		ARTICLE LH A414 RA ADHESIVE 1/4 A4	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
DE 6422 A	2	2	2	2	2	2
DE 6432 A	2	2	2	2	2	2
DE 6442 A	2	2	2	2	2	2
DE 6422 B	2	2	2	2	2	2
DE 6432 B	2	2	2	2	2	2
DE 6442 B	2	2	2	2	2	2
DE 6422 C	2	2	2	2	2	2
DE 6432 C	2	2	2	2	2	2
DE 6442 C	2	2	2	2	2	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE

LABEL HOLDER WITH ADHESIVE

ARTICLE
LH A414 RA

ARTICLE
LH A500 RA

ARTICLE
LH A700 RA

PART CODE ZEUS	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
ZE Z002	0	0	0	0	0	2
ZE Z3A2	0	2	0	0	0	2
ZE Z4A2	1	2	0	0	1	2
ZE Z004	1	2	0	2	1	2
ZE Z4A5	1	2	1	2	1	2
ZE Z005	0	0	0	0	2	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE

COMPAT BOX SERIES

LABEL HOLDER WITH ADHESIVE

ARTICLE
LH A414 RA

ARTICLE
LH A500 RA

ARTICLE
LH A700 RA

PART CODE ZEUS COMPAT	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
C O C 0 0 1	0	0	0	0	0	0
C O C 0 0 2	0	0	0	0	0	2
C O C 3 A 2	0	2	0	0	0	2
C O C 0 0 3	0	2	0	2	0	2
C O Z 3 L 5	0	2	0	0	0	2
C O C 4 A 2	0	2	0	0	0	2
C O C 0 0 4	0	2	0	2	0	2
C O C A 4 5	0	2	0	2	1	2
C O Z 5 P 4	0	0	0	0	1	2
C O Z 0 0 5	0	0	0	0	1	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE

STEEL

FOX 222

QUICK 236

256 FRAME

266 PICK

276 SQUARE

FOX

FOX trolleys are supplied complete with 2 shelves and Athena boxes or alternatively with 2 shelves and Compat containers.

Additional shelves complete with boxes and containers can be supplied separately.

Alternatively, FOX trolleys can also be ordered complete with 2 groups of Practibox tilting containers.

Again, the trolley can be supplemented by ordering additional shelves equipped as per the user's needs.

WIDTH

The FOX trolley series is available with a height of 1430 mm and 2 different widths:
- Free span shelves 657 mm for FOX 06 trolleys
- Free span shelves 955 mm for FOX 08 trolleys





SHELVES AND WHEELS

The tiltable shelves for FOX trolleys of length 955 mm and pitch 985 mm can be in 4 depths: 220, 320, 420 and 600 mm.
The tiltable shelves for FOX trolleys of length 657 mm and pitch 687 mm can be in 2 depths: 220 and 420 mm.
In addition to tilted shelves, the trolley is also configurable for fixed shelves for containers, with different depths available in both cases.
The trolleys are supplied as standard with mounted wheels and disassembled frame.
125 mm diameter rubber wheels, 2 fixed and 2 swivel with brakes,
are supplied as standard.

ACCESSORIES

To make the best use of the trolley spaces, optional accessories are available such as Practibox containers and reinforcing cross supports.

ADJUSTMENTS

The perforated crosspiece base allows for adjustment of the uprights and the insertion of different types of boxes, giving maximum flexibility for installation of the smallest to the largest boxes.



Trolley dimensions

1023 x 613 mm H 1430 mm







Trolley dimensions

725 x 613 mm H 1430 mm





Trolley dimensions

1023 x 613 mm H 1430 mm













974 x 150 mm
974 x 205 mm
974 x 295 mm

Shelves COMPAT containers

Fixed shelf in galvanised steel - capacity 25 kg - L = 974 mm

KIT consisting of

- Trolley 1023 x 613 x 1430H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm L	P	H	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH CONTAINERS €
1 150	9	95	160/140	75	PP	FXT 00199 5101	285,41	FX 00199 5101	19,92
		SIZE 1				FXT 00199 5102	285,41	FX 00199 5102	19,92
						FXT 00199 5103	285,41	FX 00199 5103	19,92
						FX T00199 5104	285,41	FX 00199 5104	19,92
						FXT 00199 5105	285,41	FX 00199 5105	19,92
					ECOGREEN	FXT 00199 5401	281,63	FX 00199 5401	18,03
2 205	6	140	230/200	130	PP	FXT00269 5101	293,33	FX 00269 5101	23,88
		SIZE 2				FXT 00269 5102	293,33	FX 00269 5102	23,88
						FXT 00269 5103	293,33	FX 00269 5103	23,88
						FXT 00269 5104	293,33	FX 00269 5104	23,88
						FXT 00269 5105	293,33	FX 00269 5105	23,88
					ECOGREEN	FXT 00269 5401	289,61	FX 00269 5401	22,02
3 295	4	200	350/300	200	PP	FXT 00349 5101	317,33	FX 00349 5101	35,88
		SIZE 3				FXT 00349 5102	317,33	FX 00349 5102	35,88
						FXT 00349 5103	317,33	FX 00349 5103	35,88
						FXT 00349 5104	317,33	FX 00349 5104	35,88
						FXT 00349 5105	317,33	FX 00349 5105	35,88
					ECOGREEN	FXT 00349 5401	311,09	FX 00349 5401	32,76
3 295	4	200	350/300	145	PP	FXT 3A249 5101	311,01	FX 3A249 5101	32,72
		SIZE 3A2				FXT 3A249 5102	311,01	FX3 A249 5102	32,72
						FXT 3A249 5103	311,01	FX3 A249 5103	32,72
						FXT 3A249 5104	311,01	FX 3A249 5104	32,72
						FXT 3A249 5105	311,01	FX 3A249 5105	32,72
					ECOGREEN	FXT 3A249 5401	306,05	FX 3A249 5401	30,24

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

innovative italian ideas iMilani

Trolley dimensions

1023 x 613 mm H 1430 mm













955 x 220 mm - 955 x 320 mm
955 x 420 mm - 955 x 600 mm

ATHENA box shelves

Tiltable shelf in galvanised steel - load capacity 50 kg - L = 955 mm

KIT consisting of

- Trolley 1023 x 613 x 1430H mm
- 2 identical shelves complete with boxes

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm L	P	H	FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH BOXES €
4 220		3	300	200	120	300	PP	FXT3212A395101	342,57	FX3212A395101	48,50
								FXT3212A3951XB	342,57	FX3212A3951XB	48,50
							ECOGREEN	FXT3212A395401	337,59	FX3212A395401	46,01
		3	300	200	170	300	PP	FXT3217A395101	345,09	FX3217A395101	49,76
								FXT3217A3951XB	345,09	FX3217A3951XB	49,76
							ECOGREEN	FXT3217A395401	339,03	FX3217A395401	46,73
5 320		4	300	200	120	200	PP	FXT3212A495101	360,59	FX3212A495101	57,51
								FXT3212A4951XB	360,59	FX3212A4951XB	57,51
							ECOGREEN	FXT3212A495401	353,95	FX3212A495401	54,19
		4	300	200	170	200	PP	FXT3217A495101	363,95	FX3217A495101	59,19
								FXT3217A4951XB	363,95	FX3217A4951XB	59,19
							ECOGREEN	FXT3217A495401	355,87	FX3217A495401	55,15
		2	400	300	120	400	PP	FXT4312A295101	349,07	FX4312A295101	51,75
								FXT4312A2951XB	349,07	FX4312A2951XB	51,75
							ECOGREEN	FXT4312A295401	344,31	FX4312A295401	49,37
		2	400	300	170	400	PP	FXT4317A295101	355,95	FX4317A295101	55,19
								FXT4317A2951XB	355,95	FX4317A2951XB	55,19
							ECOGREEN	FXT4317A295401	350,43	FX4317A295401	52,43
		2	400	300	220	400	PP	FXT4322A295101	358,67	FX4322A295101	56,55
								FXT4322A2951XB	358,67	FX4322A2951XB	56,55
							ECOGREEN	FXT4322A295401	353,63	FX4322A295401	54,03
6 420		3	400	300	120	300	PP	FXT4312A395101	358,37	FX4312A395101	56,40
								FXT4312A3951XB	358,37	FX4312A3951XB	56,40
							ECOGREEN	FXT4312A395401	351,23	FX4312A395401	52,83
		3	400	300	170	300	PP	FXT4317A395101	368,69	FX4317A395101	61,56
								FXT4317A3951XB	368,69	FX4317A3951XB	61,56
							ECOGREEN	FXT4317A395401	360,41	FX4317A395401	57,42
		3	400	300	220	300	PP	FXT4322A395101	372,77	FX4322A395101	63,60
								FXT4322A3951XB	372,77	FX4322A3951XB	63,60
							ECOGREEN	FXT4322A395401	365,21	FX4322A395401	59,82
7 600		2	600	400	120	400	PP	FXT6412A295101	371,31	FX6412A295101	62,87
								FXT6412A2951XB	371,31	FX6412A2951XB	62,87
							ECOGREEN	FXT6412A295401	364,99	FX6412A295401	59,71
		2	600	400	170	400	PP	FXT6417A295101	381,03	FX6417A295101	67,73
								FXT6417A2951XB	381,03	FX6417A2951XB	67,73
							ECOGREEN	FXT6417A295401	371,87	FX6417A295401	63,15
		2	600	400	220	400	PP	FXT6422A295101	396,59	FX6422A295101	75,51
								FXT6422A2951XB	396,59	FX6422A1951XB	75,51
							ECOGREEN	FXT6422A295401	383,07	FX6422A295401	68,75
		1	800	600	120	800	PP	FXT8612C195101	383,43	FX8612C195101	68,93
								FXT8612C1951XB	383,43	FX8612C1951XB	68,93
							ECOGREEN	FXT8612C195401	372,53	FX8612C195401	63,48
		1	800	600	170	800	PP	FXT8617C195101	387,61	FX8617C195101	71,02
								FXT8617C1951XB	387,61	FX8617C1951XB	71,02
							ECOGREEN	FXT8617C195401	375,85	FX8617C195401	65,14
		1	800	600	220	800	PP	FXT8622C195101	389,63	FX8622C195101	72,03
								FXT8622C1951XB	389,63	FX8622C1951XB	72,03
							ECOGREEN	FXT8622C195401	377,43	FX8622C195401	65,93

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

iMilani
innovative italian ideas

Trolley dimensions

725 x 613 mm H 1430 mm









657 x 220 mm
657 x 420 mm

Shelves COMPAT containers

Tiltable shelf in galvanised steel - load capacity 50 kg - L = 657 mm

KIT consisting of

- Trolley 725 x 613 x 1430H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE€IN €	CODE	PRICE OF ADDITIONAL SHELF WITH CONTAINERS €
		L	P	H					
1		95	160/140	75		FXT 00166 5101	297,75	FX 00166 5101	36,73
						FXT 00166 5102	297,75	FX 00166 5102	36,73
220	6				5 PP	FXT 00166 5103	297,75	FX 00166 5103	36,73
						FXT 00166 5104	297,75	FX 00166 5104	36,73
						FXT 00166 5105	297,75	FX 00166 5105	36,73
		SIZE 1			ECOGREEN	FXT 00166 5401	295,23	FX 00166 5401	35,47
1		140	230/200	130		FXT 00246 5101	301,03	FX 00246 5101	38,37
						FXT 00246 5102	301,03	FX 00246 5102	38,37
220	4				5 PP	FXT 00246 5103	301,03	FX 00246 5103	38,37
						FXT 00246 5104	301,03	FX 00246 5104	38,37
						FXT 00246 5105	301,03	FX 00246 5105	38,37
		SIZE 2			ECOGREEN	FXT00246 5401	298,55	FX 00246 5401	37,13
2		200	350/300	200		FXT 00336 5101	315,23	FX 00336 5101	45,47
						FXT00336 5102	315,23	FX 00336 5102	45,47
420	3				5 PP	FXT 00336 5103	315,23	FX 00336 5103	45,47
						FXT 00336 5104	315,23	FX 00336 5104	45,47
						FXT 00336 5105	315,23	FX 00336 5105	45,47
		SIZE 3			ECOGREEN	FXT00336 5401	310,55	FX 00336 5401	43,13
2		200	350/300	145		FXT 3A236 5101	310,49	FX 3A236 5101	43,10
						FXT 3A236 5102	310,49	FX 3A236 5102	43,10
420	3				5 PP	FXT 3A236 5103	310,49	FX 3A236 5103	43,10
						FXT 3A236 5104	310,49	FX 3A236 5104	43,10
						FXT 3A236 5105	310,49	FX 3A236 5105	43,10
		SIZE 3A2			ECOGREEN	FXT 3A236 5401	306,77	FX 3A236 5401	41,24

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

innovative italian ideas iMilani

Trolley dimensions

725 x 613 mm H 1430 mm









657 x 220 mm
657 x 420 mm

ATHENA box shelves

Tiltable shelf in galvanised steel - load capacity 50 kg - L = 657 mm

KIT consisting of

- Trolley 725 x 613 x 1430H mm
- 2 identical shelves complete with boxes

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm L	P	H	FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH BOXES €
1 220		2	300	200	120	300	PP	FXT 3212A26 5101	305,07	FX 3212A26 5101	40,39
								FXT 3212A26 51XB	305,07	FX 3212A26 51XB	40,39
							ECOGREEN	FXT 3212A26 5401	301,75	FX 3212A26 5401	38,73
		2	300	200	170	300	PP	FXT 3217A26 5101	306,75	FX 3217A26 5101	41,23
								FXT 3217A26 51XB	306,75	FX 3217A26 51XB	41,23
							ECOGREEN	FXT 3217A26 5401	302,71	FX 3217A26 5401	39,21
2 420		2	400	300	120	300	PP	FXT4312A265101	310,07	FX 4312A26 5101	42,89
								FXT 4312A26 51XB	310,07	FX 4312A26 51XB	42,89
							ECOGREEN	FXT 4312A26 5401	305,31	FX 4312A26 5401	40,51
		2	400	300	170	300	PP	FXT 4317A26 5101	316,95	FX 4317A26 5101	46,33
								FXT 4317A26 51XB	316,95	FX 4317A26 51XB	46,33
							ECOGREEN	FXT 4317A26 5401	311,43	FX 4317A26 5401	43,57
		2	400	300	220	300	PP	FXT 4322A26 5101	319,67	FX 4322A26 5101	47,69
								FXT 4322A26 51XB	319,67	FX 4322A26 51XB	47,69
							ECOGREEN	FXT 4322A26 5401	314,63	FX 4322A26 5401	45,17
		1	600	400	120	600	PP	FXT 6412A16 5101	305,63	FX 6412A16 5101	40,67
								FXT 6412A16 51XB	305,63	FX 6412A16 51XB	40,67
							ECOGREEN	FXT 6412A16 5401	302,47	FX 6412A16 5401	39,09
		1	600	400	170	600	PP	FXT 6417A16 5101	310,49	FX 6417A16 5101	43,10
								FXT 6417A16 51XB	310,49	FX 6417A16 51XB	43,10
							ECOGREEN	FXT 6417A16 5401	305,91	FX 6417A16 5401	40,81
		1	600	400	220	600	PP	FXT 6422A16 5101	318,27	FX 6422A16 5101	46,99
								FXT 6422A16 51XB	318,27	FX 6422A16 51XB	46,99
							ECOGREEN	FXT 6422A16 5401	311,51	FX 6422A16 5401	43,61

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

innovative italian ideas
iMilani

Trolley dimensions

725 x 613 mm H 1430 mm





Rail total height

1200 mm - 280 mm

Usable insertion height of Practibox

1264 mm - 276 mm

KIT consisting of

- Trolley 725 x 613 x 1430H mm
- 2 pairs of rails height 1200
- 2 Practibox drawers
- 2 galvanised stops

For each additional Practibox drawer unit, always order the relevant stops shown on page 163 position D

RAILS HEIGHT mm	PRACTIBOX RAILS	CODE	PRICE €
Total H. 1200 Usable H. 1264		FXRAIL12	16,39
Total H. 280 Usable H. 276		FXRAIL28	16,06

HEIGHT mm	PRACTIBOX DRAWER UNIT	NO. TILTING PIECES	CODE	PRICE € KIT	CODE	PRICE € ADDITIONAL PRACTIBOX
77		9	FXTPR9	284,69	PR90770001	12,32
112		6	FXTPR6	290,13	PR61120001	15,04
164		5	FXTPR5	307,93	PR51640001	23,94
206		4	FXTPR4	322,97	PR42060001	31,46
240		3	FXTPR3	333,93	PR3240001	36,94

QUICK

QUICK shelf units are supplied complete with 2 shelves and Athena boxes or alternatively with 2 shelves and Compat containers.

Additional shelves complete with boxes and containers can be supplied separately.

QUICK shelf units make picking operations more efficient, reducing the frequency errors and providing high visibility of stocks.

STRUCTURE

The QUICK series shelf unit, with a height of 1817 mm, is available with two different solutions: single-sided and double-sided, allowing insertion of shelves on one or both sides.

double-sided frame
with cross support

single-sided frame
with cross support

SHELVES



The tiltable shelves for QUICK shelf units of length 955 mm and pitch 985 mm are available in 4 depths: 220 - 320 - 420 - 600 mm.
In addition to tilted shelves, the trolley is also configurable for fixed shelves for containers, with different depths available in both cases.

BOXES AND CONTAINERS

The slots in the uprights allow the use of different types of containers including COMPAT sizes 1/2/3/3A2/4/4A2 and ATHENA series boxes.

COMPAT

ATHENA

ADDITIONAL SHELF UNITS

With additional shelves it is possible to connect a new bay to the existing one, thus saving space and the cost of an additional upright and foot.

Shelf unit dimensions

1065 x 542 mm H 1813mm

Shelf dimensions

1065 x 925 mm H 1813 mm

Shelf unit dimensions

1065 x 542 mm H 1813mm

QUICK+COMPAT SINGLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel - capacity 25 kg - L = 974 mm

KIT consisting of

- Shelf unit 1065 x 542 x 1813H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH BOXES €
		L	P	H					
150	9	95	160/140	75	PP	QUR 00199 5101	219,63	QU 00199 5101	19,92
		SIZE 1				QUR 00199 5102	219,63	QU 00199 5102	19,92
						QUR 00199 5103	219,63	QU 00199 5103	19,92
						QUR 00199 5104	219,63	QU 00199 5104	19,92
						QUR 00199 5105	219,63	QU 00199 5105	19,92
					ECOGREEN	QUR 00199 5401	215,85	QU 00199 5401	18,03
205	6	140	230/200	130	PP	QUR 00269 5101	227,55	QU 00269 5101	23,88
		SIZE 2				QUR 00269 5102	227,55	QU 00269 5102	23,88
						QUR 00269 5103	227,55	QU 00269 5103	23,88
						QUR 00269 5104	227,55	QU 00269 5104	23,88
						QUR 00269 5105	227,55	QU 00269 5105	23,88
					ECOGREEN	QUR 00269 5401	223,83	QU 00269 5401	22,02
295	4	200	350/300	200	PP	QUR 00349 5101	251,55	QU 00349 5101	35,88
		SIZE 3				QUR 00349 5102	251,55	QU 00349 5102	35,88
						QUR 00349 5103	251,55	QU 00349 5103	35,88
						QUR 00349 5104	251,55	QU 00349 5104	35,88
						QUR 00349 5105	251,55	QU 00349 5105	35,88
					ECOGREEN	QUR 00349 5401	245,31	QU 00349 5401	32,76
295	4	200	350/300	145	PP	QUR 3A249 5101	245,23	QU 3A249 5101	32,72
		SIZE 3A2				QUR 3A249 5102	245,23	QU 3A249 5102	32,72
						QUR 3A249 5103	245,23	QU 3A249 5103	32,72
						QUR 3A249 5104	245,23	QU 3A249 5104	32,72
						QUR 3A249 5105	245,23	QU 3A249 5105	32,72
					ECOGREEN	QUR 3A249 5401	240,27	QU 3A249 5401	30,24

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

985 x 542 mm H 1813mm

QUICK+COMPAT ADDITIONAL SINGLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel - capacity 25 kg - L = 974 mm

KIT consisting of

- Additional shelf unit 985 x 542 x 1813h mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
		L	P	H					
150	9	95	160/140	75		QUE 00199 5101	157,41	QU 00199 5101	19,92
		SIZE 1				QUE 00199 5102	157,41	QU 00199 5102	19,92
						QUE 00199 5103	157,41	QU 00199 5103	19,92
						QUE 00199 5104	157,41	QU 00199 5104	19,92
						QUE 00199 5105	157,41	QU 00199 5105	19,92
					ECOGREEN	QUE 00199 5401	153,63	QU 00199 5401	18,03
205	6	140	230/200	130		QUE 00269 5101	165,33	QU 00269 5101	23,88
		SIZE 2				QUE 00269 5102	165,33	QU 00269 5102	23,88
						QUE 00269 5103	165,33	QU 00269 5103	23,88
						QUE 00269 5104	165,33	QU 00269 5104	23,88
						QUE 00269 5105	165,33	QU 00269 5105	23,88
					ECOGREEN	QUE 00269 5401	161,61	QU 00269 5401	22,02
295	4	200	350/300	200		QUE 00349 5101	189,33	QU 00349 5101	35,88
		SIZE 3				QUE 00349 5102	189,33	QU 00349 5102	35,88
						QUE 00349 5103	189,33	QU 00349 5103	35,88
						QUE 00349 5104	189,33	QU 00349 5104	35,88
						QUE 00349 5105	189,33	QU 00349 5105	35,88
					ECOGREEN	QUE 00349 5401	183,09	QU 00349 5401	32,76
295	4	200	350/300	145		QUE 3A249 5101	183,01	QU 3A249 5101	32,72
		SIZE 3A2				QUE 3A249 5102	183,01	QU 3A249 5102	32,72
						QUE 3A249 5103	183,01	QU 3A249 5103	32,72
						QUE 3A249 5104	183,01	QU 3A249 5104	32,72
						QUE 3A249 5105	183,01	QU 3A249 5105	32,72
					ECOGREEN	QUE 3A249 5401	178,05	QU 3A249 5401	30,24

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

1065 x 542 mm H 1813mm

QUICK+ATHENA SINGLE SIDE

ATHENA box shelves

Tiltable shelf in galvanised steel - load capacity 50 kg - L = 955 mm

KIT consisting of

- Shelf unit 1065 x 542 x 1813H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm			FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
			L	P	H						
220		3	300	200	120	300	PP	QUR3212A395101	276,79	QU3212A395101	48,50
								QUR3212A3951XB	276,79	QU3212A3951XB	48,50
							ECOGREEN	QUR3212A395401	271,81	QU3212A395401	46,01
		3	300	200	170	300	PP	QUR3217A395101	279,31	QU3217A395101	49,76
								QUR3217A3951XB	279,31	QU3217A3951XB	49,76
							ECOGREEN	QUR3217A395401	273,25	QU3217A395401	46,73
320		4	300	200	120	200	PP	QUR3212A495101	294,81	QU3212A495101	57,51
								QUR3212A4951XB	294,81	QU3212A4951XB	57,51
							ECOGREEN	QUR3212A495401	288,17	QU3212A495401	54,19
		4	300	200	170	200	PP	QUR3217A495101	298,17	QU3217A495101	59,19
								QUR3217A4951XB	298,17	QU3217A4951XB	59,19
							ECOGREEN	QUR3217A495401	290,09	QU3217A495401	55,15
		2	400	300	120	400	PP	QUR4312A295101	283,29	QU4312A295101	51,75
								QUR4312A2951XB	283,29	QU4312A2951XB	51,75
							ECOGREEN	QUR4312A295401	278,53	QU4312A295401	49,37
		2	400	300	170	400	PP	QUR4317A295101	290,17	QU4317A295101	55,19
								QUR4317A2951XB	290,17	QU4317A2951XB	55,19
							ECOGREEN	QUR4317A295401	284,65	QU4317A295401	52,43
		2	400	300	220	400	PP	QUR4322A295101	292,89	QU4322A295101	56,55
								QUR4322A2951XB	292,89	QU4322A2951XB	56,55
							ECOGREEN	QUR4322A295401	287,85	QU4322A295401	54,03
420		3	400	300	120	300	PP	QUR4312A395101	292,59	QU4312A395101	56,40
								QUR4312A3951XB	292,59	QU4312A3951XB	56,40
							ECOGREEN	QUR4312A395401	285,45	QU4312A395401	52,83
		3	400	300	170	300	PP	QUR4317A395101	302,91	QU4317A395101	61,56
								QUR4317A3951XB	302,91	QU4317A3951XB	61,56
							ECOGREEN	QUR4317A395401	294,63	QU4317A395401	57,42
		3	400	300	220	300	PP	QUR4322A395101	306,99	QU4322A395101	63,60
								QUR4322A3951XB	306,99	QU4322A3951XB	63,60
							ECOGREEN	QUR4322A395401	299,43	QU4322A395401	59,82
600		2	600	400	120	400	PP	QUR6412A295101	305,53	QU6412A295101	62,87
								QUR6412A2951XB	305,53	QU6412A2951XB	62,87
							ECOGREEN	QUR6412A295401	299,21	QU6412A295401	59,71
		2	600	400	170	400	PP	QUR6417A295101	315,25	QU6417A295101	67,73
								QUR6417A2951XB	315,25	QU6417A2951XB	67,73
							ECOGREEN	QUR6417A295401	306,09	QU6417A295401	63,15
		2	600	400	220	400	PP	QUR6422A295101	330,81	QU6422A295101	75,51
								QUR6422A2951XB	330,81	QU6422A2951XB	75,51
							ECOGREEN	QUR6422A295401	317,29	QU6422A295401	68,75
		1	800	600	120	800	PP	QUR8612C195101	317,65	QU8612C195101	68,93
								QUR8612C1951XB	317,65	QU8612C1951XB	68,93
							ECOGREEN	QUR8612C195401	306,75	QU8612C195401	63,48
		1	800	600	170	800	PP	QUR8617C195101	321,83	QU8617C195101	71,02
								QUR8617C1951XB	321,83	QU8617C1951XB	71,02
							ECOGREEN	QUR8617C195401	310,07	QU8617C195401	65,14
		1	800	600	220	800	PP	QUR8622C195101	323,85	QU8622C195101	72,03
								QUR8622C1951XB	323,85	QU8622C1951XB	72,03
							ECOGREEN	QUR8622C195401	311,65	QU8622C195401	65,93

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

985 x 542 mm H 1813mm

QUICK+ATHENA ADDITIONAL SINGLE SIDE

ATHENA box shelves

Tiltable shelf in galvanised steel - load capacity 50 kg - L = 955 mm

KIT consisting of

- Additional shelf unit 985 x 542 x 1813h mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm L	P	H	FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
220		3	300	200	120	300	PP	QUE3212A395101	214,57	QU3212A395101	48,50
								QUE3212A3951XB	214,57	QU3212A3951XB	48,50
							ECOGREEN	QUE3212A395401	209,59	QU3212A395401	46,01
		3	300	200	170	300	PP	QUE3217A395101	217,09	QU3217A395101	49,76
								QUE3217A3951XB	217,09	QU3217A3951XB	49,76
							ECOGREEN	QUE3217A395401	211,03	QU3217A395401	46,73
320		4	300	200	120	200	PP	QUE3212A495101	232,59	QU3212A495101	57,51
								QUE3212A4951XB	232,59	QU3212A4951XB	57,51
							ECOGREEN	QUE3212A495401	225,95	QU3212A495401	54,19
		4	300	200	170	200	PP	QUE3217A495101	235,95	QU3217A495101	59,19
								QUE3217A4951XB	235,95	QU3217A4951XB	59,19
							ECOGREEN	QUE3217A495401	227,87	QU3217A495401	55,15
		2	400	300	120	400	PP	QUE4312A295101	221,07	QU4312A295101	51,75
								QUE4312A2951XB	221,07	QU4312A2951XB	51,75
							ECOGREEN	QUE4312A295401	216,31	QU4312A295401	49,37
		2	400	300	170	400	PP	QUE4317A295101	227,95	QU4317A295101	55,19
								QUE4317A2951XB	227,95	QU4317A2951XB	55,19
							ECOGREEN	QUE4317A295401	222,43	QU4317A295401	52,43
		2	400	300	220	400	PP	QUE4322A295101	230,67	QU4322A295101	56,55
								QUE4322A2951XB	230,67	QU4322A2951XB	56,55
							ECOGREEN	QUE4322A295401	225,63	QU4322A295401	54,03
420		3	400	300	120	300	PP	QUE4312A395101	230,37	QU4312A395101	56,40
								QUE4312A3951XB	230,37	QU4312A3951XB	56,40
							ECOGREEN	QUE4312A395401	223,23	QU4312A395401	52,83
		3	400	300	170	300	PP	QUE4317A395101	240,69	QU4317A395101	61,56
								QUE4317A3951XB	240,69	QU4317A3951XB	61,56
							ECOGREEN	QUE4317A395401	232,41	QU4317A395401	57,42
		3	400	300	220	300	PP	QUE4322A395101	244,77	QU4322A395101	63,60
								QUE4322A3951XB	244,77	QU4322A3951XB	63,60
							ECOGREEN	QUE4322A395401	237,21	QU4322A395401	59,82
600		2	600	400	120	400	PP	QUE6412A295101	243,31	QU6412A295101	62,87
								QUE6412A2951XB	243,31	QU6412A2951XB	62,87
							ECOGREEN	QUE6412A295401	236,99	QU6412A295401	59,71
		2	600	400	170	400	PP	QUE6417A295101	253,03	QU6417A295101	67,73
								QUE6417A2951XB	253,03	QU6417A2951XB	67,73
							ECOGREEN	QUE6417A295401	243,87	QU6417A295401	63,15
		2	600	400	220	400	PP	QUE6422A295101	268,59	QU6422A295101	75,51
								QUE6422A2951XB	268,59	QU6422A2951XB	75,51
							ECOGREEN	QUE6422A295401	255,07	QU6422A295401	68,75
		1	800	600	120	800	PP	QUE8612C195101	255,43	QU8612C195101	68,93
								QUE8612C1951XB	255,43	QU8612C1951XB	68,93
							ECOGREEN	QUE8612C195401	244,53	QU8612C195401	63,48
		1	800	600	170	800	PP	QUE8617C195101	259,61	QU8617C195101	71,02
								QUE8617C1951XB	259,61	QU8617C1951XB	71,02
							ECOGREEN	QUE8617C195401	247,85	QU8617C195401	65,14
		1	800	600	220	800	PP	QUE8622C195101	261,63	QU8622C195101	72,03
								QUE8622C1951XB	261,63	QU8622C1951XB	72,03
							ECOGREEN	QUE8622C195401	249,43	QU8622C195401	65,93

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

1065 x 925 mm H 1813mm

QUICK+COMPAT DOUBLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel - capacity 25 kg - L = 974 mm

KIT consisting of

- Shelf unit 1065 x 925 x 1813H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
		L	P	H					
150	9	95	160/140	75		QU2R 00199 5101	239,13	QU 00199 5101	19,92
		SIZE 1				QU2R 00199 5102	239,13	QU 00199 5102	19,92
						QU2R 00199 5103	239,13	QU 00199 5103	19,92
						QU2R 00199 5104	239,13	QU 00199 5104	19,92
						QU2R 00199 5105	239,13	QU 00199 5105	19,92
					ECOGREEN	QU2R 00199 5401	235,35	QU 00199 5401	18,03
205	6	140	230/200	130		QU2R 00269 5101	247,05	QU 00269 5101	23,88
		SIZE 2				QU2R 00269 5102	247,05	QU 00269 5102	23,88
						QU2R 00269 5103	247,05	QU 00269 5103	23,88
						QU2R 00269 5104	247,05	QU 00269 5104	23,88
						QU2R 00269 5105	247,05	QU 00269 5105	23,88
					ECOGREEN	QU2R 00269 5401	243,33	QU 00269 5401	22,02
295	4	200	350/300	200		QU2R 00349 5101	271,05	QU 00349 5101	35,88
		SIZE 3				QU2R 00349 5102	271,05	QU 00349 5102	35,88
						QU2R 00349 5103	271,05	QU 00349 5103	35,88
						QU2R 00349 5104	271,05	QU 00349 5104	35,88
						QU2R 00349 5105	271,05	QU 00349 5105	35,88
					ECOGREEN	QU2R 00349 5401	264,81	QU 00349 5401	32,76
295	4	200	350/300	145		QU2R 3A249 5101	264,73	QU 3A249 5101	32,72
		SIZE 3A2				QU2R 3A249 5102	264,73	QU 3A249 5102	32,72
						QU2R 3A249 5103	264,73	QU 3A249 5103	32,72
						QU2R 3A249 5104	264,73	QU 3A249 5104	32,72
						QU2R 3A249 5105	264,73	QU 3A249 5105	32,72
					ECOGREEN	QU2R 3A249 5401	259,77	QU 3A249 5401	30,24

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

985 x 925 mm H 1813 mm

QUICK+COMPAT ADDITIONAL DOUBLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel - capacity 25 kg - L = 974 mm

KIT consisting of

- Additional shelf unit 985 x 925 x 1813h mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
		L	P	H					
150	9	95	160/140	75	PP	QU2E 00199 5101	167,09	QU 00199 5101	19,92
		SIZE 1				QU2E 00199 5102	167,09	QU 00199 5102	19,92
						QU2E 00199 5103	167,09	QU 00199 5103	19,92
						QU2E 00199 5104	167,09	QU 00199 5104	19,92
						QU2E 00199 5105	167,09	QU 00199 5105	19,92
					ECOGREEN	QU2E 00199 5401	163,31	QU 00199 5401	18,03
205	6	140	230/200	130	PP	QU2E 00269 5101	175,01	QU 00269 5101	23,88
		SIZE 2				QU2E 00269 5102	175,01	QU 00269 5102	23,88
						QU2E 00269 5103	175,01	QU 00269 5103	23,88
						QU2E 00269 5104	175,01	QU 00269 5104	23,88
						QU2E 00269 5105	175,01	QU 00269 5105	23,88
					ECOGREEN	QU2E 00269 5401	171,29	QU 00269 5401	22,02
295	4	200	350/300	200	PP	QU2E 00349 5101	199,01	QU 00349 5101	35,88
		SIZE 3				QU2E 00349 5102	199,01	QU 00349 5102	35,88
						QU2E 00349 5103	199,01	QU 00349 5103	35,88
						QU2E 00349 5104	199,01	QU 00349 5104	35,88
						QU2E 00349 5105	199,01	QU 00349 5105	35,88
					ECOGREEN	QU2E 00349 5401	192,77	QU 00349 5401	32,76
295	4	200	350/300	145	PP	QU2E 3A249 5101	192,69	QU 3A249 5101	32,72
		SIZE 3A2				QU2E 3A249 5102	192,69	QU 3A249 5102	32,72
						QU2E 3A249 5103	192,69	QU 3A249 5103	32,72
						QU2E 3A249 5104	192,69	QU 3A249 5104	32,72
						QU2E 3A249 5105	192,69	QU 3A249 5105	32,72
					ECOGREEN	QU2E 3A249 5401	187,73	QU 3A249 5401	30,24

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

1065 x 925 mm H 1813 mm

QUICK+ATHENA DOUBLE SIDE

ATHENA box shelves

Tiltable shelf in galvanised steel - load capacity 50 kg - L = 955 mm

KIT consisting of

- Shelf unit 1065 x 925 x 1813H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm L	P	H	FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
220		3	300	200	120	300	PP	QU2R3212A395101	296,29	QU3212A395101	48,50
								QU2R3212A3951XB	296,29	QU3212A3951XB	48,50
							ECOGREEN	QU2R3212A395401	291,31	QU3212A395401	46,01
		3	300	200	170	300	PP	QU2R3217A395101	298,81	QU3217A395101	49,76
								QU2R3217A3951XB	298,81	QU3217A3951XB	49,76
							ECOGREEN	QU2R3217A395401	292,75	QU3217A395401	46,73
320		4	300	200	120	200	PP	QU2R3212A495101	314,31	QU3212A495101	57,51
								QU2R3212A4951XB	314,31	QU3212A4951XB	57,51
							ECOGREEN	QU2R3212A495401	307,67	QU3212A495401	54,19
		4	300	200	170	200	PP	QU2R3217A495101	317,67	QU3217A495101	59,19
								QU2R3217A4951XB	317,67	QU3217A4951XB	59,19
							ECOGREEN	QU2R3217A495401	309,59	QU3217A495401	55,15
		2	400	300	120	400	PP	QU2R4312A295101	302,79	QU4312A295101	51,75
								QU2R4312A2951XB	302,79	QU4312A2951XB	51,75
							ECOGREEN	QU2R4312A295401	298,03	QU4312A295401	49,37
		2	400	300	170	400	PP	QU2R4317A295101	309,67	QU4317A295101	55,19
								QU2R4317A2951XB	309,67	QU4317A2951XB	55,19
							ECOGREEN	QU2R4317A295401	304,15	QU4317A295401	52,43
		2	400	300	220	400	PP	QU2R4322A295101	312,39	QU4322A295101	56,55
								QU2R4322A2951XB	312,39	QU4322A2951XB	56,55
							ECOGREEN	QU2R4322A295401	307,35	QU4322A295401	54,03
420		3	400	300	120	300	PP	QU2R4312A395101	312,09	QU4312A395101	56,40
								QU2R4312A3951XB	312,09	QU4312A3951XB	56,40
							ECOGREEN	QU2R4312A395401	304,95	QU4312A395401	52,83
		3	400	300	170	300	PP	QU2R4317A395101	322,41	QU4317A395101	61,56
								QU2R4317A3951XB	322,41	QU4317A3951XB	61,56
							ECOGREEN	QU2R4317A395401	314,13	QU4317A395401	57,42
		3	400	300	220	300	PP	QU2R4322A395101	326,49	QU4322A395101	63,60
								QU2R4322A3951XB	326,49	QU4322A3951XB	63,60
							ECOGREEN	QU2R4322A395401	318,93	QU4322A395401	59,82
600		2	600	400	120	400	PP	QU2R6412A295101	325,03	QU6412A295101	62,87
								QU2R6412A2951XB	325,03	QU6412A2951XB	62,87
							ECOGREEN	QU2R6412A295401	318,71	QU6412A295401	59,71
		2	600	400	170	400	PP	QU2R6417A295101	334,75	QU6417A295101	67,73
								QU2R6417A2951XB	334,75	QU6417A2951XB	67,73
							ECOGREEN	QU2R6417A295401	325,59	QU6417A295401	63,15
		2	600	400	220	400	PP	QU2R6422A295101	350,31	QU6422A295101	75,51
								QU2R6422A2951XB	350,31	QU6422A2951XB	75,51
							ECOGREEN	QU2R6422A295401	336,79	QU6422A295401	68,75
		1	800	600	120	800	PP	QU2R8612C195101	337,15	QU8612C195101	68,93
								QU2R8612C1951XB	337,15	QU8612C1951XB	68,93
							ECOGREEN	QU2R8612C195401	326,25	QU8612C195401	63,48
		1	800	600	170	800	PP	QU2R8617C195101	341,33	QU8617C195101	71,02
								QU2R8617C1951XB	341,33	QU8617C1951XB	71,02
							ECOGREEN	QU2R8617C195401	329,57	QU8617C195401	65,14
		1	800	600	220	800	PP	QU2R8622C195101	343,35	QU8622C195101	72,03
								QU2R8622C1951XB	343,35	QU8622C1951XB	72,03
							ECOGREEN	QU2R8622C195401	331,15	QU8622C195401	65,93

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

985 x 925 mm H 1813 mm

QUICK+ATHENA ADDITIONAL DOUBLE SIDE

ATHENA box shelves

Tiltable shelf in galvanised steel - load capacity 50 kg - L = 955 mm

KIT consisting of

- Additional shelf unit 985 x 925 x 1813h mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm			FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
			L	P	H						
220		3	300	200	120	300	PP	QU2E3212A395101	224,25	QU3212A395101	48,50
								QU2E3212A3951XB	224,25	QU3212A3951XB	48,50
							ECOGREEN	QU2E3212A395401	219,27	QU3212A395401	46,01
		3	300	200	170	300	PP	QU2E3217A395101	226,77	QU3217A395101	49,76
								QU2E3217A3951XB	226,77	QU3217A3951XB	49,76
							ECOGREEN	QU2E3217A395401	220,71	QU3217A395401	46,73
320		4	300	200	120	200	PP	QU2E3212A495101	242,27	QU3212A495101	57,51
								QU2E3212A4951XB	242,27	QU3212A4951XB	57,51
							ECOGREEN	QU2E3212A495401	235,63	QU3212A495401	54,19
		4	300	200	170	200	PP	QU2E3217A495101	245,63	QU3217A495101	59,19
								QU2E3217A4951XB	245,63	QU3217A4951XB	59,19
							ECOGREEN	QU2E3217A495401	237,55	QU3217A495401	55,15
		2	400	300	120	400	PP	QU2E4312A295101	230,75	QU4312A295101	51,75
								QU2E4312A2951XB	230,75	QU4312A2951XB	51,75
							ECOGREEN	QU2E4312A295401	225,99	QU4312A295401	49,37
		2	400	300	170	400	PP	QU2E4317A295101	237,63	QU4317A295101	55,19
								QU2E4317A2951XB	237,63	QU4317A2951XB	55,19
							ECOGREEN	QU2E4317A295401	232,11	QU4317A295401	52,43
		2	400	300	220	400	PP	QU2E4322A295101	240,35	QU4322A295101	56,55
								QU2E4322A2951XB	240,35	QU4322A2951XB	56,55
							ECOGREEN	QU2E4322A295401	235,31	QU4322A295401	54,03
420		3	400	300	120	300	PP	QU2E4312A395101	240,05	QU4312A395101	56,40
								QU2E4312A3951XB	240,05	QU4312A3951XB	56,40
							ECOGREEN	QU2E4312A395401	232,91	QU4312A395401	52,83
		3	400	300	170	300	PP	QU2E4317A395101	250,37	QU4317A395101	61,56
								QU2E4317A3951XB	250,37	QU4317A3951XB	61,56
							ECOGREEN	QU2E4317A395401	242,09	QU4317A395401	57,42
		3	400	300	220	300	PP	QU2E4322A395101	254,45	QU4322A395101	63,60
								QU2E4322A3951XB	254,45	QU4322A3951XB	63,60
							ECOGREEN	QU2E4322A395401	246,89	QU4322A395401	59,82
600		2	600	400	120	400	PP	QU2E6412A295101	252,99	QU6412A295101	62,87
								QU2E6412A2951XB	252,99	QU6412A2951XB	62,87
							ECOGREEN	QU2E6412A295401	246,67	QU6412A295401	59,71
		2	600	400	170	400	PP	QU2E6417A295101	262,71	QU6417A295101	67,73
								QU2E6417A2951XB	262,71	QU6417A2951XB	67,73
							ECOGREEN	QU2E6417A295401	253,55	QU6417A295401	63,15
		2	600	400	220	400	PP	QU2E6422A295101	278,27	QU6422A295101	75,51
								QU2E6422A2951XB	278,27	QU6422A2951XB	75,51
							ECOGREEN	QU2E6422A295401	264,75	QU6422A295401	68,75
		1	800	600	120	800	PP	QU2E8612C195101	265,11	QU8612C195101	68,93
								QU2E8612C1951XB	265,11	QU8612C1951XB	68,93
							ECOGREEN	QU2E8612C195401	254,21	QU8612C195401	63,48
		1	800	600	170	800	PP	QU2E8617C195101	269,29	QU8617C195101	71,02
								QU2E8617C1951XB	269,29	QU8617C1951XB	71,02
							ECOGREEN	QU2E8617C195401	257,53	QU8617C195401	65,14
		1	800	600	220	800	PP	QU2E8622C195101	271,31	QU8622C195101	72,03
								QU2E8622C1951XB	271,31	QU8622C1951XB	72,03
							ECOGREEN	QU2E8622C195401	259,11	QU8622C195401	65,93

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

FRAME

The FRAME shelf unit is precisely sized to house Athena, Athena Light, Kronos, Odette, Compat and Zeus boxes.

There are two available heights: 1010 mm and 2010 mm.

The paired guides that support the box container are adjustable in height and have a pitch of 25 mm and maximum load capacity of 50 kg; boxes and containers of the same width but with different depths and heights can be inserted in the same bay.

The load capacity of the bay is 250 kg.

The modularity of the system allows the existing systems to be extended at any time without removal of the existing one.

UPPER SUPPORT SURFACE

The surfaces are fixed to the top of each bay and, as well as strengthening the shelf unit, act as dust covers and bearing surfaces.

SHELVES

The guides for the sliding of the boxes are fastened to the uprights and secured using the attachment clip.
Adjustable height with 25 mm pitch.

SIDES

The sides are supplied mounted and have a lateral fissure with a pitch of 25 mm and are complete with legs for fixing to the ground.
Load capacity 250 kg.

PAIR OF RETAINING BRACKETS

The brackets are fixed to the sides of the uprights with four self-tapping screws to make the structure more stable.

Depth
400 mm

Dimensions of this composition 1440x400x2010H mm

Front picking 300 mm
Depth 400 mm

Athena

Kronos

Odette

R-KLT

RL-KLT

Depth

400 mm



						
DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2004099	FRE2004099	FRCROSS	FR1004099	FRE1004099	FRRAIL40	FRFIX
227,41 €	80,11 €	17,02 €	101,67 €	65,04 €	8,36 €	7,98 €

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	ATHENA	KRONOS	ODETTE	R-KLT	RL-KLT
55	75	■				
78	100	■				
120	150	■				
147	175			■	■	■
170	200	■				
220	250	■	■			
280	300				■	■
320	350	■				

Depth
600 mm

Dimensions of this composition 1390x600x2010H mm

Front picking 400 mm
Depth 600 mm

Athena

Athena Light

Kronos

Odette

R-KLT

RL-KLT

600 mm



						
DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2006099	FRE2006099	FRCROSS	FR1006099	FRE1006099	FRRAIL60	FRFIX
246,46 €	87,98 €	17,02 €	111,71 €	72,63 €	10,76 €	7,98 €

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	ATHENA	ATHENA LIGHT	KRONOS	ODETTE	R-KLT	RL-KLT
78	100	■					
120	150	■					
147	175					■	■
170	200	■					
220	250	■	■	■	■		
280	300	■				■	■
320	350	■		■	■		
430	450	■					

Depth
350 mm

Dimensions of this composition 1355x350x2010H mm

Front picking 200 mm
Depth 350 mm

Compact

Zeus

Depth

350 mm



						
DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2003599	FRE2003599	FRCROSS	FR1003599	FRE1003599	FRRAIL35	FRFIX
219,94 €	77,14 €	17,02 €	98,20 €	62,13 €	7,55 €	7,98 €

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	COMPAT	ZEUS
145	175	■	■
200	225	■	

Depth
500 mm

Dimensions of this composition 1492x500x2010H mm

Front picking 300 mm
Depth 500 mm

Compact

Zeus

Depth

500 mm





						
DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2005099	FRE2005099	FRCROSS	FR1005099	FRE1005099	FRRAIL50	FRFIX
234,37 €	82,65 €	17,02 €	105,37 €	67,51 €	9,59 €	7,98 €

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	COMPAT	ZEUS
120	150		■
145	175	■	
200	225	■	■
300	325	■	■

PICK

PICK container holder cabinets are the ideal commercial and industrial storage solution for small parts and small items.

They consist of a steel sheet structure with height-adjustable shelves, which can be variable in number according to the user's needs.

They are compatible for insertion of Compat containers series size 1 or 2 and Practibox container series, from 3 to 9 tilting.

These cabinets can be supplied without door or with door and lock.

ADJUSTABLE SHELVES

THE cabinet can be partitioned with height-adjustable shelves, 25 mm in pitch, with insertion of as many shelves as needed.



CONTAINERS

The PICK cabinets can be fitted with Compat series containers in sizes 1 and 2, as well as the Practibox tilting drawer unit series, numbers 3 - 4 -5 - 6 - 9.

REAR STOP

A rear stop can be applied to the shelf to prevent the depthways displacement of container size 1



SAFETY

For safety purposes, PICK container holder cabinets must be fixed to the floor or wall.

Dimensions

700 x 270 H 1000 mm

Some examples of compositions possible with PICK 100 cabinets

1

2

3

4

5

6

Dimensions

700 x 270 H 1000 mm

Cabinet load capacity 450 kg.

Cabinet available in the following colours:

grey RAL7000 - code 01
green RAL6011 - code 02
blue RAL5012 - code 04
grey RAL7035 - code 08

Other colours available on request.



RAL 7000 .01 | RAL 6011 .02 | RAL 5012 .04 | RAL 7035 .08

Comp.	Hinged doors	Lock	Shelves	Compat size 1	Stops for containers	Compat size 2	Shelf load capacity kg	Cabinet colour	Article	Price €
1			8	54	9		50	blue 04	PK 10001 04	254,04
2	■	■	8	54	9		50	blue 04	PK 10011 04	350,72
3			6	24	4	12	50	blue 04	PK 10002 04	221,3
4	■	■	6	24	4	12	50	blue 04	PK 10012 04	317,98
5			5			24	50	blue 04	PK 10003 04	204,36
6	■	■	5			24	50	blue 04	PK 10013 04	301,04

⚠ Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.

Dimensions

700 x 270 H 1655 mm

Some examples of compositions possible with PICK 165 cabinets

1

2

3

Dimensions

700 x 270 H 1655 mm

Cabinet load capacity 500 kg.

Cabinet available in the following colours:

grey RAL7000 - code 01
green RAL6011 - code 02
blue RAL5012 - code 04
grey RAL7035 - code 08

Other colours available on request.

RAL 7000 .01 | RAL 6011 .02 | RAL 5012 .04 | RAL 7035 .08

Comp.	Hinged doors	Lock	Shelves	Compat size 1	Stops for containers	Compat size 2	Shelf load capacity kg	Cabinet colour	Article	Price €
1			12	42	7	24	50	blue 04	PK 16501 04	342,78
2	■	■	12	42	7	24	50	blue 04	PK 16511 04	423,28
Comp.	Hinged doors	Lock	Practibox holder frame	Practibox PR 9077...	Practibox PR 6112...	Practibox PR 5164...	Practibox PR 4206...	Practibox PR 3240...	Article	Price €
3	■	■	1 x 1500H	2	4	3	1	1	PK 16512 04	483,20

⚠ Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.

Dimensions

700 x 270 H 2000 mm

Some examples of compositions possible with PICK 200 cabinets

1

2

3

Dimensions

700 x 270 H 2000 mm

Cabinet load capacity 500 kg.

Cabinet available in the following colours:

grey RAL7000 - code 01
green RAL6011 - code 02
blue RAL5012 - code 04
grey RAL7035 - code 08

Other colours available on request.

RAL 7000 .01 | RAL 6011 .02 | RAL 5012 .04 | RAL 7035 .08

Comp.	Hinged doors	Lock	Shelves	Compat size 1	Stops for containers	Compat size 2	Shelf load capacity kg	Cabinet colour	Article	Price €
1			15	54	9	28	50	blue 04	PK 20001 04	416,34
2	■	■	15	54	9	28	50	blue 04	PK 20011 04	516,18
Comp.	Hinged doors	Lock	Practibox holder frame	Practibox PR 9077...	Practibox PR 6112...	Practibox PR 5164...	Practibox PR 4206...	Practibox PR 3240...	Article	Price €
3	■	■	1 x 1750H	1	6	2	2	1	PK 20012 04	562,64

⚠ Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.

Dimensions

700 x 270 H 1000/1650/2000 mm

Empty cabinets for other configurations

1

H 1000 mm

2

3

H 1650 mm

4

5

H 2000 mm

6

700 x 270 H 1000/1650/2000 mm

When size 1 containers are inserted, the stop bracket on the shelf must be used.
Art. PK STOP - € 2,02

Galvanised steel shelf, complete with 4 hooks
Art. PK SHELF - € 8,14



Practibox holder frame for cabinets 2000 mm in height, including fixing screws
Art. PK FR20 01 - € 38,16



Practibox holder frame for cabinets 1650 mm in height, including fixing screws
Art. PK FR16 01 - € 29,88

Cabinet load capacity 500 kg.

Cabinet available in the following colours:

grey RAL7000 - code 01
green RAL6011 - code 02
blue RAL5012 - code 04
grey RAL7035 - code 08

Other colours available on request.

2 HILTI anchor bolts suitable for uncracked concrete floors greater than or equal to C20/25 class
Recommended anchor bolt traction: 2.9 KN
Anchor bolt diameter: Ø 6 mm
Art. PK FIX - € 7,98

RAL 7000	RAL 6011	RAL 5012	RAL 7035
.01	.02	.04	.08

Comp.	Hinged doors	Lock	Shelves	Compat size 1	Stops for containers	Compat size 2	Load capacity of shelf kg	Cabinet colour	Article	Price €
1								blue 04	PK 10000 04	119,98
2	■	■						blue 04	PK 10010 04	216,66
3								blue 04	PK 16500 04	147,8
4	■	■						blue 04	PK 16510 04	228,3
5								blue 04	PK 20000 04	174,34
6	■	■						blue 04	PK 20010 04	274,18

⚠ Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.



SQUARE

SQUARE shelf units are stackable and can be used to create complete wall shelving installations units, in accordance with available space.

SQUARE shelf units consist of steel structures in RAL7000 grey colour and 8 different configurations, for Zeus series boxes and Compat series containers.

The warehouse configurations of SQUARE shelf units can be easily modified since the individual compositions are monobloc structures – a solution that not only allows for rapid preparation of the area, but also imparts considerable strength even at full load.

DUST PROTECTION COVER

Use of the dust cover also protects the material from accidental loads.
Constructed in RAL7000 grey steel.

WORKTOP

The worktop allows the creation of comfortable, practical workstations for the distribution of materials.
Constructed in RAL7000 grey steel.

PLINTH

The plinth raises the shelf unit 85 mm from the ground, insulates it from the floor and prevents the bottom row of boxes/containers from touching the ground during extraction.
Constructed in RAL7000 grey steel.

CONTAINERS

Individual boxes/containers can be extracted easily and quickly and a special hook positioned at the front on the guides prevents total or accidental ejection.

size 3

size 4A5

size 4

size 5

COMPAT

size 272-4

size 272-4A5

size 272-5

ZEUS

SQUARE TYPES

size 3

1

1025 x 310 x 885H mm

2

1765 x 310 x 885H mm

3

1075 x 460 x 885H mm

4

1765 x 460 x 885H mm

size 4

size 272-4

5

1765 x 460 x 1300H mm

size 4A5

size 272-4A5

6

1765 x 460 x 1300H mm

size 5

size 272-5

7

1125 x 660 x 1180H mm

8

1670 x 660 x 1180H mm

FRAME STACKABILITY



Worktop

Dust protection cover

Plinth

Frame		Single frame load capacity kg	Box load capacity kg	Number of boxes / containers	Price € excluding containers	Frame		Single frame load capacity kg	Box load capacity kg	Number of boxes / containers	Price € excluding containers
1 SQ16003	1 frame	960	60	16	221,90	5 SQ30004	1 frame	2400	80	30	398,64
	2 frames stacked	960	60				2 frames stacked	2400	80		
	3 frames stacked	640	40				3 frames stacked	1500	50		
SQB1023	Plinth	1020 x 315 x 85H mm			53,73	SQB1764	Plinth	1765 x 465 x 85H mm			69,07
SQC1023	Dust protection cover	1020 X 315 x 20H mm			25,81	SQC1764	Dust protection cover	1765 x 465 x 20H mm			33,77
SQW1023	Worktop	1025 x 315 x 32H mm			39,98	SQW1774	Worktop	1770 x 465 x 32H mm			71,62
2 SQ28003	1 frame	1680	60	28	329,82	6 SQ204A5	1 frame	1600	80	20	336,75
	2 frames stacked	1680	60				2 frames stacked	1000	80		
	3 frames stacked	1120	40				3 frames stacked	1000	50		
SQB1763	Plinth	1765 x 315 x 85H mm			73,63	SQB1764	Plinth	1765 x 465 x 85H mm			69,07
SQC1763	Dust protection cover	1765 x 315 x 20H mm			33,65	SQC1764	Dust protection cover	1765 x 465 x 20H mm			33,77
SQW1773	Worktop	1770 x 315 x 32H mm			60,30	SQW1774	Worktop	1770 x 465 x 32H mm			71,62
3 SQ12004	1 frame	1200	100	12	211,76	7 SQ06005	1 frame	1200	200	6	300,85
	2 frames stacked	1200	100				2 frames stacked	1200	200		
	3 frames stacked	1200	100				3 frames stacked	1200	200		
SQB1074	Plinth	1070 x 465 x 85H mm			62,65	SQB1126	Plinth	1125 x 660 x 155H mm			95,61
SQC1074	Dust protection cover	1070 x 465 x 20H mm			30,71	SQC1126	Dust protection cover	1120 x 665 x 30H mm			41,23
SQW1074	Worktop	1075 x 465 x 32H mm			55,37						
4 SQ20004	1 frame	1600	80	20	299,55	8 SQ09005	1 frame	1800	200	9	404,65
	2 frames stacked	1600	80				2 frames stacked	1800	200		
	3 frames stacked	160	80				3 frames stacked	1800	200		
SQB1764	Plinth	1765 x 465 x 85H mm			69,07	SQB1676	Plinth	1670 x 660 x 155H mm			122,34
SQC1764	Dust protection cover	1765 x 465 x 20H mm			33,77	SQC1666	Dust protection cover	1667 x 665 x 30H mm			52,24
SQW1774	Worktop	1770 x 465 x 32H mm			71,62						

GENERAL TERMS AND CONDITIONS OF SALE FOR IMILANI PRODUCTS

1. DEFINITIONS
1.1 WITHIN THIS AGREEMENT, THE TERMS SPECIFIED BELOW SHALL HAVE THE FOLLOWING MEANING:
A) BUYER: ANY TRADER WHO PURCHASES OR PROPOSES TO PURCHASE FROM IMILANI THE PRODUCTS MARKETED BY IMILANI;
B) ORDER CONFIRMATION: REFERS TO THE DOCUMENT WITH WHICH IMILANI ACCEPTS A PROPOSAL;
C) INCOTERMS2010: INCOTERMS OF THE INTERNATIONAL CHAMBER OF COMMERCE, IN THE TEXT IN FORCE AT THE DATE OF FINALISING THE ORDER;
D) ORDER(S): MEANS THE CONTRACT, FORMED BY THE PROPOSAL SUBMITTED BY THE BUYER AND THE ORDER CONFIRMATION ISSUED BY IMILANI, WHICH REGULATES THE SUPPLY OF PRODUCTS;
E) PARTS: IMILANI AND THE BUYER;
F) PRODUCTS: GOODS COVERED BY A SALE OR SALE NEGOTIATION;
G) PROPOSAL(S): THE REQUEST(S) TO PURCHASE THE PRODUCTS SENT BY THE BUYER TO IMILANI.

2. FIELD OF APPLICATION
2.1 THESE CONDITIONS OF SALE (HEREINAFTER THE "CONDITIONS") APPLY BETWEEN IMILANI SRL (HEREINAFTER "IMILANI") AND THE BUYER EVEN WHEN THEY HAVE NOT BEEN AGREED UPON OR REFERRED TO BY THE PARTIES.
2.2 ANY EXCEPTIONS SHALL BE VALID ONLY IF CONTAINED IN SEPARATE DOCUMENTS SIGNED BY THE PARTIES.
2.3 THE GENERAL TERMS AND CONDITIONS OF SALE ARE AN INTEGRAL PART OF ALL ORDERS, INCLUDING WHEN FINALISED BY TELEPHONE, VERBALLY, BY FAX, EMAIL OR INTERNET.
2.4 IN THE EVENT OF DISCREPANCIES BETWEEN THE PROVISIONS REFERRED TO HEREIN AND THOSE CONTAINED IN THE ORDER, THE LATTER SHALL IN ANY CASE PREVAIL.

3. FINALISATION OF THE ORDER
3.1 THE BUYER MAY SUBMIT PROPOSALS TO IMILANI EITHER DIRECTLY OR THROUGH AGENTS AND THEIR REPRESENTATIVES. HOWEVER, AN ORDER SHALL BE FINALISED ONLY AFTER AN ORDER CONFIRMATION HAS BEEN SENT BY IMILANI FOR EACH INDIVIDUAL PROPOSAL.
3.2 IMILANI EXPRESSLY RESERVES THE RIGHT TO EVALUATE ANY PROPOSAL AND SHALL NOT BE BOUND TO THE ACCEPTANCE THEREOF.
3.3 ANY SUPPLY OFFERS FROM IMILANI TO THE BUYER SHALL ONLY BE CONSIDERED FIRM AND IRREVOCABLE IF QUALIFIED AS SUCH IN WRITING BY IMILANI.
3.4 THE REGISTERED OFFICES OF IMILANI SHALL ALWAYS BE THE PLACE OF FINALISATION OF THE ORDER, INCLUDING ORDERS THAT ARE FINALISED ELECTRONICALLY.

4. DELIVERY TERMS
4.1. IMILANI SHALL DELIVER THE PRODUCTS EX-WORKS (EXW INCOTERMS2010). IF REQUESTED, IMILANI SHALL TAKE CARE OF THE TRANSPORTATION OF THE PRODUCTS, AT THE RISK, COST AND EXPENSE OF THE BUYER. THE PAYMENT OF TRANSPORT COSTS BY IMILANI SHALL NOT AFFECT THE RISKS OF THE SHIPMENT, WHICH SHALL CONTINUE TO BE BORNE BY THE BUYER AT THE LATEST UPON DELIVERY OF THEPRODUCTS TO THE FIRST CARRIER.
4.2. THE DELIVERY OF THE PRODUCTS MUST TAKE PLACE BY THE DEADLINE SPECIFIED IN THE ORDER, CALCULATED IN WORKING DAYS. HOWEVER, THE DELIVERY DEADLINE IS PURELY INDICATIVE AND IS NOT AN ESSENTIAL TERM OF THE CONTRACT AND, IN ANY CASE, DOES NOT INCLUDE TRANSPORT TIME.
4.3. UPON RECEIPT OF THE NOTICE OF GOODS READY FOR PICK-UP, THE BUYER MUST COLLECT THE PRODUCTS WITHIN A DEADLINE OF 10 (TEN) DAYS. SHOULD THE BUYER DEFAULT, THE PRODUCTS MAY BE STORED OUTDOORS, WITH IMILANI RELEASED FROM ANY LIABILITY, AND ALL GUARANTEES BEING FORFEITED IN FAVOUR OF IMILANI; THE BUYER SHALL BE CHARGED FOR ANY HANDLING AND STORAGE COSTS INCURRED BY IMILANI, WHICH MAY ALSO, AT ITS DISCRETION, HAVE THE PRODUCTS PLACED IN STORAGE AT THE BUYER'S EXPENSE.
4.4. IMILANI SHALL BE ENTITLED TO ISSUE A REGULAR INVOICE WITHIN 10 (TEN) DAYS FROM THE NOTICE OF GOODS READY FOR PICK UP.

5. COMPLAINTS
5.1. ANY COMPLAINTS REGARDING THE PACKAGING CONDITION, QUANTITY, NUMBER OR EXTERNAL CHARACTERISTICS OF THE PRODUCTS (APPARENT DEFECTS) MUST BE SUBMITTED TO IMILANI IN WRITING, UNDER PENALTY OF FORFEITURE, WITHIN 8 (EIGHT) BUSINESS DAYS FROM THE DATE OF RECEIPT OF THE PRODUCTS.
5.2. ANY COMPLAINTS RELATING TO DEFECTS THAT CANNOT BE IDENTIFIED THROUGH DILIGENT CONTROL UPON RECEIPT (HIDDEN DEFECTS) MUST BE SUBMITTED TO IMILANI, UNDER PENALTY OF FORFEITURE, WITHIN 8 (EIGHT) DAYS FROM THE DATE OF DISCOVERY OF THE DEFECT AND REPORTED TO IMILANI IN THE MANNER PROVIDED UNDER THE WARRANTY CONDITIONS.
5.3. IN NO CASE SHALL AGENTS, CUSTOMERS OR INTERMEDIARIES OF IMILANI HAVE THE POWER TO REPRESENT IMILANI OR TAKE ANY BINDING OBLIGATIONS ON BEHALF OF IMILANI VIS À VIS THE BUYER OR OTHER THIRD PARTIES. TO THIS END, ANY NOTICE RELATING TO FAULTS OR DEFECTS OF THE PRODUCTS SHALL BE INVALID AND INEFFECTIVE IF MADE TO AGENTS, CUSTOMERS OR INTERMEDIARIES OF IMILANI.

6. PRICES
6.1. THE PRICES OF THE PRODUCTS SHALL BE THOSE SPECIFIED IN THE IMILANI PRICE LIST IN FORCE AT THE TIME THE ORDER IS FINALISED OR, IF THE PRODUCT IS NOT INCLUDED IN THE PRICE LIST OR THE PRICE LIST IS NOT AVAILABLE, THOSE SPECIFIED IN THE ORDER CONFIRMATION.
6.2. UNLESS OTHERWISE AGREED, THE AFOREMENTIONED PRICES SHALL BE CALCULATED EX WORKS (EXW INCOTERMS2010). THESE PRICES DO NOT INCLUDE THE COSTS OF SPECIAL PACKAGING, SHIPPING AND TRANSPORT FROM IMILANI'S PREMISES, WHICH SHALL BE BORNE BY THE BUYER. UNLESS OTHERWISE AGREED, THE BUYER SHALL ALSO BEAR ALL EXPENSES, TAXES OR DUTIES INHERENT IN THE SALE OF THE PRODUCTS, INCLUDING THE COSTS OF ALL CUSTOMS FORMALITIES (AS WELL AS ANY DUTIES, TAXES AND OTHER OFFICIAL CHARGES TO BE PAID FOR EXPORTING THE PRODUCTS).

7. PAYMENT CONDITIONS
7.1. WHERE THE TERMS OF PAYMENT ARE NOT SPECIFIED IN THE ORDER, THE PAYMENT MUST BE MADE WITHIN 30 DAYS FROM THE END OF MONTH INVOICE DATE, BY BANK TRANSFER. THE PAYMENT SHALL BE CONSIDERED PAID MADE WHEN THE SUM BECOMES AVAILABLE TO IMILANI AT ITS BANK IN ITALY.
7.2. IF THE PARTIES AGREED ON AN ADVANCE PAYMENT WITHOUT FURTHER SPECIFICATIONS, IT IS ASSUMED THAT THE ADVANCE PAYMENT REFERS TO THE ENTIRE PRICE OF THE PRODUCTS INCLUDED IN THE SUPPLY ORDER.
7.3. IF THE PARTIES HAVE AGREED ON PAYMENT BY DIRECT REMITTANCE, THIS SHALL BE DONE BY SWIFT TRANSFER – WITH FIXED VALUE DATE IN FAVOUR OF IMILANI ON THE DAY THE PAYMENT IS DUE – AT THE BANK SPECIFIED BY IMILANI.
7.4. IN THE EVENT OF PAYMENT DELAYED UNTIL AFTER THE AGREED DATE, DEFAULT INTEREST AT THE STATUTORY RATE SHALL BE APPLIED TO THE BUYER. IN ADDITION, IMILANI SHALL BE REIMBURSED FOR ANY COSTSINCURRED IN THE RECOVERY OF SUMS NOT PROMPTLY PAID.
7.5. THE BUYER IS NOT AUTHORISED TO MAKE ANY DEDUCTION FROM THE AGREED PRICE (E.G. IN CASE OF ALLEGED PRODUCT DEFECTS), WITHOUT PRIOR WRITTEN AGREEMENT WITH IMILANI.

8. FORCE MAJEURE
8.1. BOTH THE BUYER AND IMILANI MAY SUSPEND THE PERFORMANCE OF THEIR CONTRACTUAL OBLIGATIONS WHEN SUCH PERFORMANCE BECOMES IMPOSSIBLE OR UNREASONABLY BURDENSOME DUE TO AN UNFORESEEABLE IMPEDIMENT NOT UNDER THEIR CONTROL, SUCH AS FOR EXAMPLE, STRIKES, BOYCOTTS, LOCKOUTS, FIRES, WARS, RIOTS AND REVOLUTIONS, REQUISITIONS, EMBARGOES OR INTERRUPTIONS IN ENERGY SUPPLY.
8.2. THE PARTY WISHING TO INVOKE THIS CLAUSE MUST IMMEDIATELY INFORM THE OTHER IN WRITING THAT A FORCE MAJEURE CIRCUMSTANCE HAS OCCURRED AS WELL AS WHEN SUCH CIRCUMSTANCE NO LONGER EXISTS.
8.3. IF THE SUSPENSION DUE TO FORCE MAJEURE LASTS MORE THAN EIGHT WEEKS, EACH PARTY SHALL HAVE THE RIGHT TO TERMINATE THE ORDER, SUBJECT TO 10 DAYS' NOTICE, TO BE CONVEYED TO THE OTHER IN WRITING.

9. CHANGE IN THE BUYER'S FINANCIAL SITUATION
9.1. IMILANI SHALL BE ENTITLED TO SUSPEND THE FULFILMENT OF THE OBLIGATIONS ARISING FROM THE SUPPLY OF THE PRODUCTS IN THE EVENT THAT THE BUYER'S FINANCIAL SITUATION BECOMES SUCH AS TO SERIOUSLY ENDANGER THE BUYER'S PERFORMANCE OF ITS OWN OBLIGATIONS, UNLESS A SUITABLE GUARANTEE IS GIVEN.

10. APPLICABLE LAW AND JURISDICTION
10.1. THE GENERAL TERMS AND CONDITIONS OF SALE AND THE ORDERS ENTERED INTO BETWEEN IMILANI AND THE BUYER SHALL BE GOVERNED BY ITALIAN LAW.
10.2. FOR ANY DISPUTE REGARDING THE INTERPRETATION, PERFORMANCE, BREACH OR TERMINATION OF THESE GENERAL TERMS AND CONDITIONS OF SALE, THE COURT OF VICENZA SHALL HAVE EXCLUSIVE JURISDICTION, INCLUDING IN THE EVENT OF JOINDER OF PROCEEDINGS.

11. FINAL CLAUSES
11.1. SHOULD ONE OF THE PARTIES FAIL TO TAKE LEGAL ACTION OR EXERCISE A RIGHT UNDER THESE GENERAL TERMS AND CONDITIONS OF SALE, SUCH ACQUIESCENT CONDUCT MAY NOT BE INTERPRETED AS A FINAL WAIVER TO TAKE SUCH LEGAL ACTION OR EXERCISE SUCH RIGHTS IN THE FUTURE.
11.2. THE SALE OF PRODUCTS BY IMILANI TO THE BUYER DOES NOT GIVE THE LATTER ANY EXCLUSIVE TERRITORIAL RIGHT NOR DOES IT ALLOW THE BUYER TO TAKE ON THE STATUS OF DISTRIBUTOR OR RESELLER OF IMILANI.
11.3. ANY COMMUNICATION FROM THE BUYER TO IMILANI IN RELATION TO THESE GENERAL TERMS AND CONDITIONS OF SALE MUST BE SENT TO THE FOLLOWING CERTIFIED E-MAIL ADDRESS: IMILANISRL@LEGALMAIL.IT. THE AFOREMENTIONED COMMUNICATIONS SHALL TAKE EFFECT UPON RECEIPT BY THE RECIPIENT.

12. PRIVACY
12.1. IN ACCORDANCE WITH THE PROVISIONS OF LEGISLATIVE DECREE 196/03, BY ACCEPTING THIS CONTRACT, THE BUYER DECLARES THAT IT IS AWARE, AND EXPRESSLY AGREES, THAT ITS "PERSONAL DATA", PROVIDED (ALSO VERBALLY) BY ITSELF OR ACQUIRED DURING SALE TRANSACTIONS, IS KEPT WITH IMILANI IN ITS (PAPER, ELECTRONIC OR TELECOMMUNICATIONS) ARCHIVES AND PROCESSED AS PART OF THE CONDUCT OF BUSINESS ACTIVITIES OF IMILANI FOR MANAGEMENT PURPOSES, THE FULFILMENT OF LEGAL OBLIGATIONS, AND FOR STATISTICAL, COMMERCIAL, MARKETING, PROMOTIONAL AND CREDIT PROTECTION PURPOSES. SUCH DATA MAY ALSO BE: (A) DISCLOSED TO COMPANIES, ENTITIES, CONSORTIA OR ASSOCIATIONS RESPONSIBLE FOR CREDIT PROTECTION, (B) DISCLOSED/DISSEMINATED TO SUBSIDIARIES, PARENT COMPANIES OR ASSOCIATES ENGAGED IN COMMERCIAL, MARKET RESEARCH, MARKETING, MANAGEMENT OR IT MANAGEMENT ACTIVITIES; OR SUCH COMPANIES CAN BE GIVEN ACCESS TO THE AFOREMENTIONED ARCHIVES. IN RELATION TO THE PROCESSING OF SAID DATA, THE BUYER MAY EXERCISE THE RIGHTS INDICATED IN ART. 7 LEGISLATIVE DECREE 196/03 AND IMILANI HAS AN OBLIGATION TO COMMUNICATE WITHOUT DELAY ANY REQUESTS PURSUANT TO THAT ARTICLE. THE DATA CONTROLLER IS IMILANI IN THE PERSON OF ITS PRO-TEMPORE LEGAL REPRESENTATIVE. THE DATA CAN BE PROCESSED AT THE COMPANY'S REGISTERED OFFICES OR AT TAX CONSULTING FIRMS, AS WELL AS AT THE PREMISES OF ANY OTHER PROFESSIONALS THAT HAVE BEEN TASKED WITH PROCESSING THE ACCOUNTS AND ANY OTHER RELEVANT ASSIGNMENTS.

13. COMPLIANCE WITH LAW 231/2001
13.1. THE BUYER ACKNOWLEDGES THAT IMILANI HAS ADOPTED AND IMPLEMENTED AN ORGANISATION, MANAGEMENT AND CONTROL MODEL PURSUANT TO LEGISLATIVE DECREE 231/01, WITH ITS CODE OF ETHICS AND DISCIPLINARY SYSTEM, DETAILS OF WHICH CAN BE VIEWED ON THE COMPANY WEBSITE WWW.IMILANI.IT. THE BUYER ENDORSES THE PRINCIPLES OF THE AFOREMENTIONED ORGANISATION, MANAGEMENT AND CONTROL MODEL AND ITS ANNEXES, AND UNDERTAKES TO COMPLY WITH ITS CONTENTS, PRINCIPLES AND PROCEDURES AND, IN GENERAL, TO REFRAIN FROM ANY CONDUCT THAT MAY CONSTITUTE ANY OF THE OFFENCES SPECIFIED IN ITALIAN LEGISLATIVE DECREE 231/01, AS AMENDED, AND INCLUDED IN THE AFOREMENTIONED ORGANISATION, MANAGEMENT AND CONTROL MODEL. THE BUYER ALSO UNDERTAKES TO COMPLY WITH AND TO ENSURE ITS EMPLOYEES' COMPLIANCE WITH ALL THE PRINCIPLES CONTAINED IN SAID DOCUMENTATION AND BEHAVIOURAL PROTOCOLS PROVIDED BY OUR ORGANISATION IN ACCORDANCE WITH LEGISLATIVE DECREE 231/2001 AND THE ANNEXES TO THIS CONTRACT. ANY BREACH OF THE RULES PROVIDED BY THE AFOREMENTIONED DOCUMENTS SHALL CONSTITUTE A SERIOUS BREACH OF CONTRACT.

iMilani srl

Via Capitano Alessio, 109
36027 Rosà (VI) — Italy

Tel +39 0424 583100
info@imilani.it
www.imilani.com

iMilani
innovative
italian
ideas